

**2 Gang Socket** 

SPRING/SUMMER 2008

Offers End 30th September 2008

PRO-ELEC



See Page 2

Cables & 19 Connectors Aerials & 27 Satellite PA/AV Installation 28 Computers & 31 Networking

Electrical

39 Security **Batteries** 43

Heating & Ventilation Workwear 48

Health & Safety 50

52

108

146

Labelling

Sealants & 53 Adhesives Cleaning & Lubricating 55

Soldering 57

70 **Hand Tools** 

Ladders

Site Maintenance

Power Tools & 112 Accessories

Access & Handling

4 1/2" Angle Grinder BOSCH

+ Free S

Diamond Blade and Case

**See Page 133** 

All Prices Exclude VAT

**OVER 100,000 PRODUCTS** 

order code TL1207108

**GO ONLINE** CDC.CO.UK **CALL NOW ON** 08701202530

**ONLY £29.95** 







- · Single or twin 13A switched sockets
- Twin sockets available in single or double pole
- · Quick and simple installation
- Manufactured to BS1363

451015

		17	10+
PL0921708	1 Gang Single Pole	£0.79	£0.49
PL0921508	2 Gang Single Pole	£0.81	£0.63
PL0921608	2 Gang Double Pole	£0.99	£0.79

All Prices Exclude VAT

# 10 Amp Light Switches



PRO-ELEC

- 10 Amp, 10AX rated for fluorescent and inductable loads
- Manufactured to BS EN60669
- · Supplied complete with fixing screws

		46	55	188
	_			

			7
PL0921808	1 Gang 1 Way	£0.38	£0.33
PL0921908	1 Gang 2 Way	£0.39	£0.34
PL0922008	2 Gang 2 Way	£0.64	£0.58
PL0922108	3 Gang 2 Way	£1.01	£0.91

# **Fused Connection Units**







• Twin earth terminals for easy cable connection

· Conforms to BS1363

471403

			1+	10+
	PL0922508	Unswitched	£1.38	£1.27
	PL0922608	Unswitched with Neon	£1.42	£1.33
	PL0922408	Switched	£1.89	£1.77
(	PL0922308	Switched with Neon	£2.14	£1.98
•				

# **45A Pole Cooker** PRO-ELEC **Switches**






- · 45A rated pole switches
- Manufactured to BS EN60669

457025

			51
PL0923308	Single without Neon	£3.39	£3.03
PL0923208	Single with Neon	£3.15	£2.87
















# 2 to 4 Socket Converter

- Converts a 13A twin switched socket into four
- socket into four
   Simply plug into the existing
- socket to create four outlets

  Removes the need for unwanted cable from extension leads
- 13A rated
- Manufactured to BS1363 Pt3.1



PRO"ELEC

480943

PRO-elec

£4.86 £4.45 order code PL1005008

# Dry Lining Boxes PRO-ELEC

- All 35mm deep
- Manufactured from PVC for improved finish
- Will fit wall facing/ceilings 3-18mm thick
- Minimum recess single: 75x75mm, double: 75x135mm, dual:
- 75x162mm
   Conforming to BS5733





4651/6

		1+	10+
PL0430308	Single box	£0.36	£0.33
PL0430408	Double box	£0.51	£0.47

# One to Three Socket Converter

- Fits onto a standard one gang flush backbox
- Converts single gang socket to three gang
- 32mm deep backbox
- Conforms to BS1363
   Dimensions (HxWxD):
- 85x250x43mm
   Weight: 0.52kg

£245 £2.14

**52.40 52.1**4 order code PL0997408

# Surface Mount Pattress Boxes

- Flame retardant urea moulding
- Conforming to BS5733
- Network box for use in trunking systems




462583

1 Gang		1+	10+
PL0914108	16mm	£0.35	£0.34
PL0429208	25mm	£0.32	£0.27
PL0429308	32mm	£0.32	£0.27
PL0429408	45mm with cable clamp + brass terminal	£0.63	£0.55
PL0429508	Network box	£0.94	£0.88
2 Gang			
PL0429608	25mm	£0.54	£0.49
PL0429708	32mm	£0.54	£0.43
PL0429808	45mm with cable clamp + brass terminal	£0.77	£0.68

# Flush Steel Back Boxes

- Galvanised steel with brass earth terminals
- Secure but easy to use knock outs
- Adjustable lugsConforms to BS4662



Dual Dry Lining Box

- Ideal for flush mounting
   Allows two 1 gang
- Allows two 1 gang switches to be mounted side by side
   35mm deep
- 35mm deep
   Dimensions (HxWxD): 84x170x35mm
- Weight: 0.08kg



PRO CLEC

1+ 10+ **53p 50p** order code PL0997208 480937





- Adjustable lugs
- 35mm deep
- Manufactured to BS5733
- Dimensions (HxWxD): 80x80x35mm



PRO-ELEC

480940

484449

1+ 10+ **24p 20p** order code PL0997308



£1.84 £1.72 order code PL0923908

**Junction Boxes** 

# **Dual Pattress Box**

Judi i dili 633 DUA

- Allows two standard size single gang sockets to be mounted side by side
- Depth 33mm



1+ 10+ **38p** order code PL1004208

FROM 41

A range of 4-way mains electrical junction boxes

465189

PRO-ELEC

		1+	10+
PL0922708	5 Amp	£0.43	£0.41
PL0922808	20 Amp	£0.48	£0.43
PL0922908	30 Amp	£0.59	£0.53

# Single to Double Socket Converter



- · Simple, quick installation
- Manufactured to BS5733



481592

49p 44p order code PL1002908

# Blanking Plates PRO-ELEC







Supplied complete with fixing screws

497899

		1+	10+
PL0923008	Single Gang	£0.14	£0.12
PL0923108	Double Gang	£0.27	£0.24

## **Mini Junction Boxes**

- · Selective entry points
- Moulded in white or brown urea
- Manufactured to BS 6220
- 57mm diameter

PL1001608	White
PL1001708	Brown



- Suitable for cable up to 2.50mm
- 20A rated
- 4 terminal





### **Ceiling Pendants** PRO ELEC

- Manufactured to BS67
- T2 rated
- · Short skirt lampholder
- Polycarbonate base with 85mm diameter and large earth terminal and locking terminal screw for simple installation



462584

		1+	10+
PL0924308	6" Cable	£0.98	£0.92
PL0924408	9" Cable	£0.99	£0.93
·			





- mirrors etc
- · Available in different lengths · On/off slider switch
- Pre wired with lead
- Suitable for wall or ceiling fitting
- Max 60W, 240V tube

481493

10+ £1.68 PL1002508 221mm £1.49 PL1002608 284mm £1.94 £1.69

# **Cord Grip** Lampholders



- · Cord grip lampholder, available with or without switch
- T2 temperature rated
- · Manufactured to BSFN61184

PRO-ELEC

· BC lamp socket 1+

469342 10+

PL0924508	Switched	£0.34	£0.31
PL0924608	Unswitched	£0.30	£0.27
$\overline{}$	·		



· 2-way, 6A pull cord switch

. Conforms to BS EN3676



order code PL0925008

497900

# **Batten** Lampholders







· Available with straight, HO, or HO angled skirt designs • T2 temperature rated

- Manufactured to BSEN61184 BC lamp socket

465191 10 .

			101
PL0924708	Straight Skirt	£0.45	£0.42
PL0924808	HO Skirt	£0.49	£0.46
PL0924908	HO Angled Skirt	£0.47	£0.44
$\overline{}$			$\overline{}$

All Prices Exclude VAT

# **45A Pull Cord Ceiling Switch**



Conforms to BS EN60669

· Approximately 1.5 metre cord



PRO ELEC

order code PL0923808



CLICK

# **3-5 Wav Distribution Unit**

- . IP55 distribution board with smoked lid
- Metal DIN rail
- · Resistant to heat, shocks.
- atmospheric agents and U.V. rays Thermoplastic material with
- insulating and self-extinguishing properties in conformity with IEC 695-2-1 (Glow-wire 650°C)





497757

# **Insulated Consumer Units Click**

- Fully compliant and tested to BSEN60439-3
- CF marked
- · Half din rail construction
- · Remove MCB's without
- removing the busbar
- · Plenty of cut outs for ease of wiring Clear labelling to assist
- identification Substantial cable entry and
- wiring space Stylish, user friendly design

(d)	
£11.54	



495749

498021

			1+	3+
PL1011608	4 Way	196x231x115	£12.35	£11.54
PL1011708	6 Way	268x231x115	£13.36	£12.21
PL1011808	10 Way	340x231x115	£14.25	£13.29
PL1011908	14 Way	411x231x115	£17.49	£16.62

# **Insulated Surface Consumer Units – Split Load Protection**

- Supplied complete with mains isolator, RCCB and cable
- Additional copper bus bar supplied
- . Fully compliant and tested to BSEN60439-3, (Isolators BSEN60947-3, RCCB BSEN61008-1)
- CF marked
- · Connection leads manufactured from highly flexible copper

						430021
	Туре	Current Rating		Dims. (LxWxD) mm	1+	2+
PL1012008	4+4	63A	30mA	340x231x115	£48.87	£46.43
PL1012108	4+4	80A	30mA	340x231x115	£53.39	£51.05
PL1012208	6+6	63A	30mA	411x231x115	£59.86	£55.41
PL1012308	6+6	80A	30mA	411x231x115	£65.00	£61.00
PL1012408	9+9	63A	100mA	520x231x115	£72.01	£69.21
PL1012508	9+9	63A	30mA	520x231x115	£88.98	£84.53
PL1012608	9+9	80A	100mA	520x231x115	£86.00	£81.70
PL1012708	9+9	80A	30mA	520x231x115	£82.00	£77.90
PL1012808	9+9	100A	100mA	520x231x115	£84.25	£79.98
PL1012908	9+9	100A	30mA	520x231x115	£86.05	£81.33

# **RCCB Mains Isolator Switches**

- · Fully compliant and tested to BSEN60947-3
- 35mm terminal capacity
- Snap fitting to standard DIN rail
- . Two module, double pole



498023

			1+	3+
PL1013208	63A	30mA	£28.37	£27.41
PL1013308	80A	30mA	£34.02	£32.35
PL1013408	63A	100mA	£26.06	£25.24
PL1013508	80A	100mA	£31.40	£29.87
PL1013608	100A	30mA	£37.08	£36.05
PL1013708	100A	100mA	£35.00	£34.21

# Miniature Circuit CLICK **Breakers (MCB)**

- Fully compliant and tested to BSEN60898
- · Fully shrouded line and load terminals will accept cables up to 25mm square
  - Positive contact identification
  - Single pole, 230V AC,

$\wedge$		
<b>6</b>		福江
FROM ONLY	100	
£2.73	14 10	133
		4 (2)

495750

B Curve		1+	5+
PL1013808	6A	£2.98	£2.73
PL1013908	10A	£2.98	£2.73
PL1014008	16A	£2.98	£2.73
PL1014108	20A	£2.98	£2.73
PL1014208	32A	£2.98	£2.73
PL1014308	40A	£2.98	£2.73
PL1014408	50A	£2.98	£2.73
C Curve			
PL1014508	6A	£3.24	£2.88
PL1014608	10A	£3.24	£2.88
PL1014708	16A	£3.24	£2.88

# **DP Isolator CLICK Switches**



- Fully compliant and tested to BSEN60947-3
- 35mm terminal capacity
- · Positive contact identification in accordance with 16th edition wiring regulations 537-02-03 and 537-03-20
- · Two module, double pole











## **Fusewire**

- Fusewire 5, 15 and 30A
- · Supplied on a handy storage card 5A Wire
- · For use on lighting circuits
- 1KW or less
- 70" in length
- 15A Wire
- · For use in circuits 3KW or less
- 28" in length 30A Wire
- · For cookers, heating and ring circuits
- 20" in length

order code PL0997908



481490

## **30 Amp Terminal** Rinck



Clear 12-way terminal blocks with screw terminals. Rated at 30 Amp

483745

pro-power

order code PL0941808

# **PVC Terminal Rincks**





Dro-POWER

Standard 12-Way terminal blocks with brass screw terminal assemblies and  $\dot{\text{PVC}}$  insulation. Easily sub-divided into smaller strips. Suitable for mains voltages.

			102 17 1
		1+	100+
CBBR105608	3A	£0.15	£0.10
CBBR105708	5A	£0.16	£0.12
CBBR105808	10A	£0.26	£0.15
CBBR105908	15A	£0.28	£0.22
CBBR106008	30A	£0.48	£0.43

# **Earth Terminals**





PRO-ELEC

Useful earth terminal blocks manufactured from solid, nickel-plated brass.

476134

		1+	10+
PL0204108	4-Way	£0.98	88.0£
PL0204208	8-Way	£1.79	£1.53
·—			

# **Domestic Fuses**



retail packs of 10 or with the 13A a bulk pack of 100 is available. . 3A suitable for table lamps,

- radio's, clocks etc.
- 5A suitable for TV's, hair dryers, vacuums etc.
- · 13A suitable for fridges, freezers, kettles, toasters etc
- Mixed fuse pack contains: 3Ax2, 5Ax2, 13Ax6

				404310
		Pack Size	1+	10+
PL0998308	3A	10	£0.69	£0.62
PL0998408	5A	10	£0.69	£0.62
PL0998208	13A	10	£0.69	£0.62
PL0998008	Mixed	10	£0.69	£0.62
PL0998108	13A	100	£4.54	£4.25
	'			

All Prices Exclude VAT

# Connector Blocks

- · 5 way connection blocks Available in 60A and 100A
- variants · Single pole and double
- pole · Heavy duty brass screw
- terminals · Removable front lids
- Suitable for use with consumer units and meters

60A SP



100A SP

60A DP



100A DP

### **Technical Data** Type

404E10

Max. Conductor Dims.	25mm	35mm	25mm	35mm
(HxWxD)mm	56x46x46	56x46x46	84x59x52	98x63x65
				484515

		1+	+ 10+
PL0997508	60A SP	£1.4	44 £1.26
PL0997608	100A SP	£1.	57 £1.38
PL0997708	60A DP	£3.	19 £2.87
PL0997808	100A DP	£4.4	45 £4.02



# ELECTROSAFE Cable Extension Cover

A weatherproof and childproof cable extension cover to protect standard UK mains plugs and extension socket connections from water and accidental disconnection. An ideal safety aid for use in the garden, garage, caravan, boat or car.



1+ **£3.69 £3.21** order code PL0124408

### 

- Transparent lids
- A range of terminal boxes for multiple uses
- Resistant to heat, shocks, atmospheric agents and U.V. Rays

 Thermoplastic material with insulating and self-extinguishing properties in conformity with IEC 695-2-1 (Glow-wire 650°C)



multicomp

		1+	3+
EN8130508	150x110x70	£4.05	£3.85
EN8130608	190x140x70	£5.87	£5.57
EN8130708	240x190x90	£9.25	£8.87
EN8130808	300x220x120	£15.21	£14.44

## **Junction Boxes**


- Modern design
- IP44 or IP55 rated
- Guides on bottom for fitting terminal blocks
- Thermoplastic material with insulating and self-extinguishing properties in conformity with IEC 695-2-1

EN8129508 and EN8129608 have snap on lids. EN8129708 uses self-tapping screws.



		No. of Inlets/		
		IP Rating	1+	5+
EN8129508	Ø 65x35mm	4 / IP44	£0.65	£0.58
EN8129608	Ø 80x40mm	4 / IP44	£0.68	£0.63
EN8129708	100x100x 50mm	6 / IP55	£1.49	£1.40

# **Die-Cast Aluminium** Enclosures



 aluminium enclosures
 Designed to meet IP65 and NEMA4 through the use of neoprene gasket



with the universal tounge and groove seal system Ideal for industrial environments

 Wall mounting holes and lid fixing screws are outside the sealing area for sealing protection 491683

	Exte	rnal [	ims.	Wall			
	L	W	D	Thickness	Weight	1+	3+
EN8191808	50	45	30	2.5	0.059kg	£1.34	£1.27
EN8191908	98	64	34	3.0	0.196kg	£2.24	£2.12
EN8192008	125	80	40	3.7	0.357kg	£3.15	£2.99
EN8192108	125	80	57	3.7	0.428kg	£3.79	£3.60
EN8192208	150	63	36.5	3.6	0.347kg	£3.35	£3.18
EN8192308	160	100	60	4.0	0.66kg	£6.02	£5.71
EN8192408	160	100	81	4.0	0.78kg	£6.31	£5.99

# Polycarbonate Enclosure - IP66

A range of enclosures with smooth, grey walls; available with either standard or smoked transparent lids and quick release plastic screws.

- Glass-fibre reinforced
   Flame resistant
- UV resistantTemperature
- resistant up to 120°C
- Mounting plates and hinges available



£3.49 £7.25 £6.25 £8.25	£3.31 £6.88 £5.93 £7.83
£6.25 £8.25	£5.93
£8.25	
	£7.83
00.54	
£8.54	£8.11
£10.35	£9.83
£14.25	£13.53
£4.21	£3.99
£5.98	£5.68
£7.25	£6.88
£9.25	£8.78
	£10.35 £14.25 £4.21 £5.98 £7.25

# **ÍP56 Plain Sided Junction Boxes**

- A range of terminal boxes for multiple uses
- Resistant to heat, shocks, atmospheric agents and U.V. rays
- Thermoplastic material with insulating and self-extinguishing properties, in conformity with IEC 695-2-1 (Glow-wire 650°C)



		1+	3+
EN8129808	100x100x50	£1.54	£1.40
EN8129908	120x80x50	£1.69	£1.58
EN8130008	150x110x70	£2.49	£2.25
EN8130108	190x140x70	£3.98	£3.71
EN8130208	240x190x90	£6.65	£6.25
EN8130308	300x220x120	£9.98	£9.38
EN8130408	380x300x120	£15.3	9 £14.62

All Prices Exclude VAT

497756


# **Double Gang Outdoor**

- Suitable for all British Standard 13A plugs
- IP55 weatherproof rating
- Impact resistant housing
- · Individual 'Spring back' socket lid covers
- 7x 20mm knock out cable entries (bottom) entry supplied with cut to size box)
- · 2x earth terminals in back box
- · Complies with BS1363 Manufacturers 3 year guarantee

order code PL0904408

465598

# **Single Gang Outdoor Switch**



- IP54 weatherproof rating Impact resistant housing
- 5x 20mm cable entries (bottom
- entry supplied with cut to size box)
- 2x earth terminals in back box
- Complies with BS1363
- Manufacturers 3 year quarantee

order code PL0904108



STARD.

497831

**Single Gang Outdoor** 

- Suitable for all British Standard 13A plugs
- IP55 weatherproof rating
- Impact resistant housing
- 'Spring back' socket lid cover 5x 20mm knock out cable entries (bottom entry) supplied with cut to size box)
- 2x earth terminals in back box
- Complies with BS1363
- · Manufacturers 3 year guarantee



# Outdoor Power Kit

- All you need for simple RCD protected outdoor power
- · Plugs straight into an existing indoor socket · Gives extra protection from the risk of fatal electric shocks at home and in the garden
- · Extra tripfast action for maximum
- protection to the user IP55 weatherproof protection when lid closed
- Individual cover opening protects spare socket when not in use
- 3 year manufacturer's warranty

Contents: Twin gang 13A powerseal outdoor socket, safety breaker RCD plug, 3m 13A cable with cable gland, installation and operating instructions Twin Socket

**Technical Data** 

Operating voltage Operating Current Operating temperature Trip speed RCD contact break

IP Rating Conforms to directives Dimensions (HxWxD)

RCD Plug 230V AC 50Hz 13A

20A -5° to 40°C -10° to 40°C 40ms N/A N/A

IP55

2 pole N/A

73/23/EEC & 89/336/EEC 111x50x45mm 85x150x54mm

order code PL0995308

495721

# **Double Gang** Autdoor Switch

- 10A (fluorescent rated), 2 gang single pole, 1 way switch
- IP54 weatherproof rating
- Impact resistant housing 5x 20mm cable entries (bottom
- entry supplied with cut to size hox) 2x earth terminals in back box
- Complies with BS1363
- . Manufacturers 3 year guarantee

£6.25 order code PL0904208



497832

**Weathersafe Multi-Connector Box** 

- · IP65 weatherproof rating Impact resistant housing
- Integral 4 way socket strip for BS 13A plugs and timers
- Multiple appliance cable outlets Spacious design allowing for storage of
- low voltage garden lighting transformer
- · Manufacturers 3 year guarantee



order code PL0904508



# In-Line RCD Unit PRO-ELEC

- Rewireable RCD unit
- Splash proof design



### Technical Data

Operating voltage Max. Current rating Trip current Trip time

240V AC 13A 30mA 30ms

481475

order code PL1005108



- · Safety RCD adaptor that continuously monitors the power supply to an electrical appliance
- . Cuts off the power in less than 30ms if an earth current fault is detected
- · This is fast enough to prevent a fatal electrical shock

### Technical Data

Approvals

Voltage Rating 240V 50Hz Maximum Current 13A Maximum Load Rated Trip Current 30mA Trip time < 30 mSProtection

3200 Watts IP40

B7071:1992. BS1363. BSEN 605289:1992

order code PL1018903



# **RCD Double White Sockets**







- Eliminates the need for plug-in circuit breakers
- . Extra fast action: Trips out within 40ms
- · Automatically disconnects both Live and Neutral connections leaving the earth connection intact
- Test button for safety checks
- · Protection is maintained when Neutral is lost or with pulsating DC earth fault currents
- · Trips out when the power supply is temporarily lost

495705

		1+	3+
PL0950708	Non Latching Type	£22.98	£21.05
PL0950808	Latching Type	£23.05	£21.15

# **RCD Single White**



A range of single white RCD protected sockets for new installations or to replace existing

sockets. The RCD sockets will provide protection against electric shocks and fires when operating home appliances, gardening equipment, power tools and

industrial machines/equipment.

Units fully comply with BS7288 and BS1363 Operation: The RCD units will detect potentially dangerous faults by monitoring the integrity of the mains supply and will break the circuit instantaneously if a fault occurs, minimising the risk of potentially fatal electric shocks. Non-latching and Latching types are available.Nonlatching types require manual reset to restore power after the power supply is temporarily lost (a must for power tools). Latching types immediately restore power following a power cut.

- · Eliminates the need for plug-in circuit breakers
- · Extra fast action: Trips out within 40ms
- Automatically disconnects both Live and Neutral connections leaving the earth connection intact
  - Test button for safety checks
- Protection is maintained when Neutral is lost or with pulsating DC earth fault currents
- Trips out when the power supply is temporarily lost

PL0950308 Non Latching Type

£21.45 £19.74 PL0950408 Latching Type

# **RCD Double Metal**

· Fliminates the need for plug-in circuit breakers Extra fast action: Trips

out within 40ms Automatically disconnects both Live and Neutral connections leaving

the earth connection intact Test button for safety checks

Protection is maintained

when Neutral is lost or with pulsating DC earth fault currents

Trips out when the power supply is temporarily lost

497926

PL0950908 Non Latching Type PL0951108 Latching Type

£26.69 £25.03

# **RCD Single Metal** Sockets

Eliminates the need for plug-in circuit breakers

· Extra fast action: Trips out within 40ms · Automatically disconnects both Live and Neutral connections leaving the earth connection intact

Test button for safety checks

 Protection is maintained when Neutral is lost or with pulsating DC earth fault currents

Trips out when the power supply is temporarily lost
 Supplied with a 40mm BS metal surface wall box

PL0950508 Non Latching Type PL0950608 Latching Type

All Prices Exclude VAT

497927





**4 Gang Extensions PRO**-elec







integral neon indicator and a 2m lead length. Rated at 13A and conforms to BS 1363/A.		****	T. T.	470530	0
			1+	10+	
PL0919708	8 Gang		£4.42	£3.15	i
PL0919808	10 Gang		£5.15	£3.89	ĺ,

Orange			1+	10+
PL0951408	1 Gang	5m	£4.97	£3.39
PL0951508	1 Gang	10m	£6.49	£4.96
PL0951608	2 Gang	5m	£5.18	£3.54
PL0951708	2 Gang	10m	£7.44	£5.03
Black				
PL0951808	1 Gang	5m	£4.97	£3.39
PL0951908	1 Gang	10m	£6.49	£4.96
PL0952008	2 Gang	5m	£5.18	£3.54
PL0952108	2 Gang	10m	£7.44	£4.96

4 Gang Outdoor Socket

**8 and 10 Gang** 

An eight or ten gang extension with

Extensions

Durable, 4 gang socket for outdoor installations.

- 4x 13A switched sockets
- IP44, PP shield
- Moulded 13A plug with 6m cable

1+ 3+ £14.79 £13.24 order code PL0949508



PRO-ELEC

46570



Twin Socket **Reel Extensions** 

Cassette reel twin socket extensions Available with 6m or 10m lead length. Rated at 5A and conform to BS FN61242.





PRO-FLEC

4671	6
5+	

		1+	5+	
PL0947708	6m	£4.59	£3.58	
PL0947808	10m	£5.55	£4.52	1
		· · · · · · · · · · · · · · · · · · ·		/

**Four Socket Reel Extensions** 

A range of handbag style reel extensions with four sockets. Available with various lead lengths. Rated at 13A and conform to BS EN61242.





PRO-FLEC

469346

		1+	5+
PL0947908	15m	£10.49	£8.25
PL0948008	20m	£12.98	£9.78
PL0948108	25m	£14.05	£10.98

Metal Drum Cable PROGELEC Extensions

Metal drum cable extensions with twin or four socket extensions. Available with various lead lengths and conform to BS FN61242.



- Twin sockets are rated at 5A 240V . Four sockets are rated at 13A 240V
- · Also 110V twin sockets rated at 16A

			403/1
240V		1+	3+
PL0948208	2 Gang 5A 15m	£9.54	£7.98
PL0948308	2 Gang 5A 25m	£14.43	£11.65
PL0948408	2 Gang 5A 30m	£16.07	£12.97
PL0948508	4 Gang 13A 15m	£10.45	£8.45
PL0948608	4 Gang 13A 20m	£10.98	£9.74
PL0948708	4 Gang 13A 25m	£14.81	£11.74
PL0948808	4 Gang 13A 30m	£16.89	£15.87
PL0948908	4 Gang 13A 40m	£21.35	£18.45
PL0949008	4 Gang 13A 50m	£26.91	£20.59
110V			
PL0949108	2 Gang 16A 20m	£15.48	£13.98
PL0949208	2 Gang 16A 30m	£19.89	£17.92
PL0949308	2 Gang 16A 40m	£26.35	£23.05

## **RCD Cable Reel**

- Cable extension reel with RCD protection
- 4 x 13A sockets terminating in an RCD plug
- Hand bag design for easy carrying and storage
- · Ideal for use with power tools. garden equipment and workshops
- RCD provides protection against electric shock
- 25m cable length
- 13A rated

· Manufactured to BS1363 order code PL1004308



484550

## **RCD Cable Reel**

- Cable extension reel with RCD protection
- 4 x 13A sockets terminating in an RCD plug
- Robust steel frame with strong, break resistant body
- · Ideal for use with power tools. garden equipment and workshops
- RCD provides protection against electric shock
- Comfortable carry handle
- 50m cable length
- 13A rated Manufactured to BS1363

order code PL1004408

PRO-ELEC

484551

# **Surge Protected** PRO-ELEC

Surge Protected extension leads with integral neon indicator. Rated at 13A and conform to BS 1363/A.





451004

		1.7	IUT	
PL0920908	4 Gang 2m Lead	£2.84	£1.89	
PL0921008	4 Gang 5m Lead	£4.19	£2.94	
PL0921108	4 Gang 8m Lead	£5.54	£3.98	
PL0921208	6 Gang 2m Lead	£4.04	£2.39	

All Prices Exclude VAT

405710

# Rubber Plugtops 13A PRO-ecec



These plugtops are manufactured from high impact rubber, rated at 13A and conform to BS1363/A.

4	CE	10	1

		1+	10+
PL0946208	Black	£0.75	£0.70
PL0946308	White	£0.75	£0.70
PL0946408	Orange	£0.72	£0.68

# **Mains Tester Plug**

Suitable for testing the wiring correctness of a standard 13A trailing socket.

### **Technical Data**

200-250V Rated voltage Rated frequency 50Hz Power consumption Approx. 1.45W at 220V BS FN 61010-1:1993 Compliances

order code PL1005208





# **Surge Protected Pluq Top**

Surge protected plug designed to protect sensitive electronic equipment from the damage caused by power surges.

- · Ideal for use with audio/video equipment, computer equipment and other electrical appliances
- . LED indicator shows that protection is present
- 13A fuse fitted
- Conforms to BS1363

### Technical Data

Operating voltage 240\/ Max. Current rating 13A Max. Surge current 2500A

order code PL1002208

**Euro-Converter Plugs** 

A range of plug adaptors that quickly and easily convert 2.5Amp 2-pin Euro plugs to standard 3-pin British plugs. Only one screw needs to be turned to fit the adaptor; this can be either returnable or non-



returnable for situations where the plug top needs to be tamper proof.

- · Cost effective with minimum labour costs
- Enables manufacturers to supply imported appliances with 2-pin moulded-on Euro pluas
- High quality construction with stylish design
- External fuse access
- Cannot be plugged in without the lid being closed and fully screwed
- Available with returnable or permanent, tamper-proof, nonreturnable screws
- Designed to BS5733 and ASTA approved standards

			46257
White		1+	10+
PL0023208	Returnable Screw	£0.90	£0.85
PLECP0108	Non-returnable Screw	£0.90	£0.85
Black			
PL0023108	Returnable Screw	£0.90	£0.85
PL0023008	Non-returnable Screw	£0.90	£0.85
Clear			
PL0955308	Returnable Screw 3A	£1.05	£0.97
PL0955408	Returnable Screw 5A	£1.05	£0.97
$\overline{}$			

Clamping voltage 775V

481469

**10A In-Line Rubber Connectors 3 Pin** 

Three way lead connectors, designed to provide a simple method of extending mains connected tools and other appliances For use with earthed appliances, they are manufactured from high impact rubber, rated at 10A and conform to BS5733/A.



469376

PL0947408	Black
PL0947508	White
PL0947608	Orange

**European 2-pin Converter Plugs - Ouick Fit** 

2.5A Rated, Euro (CEE7) to UK mains plug adaptor to give a quick and permanent solution. The 2-pin euro plug is simply inserted into the housing and the screw fully tightened to create a very secure and safe connection.

Fully approved to the relevant BS standards including BS5733 and fitted with a 3A fuse.

Note: White version is NO LONGER AVAILABLE

PL0203508 Standard Screw PL0203708 Tamper Proof Screw

476204





Single extension sockets available in white or black nylon. Rated at 13A and conform to BS1363/A.



PRO-ELEC

PLBOARD108 White PL0040908 Black

50+

469350

# **13A Rubber** PRO-ELEC **Extension Sockets**

Manufactured from high impact rubber, rated at 13A and conforms to BS1363/A.

	Colour	No. of Ways	1+	20+
PL0946508	Black	One	£0.74	£0.63
PL0946608	White	One	£0.74	£0.63
PL0946708	Orange	One	£0.74	£0.63
PL0946808	Black	Two	£1.15	£1.05
PL0946908	White	Two	£1.35	£1.20
PL0947008	Orange	Two	£1.35	£1.20

# **4 and 6 Gang** PRO ELEC **Sockets** . Rated at 13A and conforms to BS 1363/A

465783

			1+	20+	
PL0917808	4 Gang	White	£1.35	£1.07	
PL0919008	6 Gang	White	£2.45	£1.83	
PL0919108	6 Gang	Black	£1.99	£1.79	
					/

- Automatically powers peripheral equipment when the desktop computer or hi-fi amplifier is switched on
- Recommended by the Energy Saving Trust
- Full range auto calibration
- Automatically determines the on and off power level of any desktop computer or hi-fi audio visual
- Automatically switches power to peripheral equipment only when in use and switches off when not in use

oneclick

- Minimise the fire risk presented by a system left on standby
- Built in surge protection
- Lowest standby power of 0.4W
- Saves an average 35 watts per hour depending on the number of connected peripherals
- This product can pay for itself in less than a year of use
- Reaction time of 5 seconds Enhanced calibration range
- · Maximum power 13 amps

470694

order code PL1011208

# **Mains Adaptors**

2-Way and 3-Way insulated pin main adaptors. 13 Amp 250V. Shrouded pins. Manufactured to

B.S.5733.

AR7061108

PLADAPT208

PLADAPT308



3-Way Fused



10+ 2-Way Unfused £0.77 £0.54 2-Way Fused £0.83 £0.59

£1.29

PRO-ELEC

£0.89

# **Switched 4 Wav**

- · Four way switched adaptor that plugs into a 13A socket giving four outlets, without the need for an extension lead
- switches and indicators
- Conforms to BS1363/A



order code PL1003108

# Multifunction **Power Meter**

This simple to use plug-in power meter, monitors and measures the energy / power consumption and running costs of connected electrical appliances.

### **Technical Data**

Maximum Load Measure Voltage Range Measure Current Range Measure Power Range Measure Frequency Range Operating Temperature Battery

13A 3120W 200-276V/ AC 0.02-164 0-3588W

45-65Hz -10°C to 40°C 2x1 5V I R44



PRO-ELEC

401420

£6.05 order code PL1005308

# 24 Hour Compact **Seament Timer**

Simply plug into a socket, programme the timer with the push down segments for start and finish times and then plug the appliance into the timer.

· Maximum load: 13A, 3200W

order code PL1019208



480896

448141

# Compact Digital Timer

- Random function with a random advance of 0-30 min between 6nm and 6am
- Manual 'On/Auto/Manual Off' selections
- 12/24 hour switchable mode Summertime settings
- 16 combinations of day or blocks of days available

### Technical Data

Max. Load/Power Minimum Setting Time Backup Battery

13A, 3200 Watts 1 minute 100hrs



# **Remote Control Socket**

order code PL0955908

A remotely controlled dimming module used for the switching ON/OFF and dimming of mains controlled lighting.

Technical Data Voltage Rating Lighting Rating

Range

240V 300W 20m



PI 0980908 Socket & Remote £10.35 £12.79 PL0981508 Spare Socket £4.45 £3.65

All Prices Exclude VAT

# UK Plug to 'Figure 8' Tyne Mains Leads

Non-rewireable, fully moulded UK plugs to standard fig. 8 type calculator and portable mains/battery powered equipment connection leads. The plugs have integral 3A fuses and are manufactured from 0.75mm<sup>2</sup> approved 2 core cable. Rated 3A @240V ac.



			1+	5+	
PL1021308	Black	2m	£0.99	£0.89	
PL0959408	Black	3m	£1.05	£0.96	
PL0959508	White	3m	£1.21	£1.14	

# Economy UK to IEC PRO-ELEC Mains Lead -2m

Low cost mains leads terminating in fully moulded UK plugs and IEC cold condition plugs. The leads are rated at 5A. UK plugs are fused and BS approved.

order code PL0959608



456868

### Y' Power Cord: UK Plug to 2x IFC Sockets PRO-ELEC

A useful 'Y' power lead that is ideal for personal computers where it will allow the base unit and monitor, or main unit and a peripheral, to be powered by a single mains connection. Each arm has a length of 500mm. Manufactured in black with 1mm2 cable and rated at 10A.



50+ £1.97

PL0962608 2m £2.49 PL0962708 5m £4.54 £3.99

# **Extension Leads**

IEC extension leads consisting of a moulded 3-pin CEE 22 10A shrouded plug and socket on either end of 3-core BASEC approved cable. Rated 10A @ 250Vac. Black PVC mouldings and cable sheath.



465197

		1+	20+	
PL0964208	0.5m	£0.69	£0.54	
PL0962108	1 m	£0.89	£0.83	
PL0962208	2m	£0.92	£0.77	
PL0962308	3m	£1.03	£0.96	
PL0962408	5m	£2.15	£2.02	
				/

P

P



### **IP44 Industrial Y** PRO-ELEC Connectors Splashproof to IP44 3 Sockets to 1 plug 448131

				1+	10+
PL0946008	110V	Yellow	2P + E	£5.89	£4.89
PL0946108	240V	Blue	2P + E	£5.98	£4.89

<b>IP44</b> Ind	ustria	al Plu	as		`
And Cou			_	D-6	ec
				OP.	600
	<b>4</b>	-	The state of		
<ul> <li>Splashproof to</li> </ul>	IP44				482197
16A Plug				1+	10+
PL0977108	110V	Yellow	2P + E	£1.05	£0.94
PL0977208	240V	Blue	2P + E	£1.05	£0.94
PL0977308	415V	Red	2P + E	£1.36	£1.23
PL0977408	415V	Red	3P,N + E	£1.63	£1.49
32A Plug					
PL0978508	110V	Yellow	2P + E	£1.98	£1.89
PL0978608	240V	Blue	2P + E	£1.89	£1.76
PL0978708	415V	Red	3P + E	£2.25	£2.03
PL0978808	415V	Red	3P, N + E	£2.45	£2.28
16A Coupler					
PL0977508	110V	Yellow	2P + E	£1.42	£1.33
PL0977608	240V	Blue	2P + E	£1.42	£1.31
PL0977708	415V	Red	3P + E	£1.60	£1.43
PL0977808	415V	Red	3P, N + E	£2.11	£2.01
32A Coupler			,		
PL0978908	110V	Yellow	2P + E	£2.12	£2.05
PL0979008	240V	Blue	2P + E	£2.10	£1.87
PL0979108	415V	Red	3P, N + E	£2.93	£2.73

### **IP44 Industrial Wall Mount Inlets And Sockets** · Splashproof to IP44 498031 16A Wall Mount Inlet 1+ 5+ PL0977908 £1.78 £1.69 PL0978008 £2,24 £2.33 32A Wall Mount Inlet PL0979208 £2.31 PL0979308 £2.98 £2.80 16A Wall Mount Socket PL0978108 £1.93 £1.83 PL0978208 £1.93 £1.83 PL0978308 £2,24 £2.10 PI 0978408 £2,30 £2.43 32A Wall Mount Socket PL0979408 £2.17 £2,49 PL0979508 £2,89 £2,70



Plugs & Sockets A range of 32A and 63A waterproof plugs and couplers.  • Waterproof to IP67	PRG-ELEC
63A Panel Mount Socket	1+ 3+
PL0979608	£9.45 £8.87
PL0979708	£10.20 £9.59
32A Free Plug	
PL0980208	£3.79 £3.61
63A Free Socket	

**1P67 Splashproof Industrial** 

PI 0979808

63A Wall Mount Socket PL0979908



Equipped with 2 hooks for hanging Cable colour: Yellow • 2P+E pin

Sockets

configuration Nominal current:16A

· Splashproof to IP44

**Technical Data** 

	PL0985008 PL0985108 PL0985208	4 4 4	14m 14m 2m	1.5mm 1.5mm 2.5mm	495	495718	
				1+	3+		
	PL0985008			£26.64	£24.28		
	PL0985108			£29.05	£27.21		
ĺ	PL0985208			£20.50	£19.80		

Cable Length

All Prices Exclude VAT

Cable@(mm)





£10.54 £10.02

£11.97 £11.37

## **Power Distributors**







- Robust 4 socket power distributors for multi purpose use
- Top quality with break resistant plastic housing
- Equipped with 2 holes for wall mounting
- Slots around the body allow the cable to be wound
- With 4 sockets 110V or 230V
- Cable colour: yellow or black
- 2P+E pin configuration Nominal current: 16A
- Splashproof to IP44

### **Technical Data**

Voltage Cable Colour Sockets PL0985308 110V Yellow 4 x CEE Yel PL0985408 240\/ Rlue 4 x CEE Blue

> 495719 3+

PL0985308 £23.05 £21.00 PL0985408 £24.35 £22.03

**750 VA 240/110V Portable** Transformer

A heavy duty, portable isolating transformer designed to provide a safe, low working voltage for power tools, portable lighting etc. Encapsulated in an insulated G.R.P. case with carrying handle, it also has a resettable thermal trip, protecting against overload. The 750VA transformer has one 16 amp, 110V socket conforming to BS4343/IEC309 and a BS1363, 13 amp plug fitted to a 3-core, 1.35m length, flexible lead.



495636

### **Technical Data**

Rating 750VA Intermittent 487VA Continuous Dimensions (HxWxD) 18 x 16 x 16 cm 8 Kg approx Weight

order code PL0603408

All Prices Exclude VAT

### 1000**VA** 240/ PRO-FLEC 110V Portable Site Transformer

Heavy duty portable isolating transformer designed to provide a safe, low working voltage for power tools, portable lighting

- Output socket to IEC309
- Waterproof to IP44
- Overload protected by input thermal device
- Single phase transformer centre tapped to earth

order code PL0603908



Portable Site Transformer **2KvA 240/110V** 

Heavy duty portable isolating transformer designed to provide a safe, low working voltage for power tools and other electrical equipment.

The 2.2KvA transformer has two 16 amp, 110V sockets conforming to IEC309, with 2 meters of cable terminating in a BS1363/ASTA approved 13 amp plug.

- Output sockets to IEC309
- Overload protected by input thermal device
- Waterproof to IP44
- Single phase transformer centre tapped to earth

order code PL0603708

497803

3300VA 110V Portable **Isolated Transformer** 

A twin output portable transformer for use with industrial power tools. The unit is fitted with a re-settable thermal trip and housed in an insulated G.R.P case with carrying handle. Output is via two 16A sockets conforming to BS434/IEC309, and input is via a 1.5m lead fitted with a 13A plug.

**Technical Data** Rating

3300VA 2145VA

Continuous

Intermittent

order code PL0603808



Dimensions 190x190x210cm Centre Tapped to

earth

## Twin and Earth Cable - 6242YH

Oro-POWER

- BASEC approved, conforms with BS6004
- New harmonised core identification
- Brown = Live
- Blue = Neutral - Earth = Bare Wire
- Technical Data

CSA (mm²)	Current Amps	Core make up (mm)	OD Dims (mm)
1	15	1/1.13	4.50x8.20
1.5	20	1/1.38	4.70x8.60
2.5	27	1/1.78	5.30x9.90
4	36	7/0.85	6.10x11.40
6	46	7/1.04	6.8x13.1
10	63	7/1.35	8.4x16.8
16	85	7/1.70	9.6x19.5
			497961

	1+	3+
1mm²	£7.49	£6.88
1.5mm²	£9.25	£8.47
2.5mm²	£14.85	£13.90
4mm²	£21.89	£20.45
6mm²	£32.34	£31.87
10mm²	£56.47	£53.46
16mm²	£98.54	£92.47
1mm²	£14.42	£13.45
1.5mm²	£19.54	£18.32
2.5mm²	£26.37	£24.47
4mm²	£42.89	£41.65
6mm²	£67.41	£64.00
10mm²	£99.95	£97.47
16mm²	£178.89	172.32
1mm²	£26.88	£24.85
1.5mm²	£27.45	£26.45
2.5mm²	£38.21	£35.25
4mm²	£77.00	£73.21
	1.5mm² 2.5mm² 4mm² 6mm² 10mm² 16mm² 1.5mm² 2.5mm² 4mm² 1.5mm² 1.5mm² 2.10mm² 10mm² 1.5mm² 2.5mm² 4mm² 1.5mm² 1.5mm² 1.5mm²	1mm²         £7.49           1.5mm²         £9.25           2.5mm²         £14.85           4mm²         £21.89           6mm²         £32.34           10mm²         £56.47           16mm²         £98.54           1mm²         £14.42           1.5mm²         £19.54           2.5mm²         £26.37           4mm²         £42.89           6mm²         £67.41           10mm²         £99.95           16mm²         £178.89           1mm²         £26.88           1.5mm²         £27.45           2.5mm²         £38.21

# **Conduit/Trunking Cable - 6491X**

Rlack

Rlue

Grey

Black

Blue

Brown

Grey

Green/Yellow

Conforms to BS6500.

<HAR> and RoHS standards Plain Annealed Copper

	Conductors
•	Voltage classification:
	450/750V
١,	I OOmm²

CB1126208

CB1126308



DIO-POWER

CB1126408	Brown	100m	£8.89	£8.53
CB1126508	Green/Yellow	100m	£8.89	£8.53
CB1126608	Grey	100m	£8.89	£8.53
1.50mm²				
CB1126708	Black	100m	£11.58	£11.12
CB1126808	Blue	100m	£11.58	£11.12
CB1126908	Brown	100m	£11.58	£11.12
CB1127008	Green/Yellow	100m	£11.58	£11.12
CB1127108	Grey	100m	£11.58	£11.12
2.50mm <sup>2</sup>				
CB1127208	Black	100m	£18.98	£18.22
CB1127308	Blue	100m	£18.98	£18.22
CB1127408	Brown	100m	£18.98	£18.22
CB1127508	Green/Yellow	100m	£18.98	£18.22
CB1127608	Grey	100m	£18.98	£18.22
4.00mm <sup>2</sup>				
CB1127708	Black	100m	£29.45	£28.27
CB1127808	Blue	100m	£29.45	£28.27
CB1127908	Brown	100m	£29.45	£28.27

100m

100m

100m

100m

100m

100m

£29.45

£49.58

£49.58

£49.58

£49.58

£49.58

£28.27

£47.60

£47.60

£47.60

£47.60

£47.60

# **Conduit/Trunking Cable & pro-power LSOH - 6491B**

Conforms to BS7211and is

· Plain Annealed Copper conductors

450/750V



1.50mm <sup>2</sup>		_	1+	5+
CB1130208	100m		£15.98	£15.34
CB1130308	100m		£15.98	£15.34
CB1130408	100m		£15.98	£15.34
CB1130508	100m		£15.98	£15.34
CB1130608	100m		£15.98	£15.34
2.50mm <sup>2</sup>				
CB1130708	100m		£24.25	£23.28
CB1130808	100m		£24.25	£23.28
CB1130908	100m		£24.25	£23.28

		ata

CB1131608

CB1128108

CB1128208

CB1128308

CB1128408

CB1128508

CB1128608

6.00mm<sup>2</sup>

CSA (mm<sup>2</sup>) Current Amps Core make up ExternalØ 15 17 7x0 53mm 3 5mm 2.5 24 7x0.67mm 4.2mm 7x0.85mm 4.8mm 2.50mm2 Continued 5+ CB1131008 100m £24.25 £23.28 CB1131108 100m £24.25 £23.28 4.00mm<sup>2</sup> CB1131208 100m £36.74 £35.27 CB1131308 100m £36.74 £35.27 CB1131408 100m £36.74 £35.27 CB1131508 100m £36.74 £35.27

> £36.74 All Prices Exclude VAT

£35.27

# **3 Core Round Mains**



· Plain Annealed Copper conductors

Voltage classification: 300/500V

### Technical Data

CSA (mm²)	Current Amps	Core make up	ExternalØ
0.75	6	24x0.20mm	5.40mm
1	10	32x0.20mm	6.20mm
1.25	13	40x0.20mm	6.55mm
1.5	15	30x0.25mm	7.00mm
2.5	20	50x0.25mm	7.50mm
4	25	56/0.3mm	9.15mm



Pro-POWER

471049

Pro-POWER

0.75mm <sup>2</sup>			1+	3+
CB1120408	White	100m	£23.58	£22.40
CB1120508	White	50m	£11.78	£11.19
CB1120608	Black	100m	£23.58	£22.40
CB1120708	Black	50m	£11.78	£11.19
CB1120808	Grey	100m	£23.58	£22.40
CB1120908	Orange	100m	£25.00	£23.75
1.00mm <sup>2</sup>				
CB1121008	White	100m	£31.18	£29.62
CB1121108	White	50m	£15.25	£14.48
CB1121208	Black	100m	£32.35	£30.73
CB1121308	Black	50m	£15.25	£14.48
CB1121408	Grey	100m	£32.16	£30.55
1.25mm²				
CB1121608	White	100m	£39.51	£37.35
CB1121708	White	50m	£19.78	£18.79
CB1121808	Black	100m	£41.23	£39.16
CB1121908	Black	50m	£19.78	£18.79
CB1122008	Grey	100m	£39.56	£37.58
CB1122108	Orange	100m	£39.56	£37.58
1.50mm²				
CB1122208	White	100m	£44.00	£42.21
CB1122308	White	50m	£19.25	£18.28
CB1122408	Black	100m	£41.00	£38.95
CB1122508	Black	50m	£19.25	£18.28
CB1122608	Grey	100m	£39.65	£37.66
2.50mm <sup>2</sup>				
CB1122808	White	100m	£69.35	£65.88
CB1123008	Black	100m	£69.35	£65.88

# **3 Core Round Mains Cable - 2183Y**

- Conforms to BS6500, <HAR> and RoHS standards
- · Plain Annealed Copper conductors Voltage classification: 300/300V

0.50mm			1+	3+
CB1117308	White	50m	£9.60	£9.12
CB1117408	White	100m	£19.21	£18.24
CB1117508	Black	50m	£9.60	£9.12
CB1117608	Black	100m	£19.21	£18.24
CB1117708	Grey	100m	£19.21	£18.24
0.75mm <sup>2</sup>				
CB1117808	White	50m	£11.80	£11.28
CB1117908	White	100m	£24.08	£22.79
CB1118008	Black	50m	£12.31	£11.69
CB1118108	Black	100m	£25.00	£23.35
CB1118208	Grey	100m	£25.00	£23.35

All Prices Exclude VAT

# **2 Core Oval Mains Cable - 2192Y**

- For use in light electrical applications
- Conforms to BS6500, <HAR> and RoHS standards
- · Plain Annealed Copper conductors Voltage classification: 300/300V Available in black, white or grey

### sheath Technical Data

CSA Current (mm<sup>2</sup>)Amps 0.5 3 6

0.75

Core make up 16x0.20mm 24x0 20mm

OD Dims. 3.30x5.40mm 3 60v5 80mm

470963

O Dro-POWER

0.50mm <sup>2</sup>			1+	3+
CB1115308	White	50m	£7.65	£7.15
CB1115408	White	100m	£14.35	£13.65
CB1115508	Black	50m	£7.65	£7.05
CB1115608	Black	100m	£14.58	£13.96
CB1115708	Grey	100m	£14.58	£13.98
0.75mm <sup>2</sup>				
CB1115808	White	50m	£9.24	£8.15
CB1115908	White	100m	£16.57	£14.91
CB1116008	Black	50m	£9.24	£8.25
CB1116108	Black	100m	£18.87	£16.98
CB1116208	Grey	100m	£18.54	£16.98
$\overline{}$				

# **2 Core Round Mains Cable - 2182Y**

- Conforms to BS6500, <HAR> and RoHS standards
- · Plain Annealed Copper conductors
- Voltage classification: 300/300V

### **Technical Data**

Current (mm<sup>1</sup>) Amps 0.5

0.75

Core make up 16v0 20mm 24x0.20mm

External@ 5.40mm 5.80mm

4	71	00	00

pro-power

0.50mm <sup>2</sup>			1+	3+
CB1116308	White	50m	£7.25	£6.88
CB1116408	White	100m	£14.05	£13.09
CB1116508	Black	50m	£7.25	£6.88
CB1116608	Black	100m	£14.29	£13.70
CB1116708	Grey	100m	£14.40	£14.05
0.75mm <sup>2</sup>				
CB1116808	White	50m	£9.60	£9.14
CB1116908	White	100m	£18.50	£18.07
CB1117008	Black	50m	£9.60	£9.14
CB1117108	Black	100m	£18.60	£17.90
CB1117208	Grey	100m	£18.57	£17.98



OF DIO-POWER

### 3183YAG 300/500V Three-Core **Round Arctic Flex** OTO-POWER

A very flexible three-core, round profile cable, using a special grade PVC that makes it suitable for use down to temperatures -20°C This makes it ideal for use in very cold environments as well as outdoors. The cable conforms to BS6500 and is supplied by the metre and 100m reels.



CSA (mm)

DID-POWER

### Technical Data

O/D (mm)

7.50 8.90 10.80	6A 15A 20A	24/0.20 30/0.25 50/0.25	3 x 0.7 3 x 1.5 3 x 2.5	0
				497751
0.75mm			1+	3+
CBBR151708	3	Yellow 100m Reel	£29.98	£26.05
CBBR151808	3	Blue 100m Reel	£29.98	£26.05
1.50mm				
CBBR009008	3	Yellow 100m Reel	£43.25	£40.89
CBBR009108	3	Blue 100m Reel	£43.25	£40.89
2.50mm				
CBBR009208	3	Yellow 100m Reel	£76.69	£71.24
CBBR009308	3	Blue 100m Reel	£76.69	£71.24
4.00mm				
CBBR828208	3	Blue 100m Reel	£129.98	£126.05

Current Rating Nominal Strands/mm

## **Steel Wire Armoured Cable**

### Harmonised Core Colours

- Suitable for mains supply electricity and can be used externally or buried.
- · Cross linked polyethelene (XLPE) insulated booklet armoured cables benefit from superior thermal and mechanical properties
- Conform to: BS6360 Conductors, BS6746 Type 9 - Sheath, BS1442 - Armour

Colour Codes:- 3 core - Brown, Black, Grey. 4 core - Brown, Black, Grev. Blue.

### **Technical Data**

Conductors Stranded Annealed Copper Insulation XLPE (cross linked polyethylene) PVC Bedding Extruded PVC Armour Galvanised Steel wire armour Sheath P\/C

600/1000V Voltage -40°C to 90°C Operating temperature

					497835
3-Core 6943X	Size (mm²)	O/D (m	m) Reel (m)	1+	3+
CB0927108	1.5	12.9	50	£45.58	£43.25
CB0927308	2.5	13.8	50	£69.21	£62.69
CB0927408	2.5	13.8	100	£118.05	£113.36
CB0927608	6	17.4	50	£107.98	£101.35
4-Core 6944X					
CB0928008	2.5	14.7	50	£58.16	£54.34
CB0928108	2.5	14.7	100	£147.96	£144.57
·					

# **Low Voltage Lighting**

- · PVC insulated & sheath · Maximum current 17.5A
- 2x 2.0mm copper Supplied in 100m reels conductors


Note: Core colours are now Voltage rating up to 50V . Outer diameter: 8x4.5 mm Brown and Blue

order code CBBR82220



### Steel Wire Armoured Cable **Glands - Type BW** PIO-POWER

Cable glands that are suitable for Steel Wired Armoured. plastic and rubber sheathed cables. The gland is ideal for use in dry conditions and will provide an IP rating of IP54.



- 2 PVC Shrouds 2 Brass Locknuts
- 2 Earth Tags

## Technical Data

1ype 20mm Small 20mm	M20 M20	12.90mm / 15.80mm 15.50mm / 20.80mm	10.00mm 10.00mm	ngth
25mm	M25	19.50mm / 26.50mm	10.00mm	
32mm	M32	26.70mm / 33.50mm	10.00mm	495574
			1+	5+
CBBR456008	20	mm Small	£0.85	£0.80
CBBR456108	20	mm	£0.99	£0.89
CBBR456208	25	mm	£2.05	£1.88

## CBBR456208 25mm CBBR456308 32mm £2,41

**Steel Wire Armoured** Cable Glands - Type CW Cable glands that are suitable for

Steel Wired Armoured, plastic and rubber sheathed cables. The gland is ideal for use in most climatic conditions, and will provide an IP rating of IP66.

The kit contains - 2 Brass Glands 2 PVC Shrouds

- 2 Brass Locknuts 2 Earth Tags
- 2 Outer Seals (within the gland)

### **Technical Data**

Type Thread 20mm Small M20 20mm M20 25mm M25		Cable Dia Min. / Max. 11.00mm / 16.00mm 14.50mm / 21.00mm 20.30mm / 27.60mm	Thread Lei 10.00mm 10.00mm 10.00mm	ngth 497752
			1+	5+
CBBR456408	20	20mm Small		£1.62
CBBR456508	20	)mm	£2.18	£1.99
CBBR456608	25	imm	£3.41	£3.05

All Prices Exclude VAT

OFO-POWER

# **Cables & Connectors**

# Category 5 Enhanced (UTP/FTP) Quality CAT5E 4 pair network cable • Unshielded Twisted Pair (UTP) or Foiled Twisted Pair (FIP) option • Conforms to ISO/IEC 11801, ANSI/TIA/EIA-568A • Suitable for up to 100Mbps

04T-F 15TD 0 11

480956

CATSE UTP Cabl	e		1+	2+
CB1132208	Grey	100m	£14.49	£12.25
CB1132308	Red	305m	£45.35	£43.02
CB1132408	Blue	305m	£45.35	£43.02
CB1132508	Green	305m	£45.35	£43.02
CB1132608	Yellov	v 305m	£45.35	£41.35
CBBR749208	Grey	305m	£44.89	£34.49
CATSE FTP Cable	2			
CBBR749308	Grey	305m	£54.35	£49.59
CAT5E Outdoor	Use Cable	:		
CB1132808	Grey	305m	£51.35	£46.84
CAT5E Low Smo	ke Cable			
CB1132908	Grey	305m	£42.15	£39.25
$\overline{}$				$\overline{}$

# Cat. 6 Unshielded Twisted Pair (UTP)

- High quality category 6 networking cable
- Designed for use in gigabit Ethernet connections, audio, ISDN etc
- Solid copper conductor
   Conforms to ISO/IEC11801, ANSI/TIA/ELE-568A
- UL recognised
- Impedance: 100 ± 15Ω
   Supplied in a 305m box

## Technical Data

	neturii 1055	Attenuation		
Freq. (MHz)	(dB)	(dB/100m)	NEXT (dB)	ELFEXT (dB)
0.772	19.4	1.8	74.0	67.0
1	20.0	2.0	72.3	64.8
4	23.0	3.7	63.3	52.8
8	24.5	5.3	58.8	46.7
10	25.0	5.9	57.3	44.8
16	25.0	7.5	54.2	40.7
20	25.0	8.4	52.8	38.8
20	24.3	9.5	51.3	36.8
				480958

Attonuotion

pro-power

DIO-POWER

£64.39 £62.86 order code CB1132708



PVC insulated, plain annealed copper cable, laid side by side in a flat figure of 8 construction with markings to indicate polarity. The range is available in a variety of sizes.

454182
5+

		1+	5+
CBBR040508	7/0.20mm Grey 100m	£5.25	£4.82
CBBR040608	7/0.20mm Black 100m	£5.25	£4.82
CBBR106908	7/0.20mm White 100m	£5.25	£4.82
CBBR040708	13/0.20mm Grey 100m	£8.49	£7.91
CBBR095008	13/0.20mm Grey 1000m	£79.00	£72.00
CBBR095108	13/0.20mm Black 1000m	£79.00	£72.00
CBBR040808	13/0.20mm Black 100m	£8.49	£7.91
CBBR087908	13/0.20mm Brown 100m	£8.49	£7.91
CBBR094908	13/0.20mm White 100m	£8.49	£7.91
CBBR095208	13/0.20mm Black Ribbed 100m	£8.49	£7.91
CBBR040908	24/0.20mm White 100m	£16.69	£15.35
CBBR041008	32/0.20mm White 100m	£20.45	£19.02
CBBR041108	42/0.20mm White 100m	£21.05	£19.74
CBBR041208	79/0.20mm White 100m	£39.89	£37.54
CBBR095308	79/0.20mm Black 100m	£39.89	£37.54
CBBR095408	79/0.20mm Black Ribbed 100m	£39.89	£37.54

White Security Cable



per core: 0.20mm<sup>2</sup> Conductor make up: 7/0.19mm

Current rating: 1A
 Material, primary insulation: lead free PVC
 Resistance: 98.7Ω/km

Supplied in 100m reels

			1+	3+
CB1147408	4	3.7mm	£8.47	£7.49
CB1147508	6	4.0mm	£10.98	£9.83
CB1147608	8	4.2mm	£14.35	£13.29

# **1 Amp Bell Wire**

Low current, figure of 8 bell wire with solid conductors. The outer sheath is PVC and is supplied on a 100m reel.

• Conductors: 1/0.50mm

• Rating:1 Amp

Dimensions: 4.0mm x 2.0mm

£4.98 £4.45 order code CBBR001108 467170

Oro-POWER

497965



Dro-POWER

# **75**Ω Low Loss Coaxial **②** pro-power



A 75 $\Omega$ , low loss television downlead available in both white and brown. The cable has a 1.00mm single conductor and an overall PVC sheath

### Technical Data

Impedance 1/1.00mm Conductor

48/0.12mm Braided Copper Screen Screen Dielectric Semi Air-Spaced PE

Outer Diameter 6.50mm CSA (mm) 0.78

464987

CBBR202208         Brown 250m         £30.45 £2           CBBR012408         White 100m         £8.45 £2	1+ 3+	1	250m Reels
CBBR012408 White 100m £8.45 £	£8.45 £7.96	vn 100m £8	CBBR012308 Brow
	£30.45 £27.05	vn 250m £30	CBBR202208 Brow
CDDD202200 White 250m 520 45 53	£8.45 £7.96	te 100m £8	CBBR012408 Whit
CDBR202308 Willte 230III	£30.45 £27.05	te 250m £30	CBBR202308 Whit

# RG6U 75 $\Omega$ **Satellite Cable**





A 75 $\Omega$  coaxial cable designed for satellite interconnection purposes. The cable has a 1.00mm conductor and a five cell semi air spaced dielectric

### Technical Data

Impedance 750 Conductor 1/1.00mm

64/0.12mm Braided Copper Screen + Aluminium Foil Screen

Outer Diameter 6.50mm

CSA (mm) 462470

		1+	3+
CBBR012508	Black 100m	£11.98	£9.98
CBBR202008	Black 250m	£27.78	£26.39
CBBR012608	Brown 100m	£11.45	£9.98
CBBR012708	White 100m	£9.44	-
CBBR202108	White 250m	£27.78	£26.39

# **BSkvB Endorsed Satellite Cable**

A range of coaxial cables, suitable for the Dro-POWER reception of digital terrestrial and digital satellite reception as well as high speed data transfer. The cable conforms to BS EN 50117-1 and RNE678/100-04 thus making it fully approved for digital installations. Designed and manufactured to minimise signal losses and to provide excellent RLR characteristics up to 1800MHz. The cable is available with either semi air spaced or foam filled dielectric, 64 strand copper braid and copper foil. Available in black, white and brown the cable is supplied in lengths of 50m, 100m and 250m. Certified to BS EN 50117-1, RNE678/100-04

6.65mm

21.50Ω

75Ω

### Technical Data

1.00mm bare copper Inner conductor nominal diameter Dielectric nominal Diameter 4.60mm Outer Conductor Nom, Diameter 4.65mm 64/0.12mm Braided Copper Screen (54% coverage)

Nominal O/D Max. Bending Radius Single Bend/

Multiple Bending Conductor Resistance - inner Nominal Characteristic Impedance

Attenuation Loss (dB/100m)

860 100 200 100 1750 2150 5 50 100 200 460 860 MHz MHz MHz MHz MHz MHz MHz 1.45 4.32 6.20 9.00 14.9 19.32 21.27 28.57 32.03

Semi Air Spaced Dielectric 3+ CBBR671708 Black 50m £12.86 £12.25 CBBR671808 Black 100m £24.68 £24.31 CBBR671908 Black 250m CBBR672108 White 100m £24.68 £24.31 CBBR672208 White 250m £74.58 £69.85 CBBR672408 Brown 100m f31.33 f29.54 Foam Filled Dielectric CBBR672608 Black 50m £12.86 £12.25 CBBR672708 Black 100m £28,49 £29.86 CBBR673008 White 100m £26.05

# **Telephone Cable, 100m Reel**

An internal cable designed for interconnection of communication equipment. The cables range from 2 Pair (4 Core) to 6 Pair (12 Core).

- Max. Current per Core 0.25 A Nom. Conductor Area 0.20mm
- Max . Working Voltage 80V
- To BT Spec CW1308F

• 100m	Reel				
Technical Data CW1308F					
Pair No.	'A' Wire	'B' Wire			
1	WHITE/Blue	BLUE/White			
2	WHITE/Orange	ORANGE/White			
3	WHITE/Green	GREEN/White			
4	WHITE/Brown	BROWN/White			
5	WHITE/Grey	GREY/White			
6	RED/Blue	BLUE/Red			
CBBR9	10008 2	Pair			

2 W 3 W	/HITE/Orange /HITE/Green /HITE/Brown	ORANGE/White GREEN/White BROWN/White		
5 W	/HITE/Grey	GREY/White		456225
6 RI	ED/Blue	BLUE/Red	1+	5+
CBBR910	008 2	Pair	£6.12	£5.85
CBBR910	508 2	Pair	£14.45	£13.25
CBBR910	608 2	Pair	£29.63	£28.35
CBBR910	708 2	Pair	£9.98	£9.25
CBBR910	108 3	Pair	£5.98	£5.45
CBBR910	808 3	Pair	£23.58	£22.35
CBBR9110	008 3	Pair	£11.45	£11.03
CBBR910	208 4	Pair	£10.79	£10.35
CBBR911:	208 6	Pair	£30.29	£27.64
Low Smo	ke & Fum	e (LSF)		
CBBR998	608 2	Pair	£9.25	£8.24
CBBR998	708 3	Pair	£15.84	£14.86
CBBR998	808 4	Pair	£20.82	£19.79
CBBR998	908 6	Pair	£26.43	£25.33
External	Use			
CBBR531	308 5	Pair	£47.25	£45.03
CBBR531	408 1	0 Pair	£60.39	£59.25
CBBR531	508 2	0 Pair	£129.38	£116.76

All Prices Exclude VAT

456214

# **Insulating Tape**





High quality PVC electrical insulation tape providing electrical and mechanical protection.

### **Technical Data**

Operating Temperature Dielectric Breakdown Elongation Nominal Thickness

0°C to +80°C
40kV/mm
170%
0.15mm

1	ca	14	7	c

		1+	30+
CBBR719908	19mm x 20m Black	£0.44	£0.19
CBBR720008	19mm x 20m Red	£0.44	£0.19
CBBR720108	19mm x 20m Yellow	£0.44	£0.19
CBBR720208	19mm x 20m Blue	£0.44	£0.19
CBBR720308	19mm x 20m Green	£0.44	£0.19
CBBR720508	19mm x 20m Grey	£0.44	£0.19
CBBR720608	19mm x 20m Brown	£0.44	£0.19
CBBR720708	19mm x 20m Green/Yellow	£0.48	£0.21
CBBR720808	19mm x 33m Black	£0.56	£0.29
CBBR720908	19mm x 33m Red	£0.56	£0.29
CBBR721008	19mm x 33m Yellow	£0.56	£0.29
CBBR721108	19mm x 33m Blue	£0.56	£0.29
CBBR721208	19mm x 33m Green	£0.56	£0.29
CBBR721408	19mm x 33m Grey	£0.56	£0.29
CBBR721508	19mm x 33m Brown	£0.56	£0.29
CBBR721608	19mm x 33m Green/Yellow	£0.59	£0.34
CBBR721708	38mm x 20m Black	£0.74	£0.36
CBBR721808	38mm x 20m Red	£0.74	£0.36
CBBR721908	38mm x 20m Yellow	£0.74	£0.36
CBBR722008	38mm x 20m Blue	£0.74	£0.36
CBBR722108	38mm x 20m Green	£0.74	£0.36
CBBR722308	38mm x 20m Grey	£0.74	£0.36
CBBR722508	30mm x 20m Green/Yellow	£0.78	£0.40
CB0996208	50mm x 33m Black	£1.39	£0.91
CB0996308	50mm x 33m Red	£1.39	£0.91
CB0996408	50mm x 30m Blue	£1.39	£0.91
CB0996608	50mm x 30m Green/Yellow	£1.44	£0.97

# **Waterproof Cloth Gaffer Tape**

- · A special clear and UV resistant adhesive
- · A fabric based tape
- · Highly transparent PE coating

### **Technical Data**

Width 50mm Roll Length 50m Temperature range 0°C to 60°C



10+



DIO-POWER

All Prices Exclude VAT

# **Waterproof Cloth**

A polythene cloth laminate self adhesive tape with high tack adhesive, for use where normal tape would lose adhesion due to ingress of water. Commonly called 'Gaffer Tape', it may be used to fix cables to floors/walls etc. and for many general repairs.

· Supplied on 50m rolls



456215

48mm		1+	24+
CB0001508	Black	£1.97	£1.45
CB0001608	Silver	£1.97	£1.45
96mm			
CB1106208	Black	£4.21	£3.55
CB1106308	Silver	£4.21	£3.55

# **PVC Insulation Sleeving**





Lead free flexible PVC insulation sleeving

- Operating Temp. -40°C to 105°C
- Wall thickness 0.5mm
- · Dielectric strength 15KV / mm · Supplied on 100m reels

49	/9	П

			1+	3+
CB1024108	2mm	Black	£2.96	£2.68
CB1024208	2mm	Brown	£3.50	£3.33
CB1024308	2mm	Blue	£5.18	£4.94
CB1024408	2mm	Grey	£3.86	£3.36
CB1024508	2mm	Red	£3.50	£3.33
CB1024608	3mm	Green/Yellow	£3.64	£3.34
CB1024708	3mm	Black	£4.39	£4.04
CB1024808	3mm	Brown	£5.13	£4.71
CB1024908	3mm	Blue	£5.18	£4.76
CB1025008	3mm	Grey	£5.13	£4.71
CB1025108	3mm	Red	£5.13	£4.71
CB1025208	4mm	Green/Yellow	£4.35	£4.05
CB1025308	4mm	Black	£4.35	£4.05
CB1025408	4mm	Brown	£5.78	£5.37
CB1025508	4mm	Blue	£5.78	£5.37
CB1025608	4mm	Grey	£5.78	£5.32
CB1025708	4mm	Red	£4.35	£4.05
CB1025808	6mm	Green/Yellow	£10.89	£10.49
CB1025908	6mm	Black	£10.25	£9.87
CB1026008	6mm	Brown	£10.89	£10.49
CB1026108	6mm	Blue	£10.89	£10.49
CB1026208	6mm	Grey	£10.25	£9.87



Pro-POWER

471215

# Standard © pro-power Non-Releasable Cable Ties

Operating temperature: -40°C to 85°C

Natural			1+	20+
CBBR666608	100 x 2.50 mm	100	£0.15	£0.10
CBBR667008	142 x 2.50 mm	100	£0.23	£0.17
CBBR667208	142 x 3.20 mm	100	£0.29	£0.23
CBBR667408	150 x 8.00 mm	100	£1.02	£0.93
CBBR667808	200 x 2.50 mm	100	£0.29	£0.24
CBBR668108	203 x 3.60 mm	100	£0.46	£0.38
CBBR668308	203 x 4.60 mm	100	£0.58	£0.47
CBBR668508	250 x 8.00 mm	100	£1.35	£1.20
CBBR668608	292 x 3.60 mm	100	£0.69	£0.57
CBBR668808	300 x 4.80 mm	100	£0.89	£0.78
CBBR669008	370 x 3.60 mm	100	£0.78	£0.69
CBBR669208	370 x 4.80 mm	100	£1.22	£1.03
CBBR669408	370 x 7.60 mm	100	£2.10	£1.84
CBBR669508	400 x 5.00 mm	100	£1.36	£1.21
CBBR669608	500 x 5.00 mm	100	£2.16	£2.03
Black				
CBBR669708	100 x 2.50 mm	100	£0.15	£0.10
CBBR669908	120 x 4.80 mm	100	£0.39	£0.31
CBBR724208	142 x 2.50 mm	100	£0.21	£0.17
CBBR724408	142 x 3.20 mm	100	£0.21	£0.17
CBBR724608	150 x 8.00 mm	100	£0.96	£0.79
CBBR724708	165 x 2.50 mm	100	£0.23	£0.19
CBBR724808	160 x 4.80 mm	100	£0.49	£0.43
CBBR725008	200 x 2.50 mm	100	£0.29	£0.24
CBBR725208	200 x 8.00 mm	100	£1.18	£1.05
CBBR725308	203 x 3.60 mm	100	£0.46	£0.88
CBBR725508	203 x 4.60 mm	100	£0.59	£0.49
CBBR725708	250 x 8.00 mm	100	£1.53	£1.42
CBBR725808	292 x 3.60 mm	100	£0.69	£0.57
CBBR726008	300 x 4.80 mm	100	£0.89	£0.78
CBBR726208	370 x 3.60 mm	100	£0.86	£0.70
CBBR726408	370 x 4.80 mm	100	£1.23	£1.05
CBBR726608	370 x 7.60 mm	100	£2.15	£1.97
CBBR726708	400 x 5.00 mm	100	£1.35	£1.21
CBBR726808	500 x 5.00 mm	100	£2.05	£1.90

# **Cable Tie Bases**

These nylon bases are available in two sizes and two colours, to suit most cable tie needs. The self-adhesive surface fixes securely to most

fixes securely to most surfaces, including wood, metal and plastic.

### Supplied in packs of 10.

		1+	20+
CBBR091308	19mm x 19mm x 4mm Natural	£0.19	£0.14
CBBR091408	28mm x 28mm x 5mm Natural	£0.21	£0.16
CBBR091508	19mm x 19mm x 4mm Black	£0.19	£0.14
CBBR091608	28mm x 28mm x 5mm Black	£0.21	£0.16

# **Round Cable Clips**



- shock resisting
   High impact nail attached
- Available in Black or White
- Various sizes available to fit round cable
- 100 per box



OFO-POWER

CBBR726908	3.5 mm	White	£0.13
CBBR727008	3.5 mm	Black	£0.13
CBBR727108	4.0 mm	White	£0.15
CBBR727208	4.0 mm	Black	£0.19
CBBR727308	5.0 mm	White	£0.15
CBBR727408	5.0 mm	Black	£0.19
CBBR727508	6.0 mm	White	£0.17
CBBR727608	6.0 mm	Black	£0.17
CBBR727708	7.0 mm	White	£0.17
CBBR727808	7.0 mm	Black	£0.17
CBBR727908	8.0 mm	White	£0.28
CBBR728008	8.0 mm	Black	£0.28

# **Weather Resistant Cable Ties**

Durable cable ties that are specifically manufactured for use in outdoor environments. Supplied in packs of 100

		437734
	1+	20+
100 x 2.50mm	£0.42	£0.33
120 x 4.80mm	£1.20	£1.13
142 x 2.50mm	£0.57	£0.55
142 x 3.20mm	£0.83	£0.76
165 x 2.50mm	£0.86	£0.78
160 x 4.80mm	£1.12	£1.06
203 x 2.50mm	£0.73	£0.70
200 x 3.60mm	£1.30	£1.20
203 x 4.60mm	£1.36	£1.29
292 x 3.60mm	£1.63	£1.52
300 x 4.80mm	£3.18	£2.89
370 x 3.60mm	£2.55	£2.27
370 x 4.80mm	£2.27	£2.22
	120 x 4.80mm 142 x 2.50mm 142 x 3.20mm 165 x 2.50mm 160 x 4.80mm 203 x 2.50mm 200 x 3.60mm 203 x 4.60mm 292 x 3.60mm 300 x 4.80mm 370 x 3.60mm	100 x 2.50mm £0.42 120 x 4.80mm £1.20 142 x 2.50mm £0.57 142 x 3.20mm £0.83 165 x 2.50mm £0.86 160 x 4.80mm £1.12 203 x 2.50mm £0.73 200 x 3.60mm £1.30 203 x 4.60mm £1.36 292 x 3.60mm £1.36 300 x 4.80mm £3.18 370 x 3.60mm £3.18

# **Flat Cable Clips**

- Flat cable clips for
- Twin & Earth cables
  Tough PE clip,
  elasticity and shock
  resisting
- Hardened metal nail
   Available in Grey or White
- 100 Pack



CBBR729508	1.00mm T&E	Grey	100	£0.20
CBBR729608	1.00mm T&E	White	100	£0.28
CBBR729708	1.50mm T&E	Grey	100	£0.30
CBBR729808	1.50mm T&E	White	100	£0.30
CBBR729908	2.50mm T&E	Grey	100	£0.37
CBBR730008	2.50mm T&E	White	100	£0.37

# **IP68 Nylon Cable Glands © pro-rower** - Metric Thread

- · Protected to IP68 rating
- Working temperature: -40°C to 100°C
- Manufactured from nylon 66 to UL94v-2

Single Glands		1+	10+
CBBR737108	M12 White	£0.27	£0.21
CBBR737208	M12 Black	£0.27	£0.21
CB0862108	M12 Grey	£0.21	£0.18
CBBR737308	M16 White	£0.36	£0.33
CBBR737408	M16 Black	£0.67	£0.59
CB0862308	M16 Grey	£0.29	£0.26
CB0890808	M16 Red	£0.25	£0.23
CBBR737508	M20 White	£0.44	£0.41
CBBR737608	M20 Black	£0.44	£0.41
CB0862508	M20 Grey	£0.34	£0.32
CBBR737708	M25 White	£0.73	£0.65
CBBR737808	M25 Black	£0.73	£0.65
CB0862708	M25 Grey	£0.39	£0.37
CB0891208	M25 Red	£0.31	£0.29
CBBR737908	M32 White	£1.44	£1.21
CBBR738008	M32 Black	£1.44	£1.21
CB0862908	M32 Grey	£0.88	£0.83
CB0891408	M32 Red	£0.63	£0.59
CB0891608	M40 Red	£0.85	£0.80
CB0863308	M50 Grey	£1.19	£1.16

# **Heatshrink Kits** 2:1 and 3:1

Technical Data Dielectric strength Temperature range Shrink Temperature

Kit Contents UnshrunkØ

3.20mm

4.80mm

9 50mm

12.70mm

462516

15k\//mm -55°C to 110°C 110°C

Colour

Black

Blue

White





PIO-POWER

15

Yellow Red White 50 15 Black 50 6 Blue 50 6 Yellow 50 6 50 Red 6 White 50 6 50 Black 10 50 Blue 10 Yellow 50 10 50 Red 10 White 50 10 70 Rlack 5 70 5 Blue Yellow 70 5 5 Red 70

476168

CB1046708	2:1 Kit	£6.51	£5.99
CB1046808	3:1 Kit	£11.87	£10.89

# **Cable Grommets**

A range of black PVC grommets suitable for all general installation type uses.

- · Maximum panel thickness
- Operating Temperature -35°C to +70°C
- Supplied in packs of 100





DIO-POWER

						497755
	Panel	Max.	Outside	Overall		497755
	Hole Dia	Cable Dia	Dia	Thickness	1+	5+
Open Grommets						
CBBR580008	4.80	3.20	8.00	6.40	£2.42	£2.22
CBBR580108	6.40	4.00	9.50	4.00	£2.02	£1.84
CBBR580208	6.40	4.00	9.50	6.40	£2.60	£2.37
CBBR580308	6.40	4.80	9.50	7.10	£2.99	£2.70
CBBR580408	8.00	4.80	11.10	6.40	£2.47	£2.27
CBBR580508	9.50	4.80	12.70	5.60	£3.09	£2.79
CBBR580608	9.50	6.40	12.70	4.80	£4.46	£4.04
CBBR580708	9.50	6.40	14.30	6.40	£3.75	£3.40
CBBR580808	9.50	7.50	13.50	6.40	£2.48	£2.26
CBBR580908	9.50	8.00	14.30	4.80	£4.12	£3.76
CBBR581008	10.30	8.00	15.90	6.40	£4.48	£4.07
CBBR581108	11.10	7.20	15.90	6.40	£3.89	£3.54
CBBR581208	11.10	8.00	14.30	4.80	£3.62	£3.28
CBBR581308	11.90	6.40	15.90	8.00	£4.10	£3.74
CBBR581408	11.90	9.50	17.50	6.80	£3.96	£3.62
CBBR581508	12.70	9.50	15.90	6.30	£2.89	£2.62
CBBR581608	14.30	11.10	19.00	6.40	£6.07	£5.52
CBBR581708	19.00	12.70	25.40	6.40	£6.78	£6.18
CBBR581808	20.00	15.90	23.80	6.40	£2.93	£2.67
CBBR581908	25.40	19.00	30.00	7.50	£6.36	£5.77

# **Heatshrink Sleeving** 2:1 Shrink Ratio

- Normal wall general purpose tubing Manufactured from modified radiation
- cross linked Polyolefin Operating temperature -55 to + 125°C
- Minimum shrink temperature 70°C
- UL recognised UL224, VW-1, C-UL CSA 22 20FT

Dia Dia



O DIO-POWER

481417

Colour - Black	(mm)	(mm)	Length (m)	1+	20+
CB1145608	1.6	0.8	20	£1.72	£1.57
CB1145708	2.4	1.2	15	£1.72	£1.56
CB1145808	3.2	1.6	15	£2.03	£1.80
CB1145908	4.8	2.4	12	£2.18	£1.96
CB1146008	6.4	3.2	12	£2.27	£2.05
CB1146108	9.5	4.75	8	£2.56	£2.30
CB1146208	12.7	6.35	8	£2.75	£2.50
CB1146308	19	9.5	5	£2.88	£2.59
Colour - Natural					
CB1146508	1.6	8.0	20	£1.76	£1.57
CB1146608	2.4	1.2	15	£1.76	£1.56
CB1146708	3.2	1.6	15	£2.03	£1.79
CB1146808	4.8	2.4	12	£2.19	£1.96
CB1146908	6.4	3.2	12	£2.30	£2.02
CB1147008	9.5	4.75	8	£2.55	£2.24
CB1147108	12.7	6.35	8	£2.77	£2.49
CB1147208	19	9.5	5	£2.90	£2.54

481044

25+

## **TV Aerial 32 Element Kit commtet** • 32 element high gain digital TV aerial +

installation kit · Medium gain wideband analogue / digital TV antenna

CAI standard 3

· For use in areas with a medium signal reception

· Snap to fit parts for quick installation

Pre wired water tight balun assembly

· Adjustable clamp for easy fine tuning and accurate setup

order code AP0186508



digital [V]

# Flat Screen **Infra-Red Remote Eve Sensor**



- Compatible with Antiference remote link amplifiers and Sky Digital satellitte receivers
- · Built in fly lead on inserter for conventional installation
- · Modern Black design
- · Fasy to install

order code AP0188108



471827

# **ZONE 1 & 2 Sky Digital Dishes 📲 🗛**

Tested to 80mph functional, 100mph survival

. For use with universal LNB

Contains special matched feed

· Zone 1 dish for use in England and Wales, Zone 2 dish for use in Ireland and Scotland only



# **Coaxial Plug to Coaxial Plug**

High quality television and video coaxial fly leads with moulded end connections (75Ω).



			1.7	ZJT
AP0170608	1m	White	£0.45	£0.24
AP0170708	1m	Black	£0.45	£0.24
AP0170808	2m	White	£0.58	£0.37
AP0170908	2m	Black	£0.59	£0.41
AP0171008	4m	White	£0.83	£0.64
AP0171108	4m	Black	£0.83	£0.64
AP0171208	10m	White	£1.48	£1.19
AP0171308	10m	Black	£1.49	£1.20
Coaxial Plug to Co	axial Socket			
AP0168308	1m	White	£0.48	£0.26
AP0168408	1m	Black	£0.48	£0.26
AP0168508	2m	White	£0.58	£0.37
AP0168608	2m	Black	£0.58	£0.37
AP0168708	4m	White	£0.81	£0.58
AP0046108	4m	Black	£0.62	£0.54
AP0067608	10m	White	£1.32	£1.17
AP0067708	10m	Black	£1.27	£1.13
Right Angled Coaxial	Plug to Right /	Angled Coaxial Plug		
AP0171508	2m	Black	£0.58	£0.37
AP0171608	4m	White	£0.62	£0.50
AP0171708	4m	Black	£0.62	£0.50
Right Angled Coaxial	Plug to Right A	ngled Coaxial Socket		
AP0169008	2m	White	£0.58	£0.37
AP0169108	2m	Black	£0.58	£0.37
AP0169308	4m	Black	£0.81	£0.58
Right Angled Coax	ial Plug to Coa	xial Plug		

White

Black

£0.58

£0.58

fn 37

£0.37

451138

AP0171808

AP0171908

 Unlike standard boosters SLx Gold's flat gain response across full frequency spectrum ensures

optimum digital reception

2m

2m

Dedicated inputs for UHF and FM/DAB

Full VHF compatability for TV and FM/DAB including Ireland · Integrated by-pass to control Digital satellite

receivers from a second TV

AP0143408	SLx2	£10.82
AP0143508	SLx4	£13.59
AP0143608	SLx6	£16.92
AP0143708	SLx8	£18.42
AP0150308	SLx4 F Type	£14.64
AP0150408	SLx6 F Type	£16.97
AP0150508	SLx8 F Type	£21.65

# **TV Aerial 52 Element Gold Kit**

analogue/digital TV antenna

- . Snap to fit parts for quick installation Pre wired water tight balun assembly
- Adjustable clamp for easy fine tuning and accurate setup



All Prices Exclude VAT

Kit Contains: Front boom, rear boom, joining clamp assembly, reflector arms

reflector bracket assembly, reflector elements, director elements, pre wired balun,





# **6W 100V Ceiling Speaker** R BOSCH

Model: LHM0606/10 An economic, flush-mounted, full range ceiling loudspeaker for general purpose applications.

. Suitable for speech and music reproduction

Simple power setting

Optional certified fire dome mounting

· Unobtrusive in virtually all interiors

Complies with international installation and safety regulations EN60065

150280508

LS0282608



# Two-Way Hi-Fi Speaker -

A ceiling mount speaker containing a woofer with a coaxial tweeter element. An ideal choice for background music or home cinema systems

Polypropylene cone 61/2" woofers with rubber surround

Pivotal titanium tweeter

Built in crossover

Push terminals for easy connections

Paintable grill and frame Built-in brackets for easy installation

Ideal for use in multi-room audio installations. High quality stereo audio

sized UK double pattress box.

as the room gets darker

. Self resetting 3A fuse built in

Full remote control

line input

amplifier thats built into a standard

· Built in shortcircuit, open circuit,

thermal and under voltage protection

Volume up/down plus 10 preset volumes

Installer friendly screw terminals for speaker and

· Full bridge mode all speaker connections are live

Bedroom friendly LED's follow ambient light and get darker

Microcontroller controlled amplifier

5+

order code LS0279208







461792

# 35W Amplified Stereo Sneaker System

2-way stereo speaker system with built-in amplifier with a gain of 30dB.

- · Ideal for use as DJ monitors
- . One speaker contains the amplifier, controls and input/output connections
- Volume, treble and bass controls
- · Power on/off switch with LED indicator
- Pivoting removable metal mounting bracket Supplied in pairs and available in various

colour options Contents: Speakers (Pair), IEC 1.8m UK Mains Lead, 3.5m of Speaker Cable

LS0287408	White
LS0287508	Black
LS0287608	Silver

£36.50 £32.50

# PULSE







· Available with or without PSU 3+ DP2913508 With PSU £69 95 £62 95 DP2913608 Without PSU £49.95 £46.95 PW0133808 £21.95 £19.45

Flush Mount Audio Amplifiers KEENE

# **18W P.A. Amplifier**



background music applications. 2x microphone inputs

- with individual level control
- Suitable for 300  $600\Omega$  unbalanced microphones with 1/4" Jack connection
- 1x Phono/Aux. CD input with individual level controls
- 4, 8,16 $\Omega$  and 100V speaker outputs
- · Tone control
- · Master volume control and power switch
- Steel construction with rubber feet for surface mounting

order code DP2936208



454194

# CD/Tuner Mixer Amplifier 🍛 adastra

This unit features a 120W amplifier. a single CD player and a



digital FM tuner. 4 XLR sockets for Mic/Line inputs on the rear panel. On the front panel are volume controls, tone controls for the bass and treble frequencies, input select buttons, master volume and a 5 bar LFD monitor.

- Selectable VOX and Phantom power (+18V)
- Auxiliary IN, line OUT, amp IN and Preamp OUT via RCA phono
- LCD readout for function status.
- Screw terminals for speaker output (4 ohms, 8 ohms, 70V & 100V
- 19" rack mount
- 240Vac mains or 24Vdc operation





# Slim **VESA** Mount **LCD Wall Bracket**

- · Suitable for flat screens up to 17'
- · Slim design mounts screens 15mm from the wall
- · Max loading weight of 20ka
- Meets VESA mounting standard (75x75mm or 100x100mm)
- · Supplied with wall mounting kit · Instructions included. Easy to assemble
  - order code ST0125708



Pro-SIGNAL

476104

# **Tilting LCD/Plasma** TV Wall Rracket

- Tilting Plasma/LCD Wall Mount
- Maximum Load: 45kg
- Suitable for 22" 37" screens (550-930mm)
- Adjustable width: 55-405mm Adjustable height: 75-325mm
- Allows 15° of tilt
- Screen mounted 76mm from wall
- Wall mounting screws and screen mounting hardware supplied
- Retail Packed Suitable for resale
- Dimensions (WxHxD): 460x350x76mm

order code ST0138408





480939

# Swivel VESA Mount LCD @pro-signal Wall Bracket

- Swivels at wall through 170°
- Tilts 180°
- Head will rotate through 360°
- · Faceplate sits 130mm from the wall
- Max loading weight of 10kg
- Meets VESA mounting standard (75x75mm or 100x100mm)
- Supplied with wall
- mounting kit Instructions included. Easy to assemble

10+ order code ST012580



476105

DIO-SIGNAL



- Universal Fitting
- Tools-free tilt adjustment
- Supplied with 8 additional 90° adaptors
- Max Weight 15kgs (33lbs)
- 360° Rotation, 20° tilt
- 215mm Extension from surface



PIO-SIGNAL

447886

order code ST0115208

# **LCD/Plasma TV Wall**


- Flat Plasma/LCD Wall Mount
- Maximum Load: 45kg • Suitable for 22" - 37
- screens (550-930mm) · Adjustable width: 40-375mm
- Adjustable height: 75-325mm
- . Low Profile screen mounted 38mm from wall
- Fasy to assemble
- Wall mounting screws and screen mounting hardware supplied
- Retail Packed Suitable for resale
- Dimensions (WxHxD): 430x345x38mm

order code ST0138208

480935

# **UNT Speaker Brackets**

A pair of stylish, wall mount brackets suitable for most types of small and medium sized cabinets.



- Single bolt mounting and dismounting Simple hardwheel position adjustment and lock in both horizontal and vertical
- nlanes Ball joint for maximum flexibility, swivels left and right and tilts up to
- 15° and down 20°
- Distance from wall only 80mm and narrow 50mm wide base Supports cabinets up to 6kg in weigh

order code ST0018408

497809

# **Cable and Faceplate Assembly**

A time and cost saving cable assembly and faceplate, predominantly for installing interactive whiteboards, but also suitable for large screens and other PC based multimedia systems

Face Plate Connectors: S-Video Socket: 1x 4-pin Mini NIN socket

3x Phono Sockets

1x 3.5mm Jack Socket, Stereo

2x SVGA PC/MONITOR 15-pin HD D type sockets

1x Serial Interface 9-pin D type sockets

1x USB socket, B type

Cable Assemblies:		Length		
End A (Trailing)	End B (Faceplate)	AV1225408	AV1239008	AV1661408
3x Phono Plugs	3x Phono Sockets	10m	15m	20m
SVGA Plug	2x SVGA Sockets	10m	15m	20m
S-Video Plug	S-Video Socket	10m	15m	20m
3.5mm Stereo Plug	3.5mm Stereo Socket	10m	15m	20m
USB A Type Plug	USB B Type Socket	5m	5m	5m
Serial 9-pin D Plug	Serial 9-pin Socket	5m	5m	5m
				476004

		1+	5+
AV1225408	10m	£37.50	£33.50
AV1239008	15m	£39.95	£35.00
AV1661408	20m	£72.00	£65.00

# . Video Sender

- Send audio and video signals to different locations around the home via 2.4GHz wireless technology
- 4 channel system
- Wide band FM modulation
- · Directional antenna, minimum interference
- Super quality video, stereo audio
- . Operating range up to 100m (line of sight)
- Inputs/Outputs on 3x phono connectors
- Kit contains: transmitter, receiver and 2x mains adaptors

order code AV1589708

### 478478

# **VGA Extender, CAT5**

- VGA connector to shielded RJ45 female Supplied in pairs to extend VGA signals over CAT 5 STP cable
- Resolutions up to 1280x1024 pixels selectable via DIP switch
- Transmission Range: Up to 135m (at 640x480
- · Works with desktop PCs, laptops, LCD projectors, plasma displays etc. Perfect for classrooms, lecture halls, tradeshows, video information displays
- Dimensions (WxHxD): 110x77x24mm

order code AV1605008

475874

# **ÁV Cable Assembly - HDMI**

Digital AV cable assembly supplied attached to a white single gang face plate. Two additional metal faceplates are supplied. The full list of components is as follows:

1x white plastic faceplate (supplied attached)

- 1x black anodised metal faceplate 1x brushed stainless steel faceplate
- 1x HDMI/DVI adaptor
- 1x 10m HDMI Male to HDMI Female lead
- 1x 10m 3.5mm Stereo Jack Plug to 3.5mm Stereo Jack Socket lead
- 1x 10m VGA HD15F to VGA HD15M lead
- 1x 10m 3x Phono Plugs to 3x Phono Sockets lead
- 1x 5m USB B Type Female to USB A Type Male lead







473046

# **Audio & Video Transceiver CAT5**

- BNC female & 2x Phono sockets to RJ45 female
- Supplied in pairs for video and stereo audio transmission over one CAT5
- Bi-directional audio and single direction video over one CAT5 cable
- Dimensions (WxHxD): 110x77x24mm

10+ £24.00 order code AV1604608



### **Cat 5 Audio Video Networking** Leads DIO-SIGNAL



· RJ45 Plug to RJ45 Plug Cat5 networking leads

478486 50+

Ideal for AV other Cat5 systems 1+

AV1612708	1m	£0.35	£0.24
AV1612808	2m	£0.52	£0.36
AV1612908	3m	£0.65	£0.51
AV1613008	5m	£0.99	£0.80
AV1613108	10m	£1.90	£1.51
AV1613208	20m	£3.75	£2.93
AV1613308	30m	£4.95	£4.70
AV1613408	40m	£7.40	£5.71
AV1613508	50m	£8.95	£7.11
$\overline{}$			

# **Computers & Networking**

- Quick and easy to install
- Supplied fully assembled but can be stripped down
- 1.2mm steel panels
- · Vented panels
- · Earth stud at rear of
- cahinet Lockable door
- · 5mm toughened tinted
- Cable entry plates at top and bottom
- Wall mountable Cable tie bracket
- Dimensions (HxWxD):

6U: 350x600x450mm, 9U: 500x600x450mm Weight: 6U: 19.5kg, 9U: 21kg



,, oo. 2 mg		
	1+	3+
6U Cabinet	£75.00	£70.00
9U Cabinet	£99.00	£93.00
'		
1U Shelf	£12.99	£11.85
Lock and Key (spare)	£2.99	£2.75
6U Door (spare)	£12.99	£12.25
9U Door (spare)	£14.99	£13.99
Cable Managment Bar 1U	£4.99	£4.35
	6U Cabinet 9U Cabinet  1U Shelf Lock and Key (spare) 6U Door (spare) 9U Door (spare)	1+ 6U Cabinet £75.00 9U Cabinet £99.00  1U Shelf £12.99 Lock and Key (spare) £2.99 6U Door (spare) £12.99 9U Door (spare) £14.99

# CAT 5e and CAT 6 **Patch Panels**



450328



- · CAT 5E and 6 patch panels
- Available in 12 (1U), 24 (1U) or 48 (2U) way versions
- 586a and 586b compatible
- · RJ45 connectors with punch down connections

Contents:Panel, screws and cable ties

CAT 5e Panels		443680
CS1218808	16 Ports	£15.00
CS1218908	24 Ports	£19.50
CAT 6 Panels		
CS1219008	16 Ports	£17.50
CS1219108	24 Ports	£25.00
CS1219208	48 Ports	£39.50

# **CAT5e RJ45 Surface Sockets**

- RJ45 CAT5e
- sockets
- Surface mount · Supplied with
- mounting screws Cable clamp
- mounting point Dimensions



# Fast Ethernet Switches NETGEAR



The FS105/108/116 are ideal network switches for office use with small footprints and durable metal cases. With plug and play installation and automatic speed and duplex sensing ports.

- · Broadband compatible
- 5/8/16x 10/100Mbps auto-sensing and auto-uplink RJ45 ports
- Plug and Play installation no software
- Indicators for network traffic
- Compatible with Macintosh and PC computers
- Can be wall mounted or used horizontally
- Powered by the supplied ac adaptor
- Dimensions 5 Port (HxWxD): 27x103x94mm, 8 port: 27x103x158mm, 16 port; 27x285x103mm

Contents: Switch, wall mount kit, user guide and ac adaptor

443234 5 Port £22.50 CS1281608 8 Port £27 50 CS1005308 16 Port £49.50

# 5/8 Port Fast Ethernet

With plug and play installation, automatic speed and dunlex sensing the FS605 is an ideal network switch for home or SOHO use.




- 5 or 8, 10/100Mbps auto-sensing and auto-uplink (MDI-X) RJ45 ports
- · Store and forward protocol
- . 100m maximum cable length
- Indicators for network traffic
- · Compatible with Macintosh and PC computers
- Can be wall mounted, used horizontally or vertically
- · Powered by the supplied ac adaptor
- Dimensions (HxWxD): 5 port 28x175x118mm, 8 port 35x160x90mm


Contents: Switch, stand and ac adaptor

CS1006108	5 Port	£19.50
CS1006308	8 Port	£25.00


# **24 Port Feedthrough Patch Panel**

# 





24-port with printed numbers



			49/909
		1+	3+
CS1320608	Patch Panel	£12.92	£11.69
Couplers			
CS1320708	CAT5E Unshielded	£1.84	£1.70
CS1320808	CAT5E Shielded	£2.84	£2.63
CS1320908	CAT6 Unshielded	£2.63	£2.44
CS1321008	CAT6 Shielded	£3.97	£3.77

# **Computers & Networking**

# **Cat 6 Faceplates**







- Available with 1, 2 or 4x RJ45 sockets
- · Backwards compatible with Cat 5 and 5E
- 568A/B UTP wiring layout Label slot

CS1423908

CS1424008

CS1523508

1 Port

2 Port 4 Port  Fits a standard UK, 86x86mm backbox (4 socket fits 86x147mm backbox)

Contents: Faceplate, screws

and label		458223
	1+	5+
	£4.25	£3.99
	£7.50	£6.95

£9.25

£8,50

# **CATSE & 6 RJ45 Wiring Boxes**

Connection box for 4 twisted cable pairs for use in CAT 5/4/3 and CAT6 applications

Both unshielded and shielded versions available Ideal for custom wiring

and cable ties

or converting between different system wiring specifications Contents: Box, screws, adhesive pads



		1+	10+
CS1327908	Black	£2.15	£1.89
CS1328008	White	£2.15	£1.89
CS1407908	Shielded CAT 5E	£3.45	£3.15
CS1408008	White CAT6	£3.65	£3.35
CS1408108	Shielded CAT6	£4.85	£4.49

# **Cat 5E Faceplates**







- · Available with 1,2 or 4, RI45 sockets
- Backwards compatible with Cat 5
- . 568A/B UTP wiring layout

Label slots

. Fits a standard UK, 86x86mm backbox (4 socket fits 86x147mm backbox)

Contents: Faceplate, screws and lahel

444622	2

		1+	5+	
CS1367208	1 Port Wallplate	£4.25	£3.99	
CS1367308	2 Port Wallplate	£7.50	£6.95	
CS1424108	4 Port Wallplate	£9.25	£8.50	,
\ <u> </u>				•

# **RJ45 Extension Reel**

Ideal as an extension. temporary or permanent, for RJ45 cables

Constructed from CAT5E cable and connectors

Wall mountable

7.4m cable length Wired pin 1-1,

2-2 etc



order code CS1288308

# **Soft Edge CAT 5E Faceplates**







497966

- · CAT 5E faceplates with a 'Soft Edge' curved look designed to fit into the 'modern office'
- · Available with 1 or 2, RJ45 sockets
- · Backwards compatible with Cat 5
- 568A/B UTP wiring layout
- . Fits a standard UK, 86x86mm backbox

Contents: Faceplate and screws

		1+	5+	
CS1420708	1 Port Wallplate	£4.49	£3.99	
CS1420808	2 Port Wallplate	£6.49	£5.99	,

All Prices Exclude VAT

# **CAT 5E Cable Economiser**





- Enables an additional signal to be transmitted down the unused pairs of Category 5E twisted-pair cable
- · Allows expansion of an existing system without the need to disrupt the cable infrastructure Used in pairs, one at each end of the cabling
- Provides for instant network expansion
- · Available as Data/Data, Voice/Voice and Data/Voice

Note: Although sold individually, the units must be used in pairs, with a device at either end of the cabling.

447450

CS1320008	Data-Data
CS1320108	Voice-Voice
CS1320208	Data-Voice

£2<u>9</u>9



**CAT 5E RJ45 Low** Pro-SIGNAL **Profile Patch Cables** 

A range of RJ45 to RJ45 UTP, Category 5E patch cables. These cables have lowprofile moulded strain reliefs which allow them to be plugged into wall sockets etc. without the strain relief

fouling on the plate. • Grev

		1+	10+
CS1442008	0.5m	£1.02	£0.85
CS1442108	1m	£1.24	£1.04
CS1442208	2m	£1.47	£1.31
CS1442308	3m	£1.71	£1.54
CS1442408	4m	£2.12	£1.86
CS1442508	5m	£2.31	£2.08
CS1442608	6m	£2.78	£2.53
CS1442708	7m	£3.02	£2.78
CS1442808	10m	£4.03	£3.54
CS1442908	15m	£5.76	£5.04

20m

**CAT 6 RJ45 Patch** A range of RJ45 to RJ45

UTP, Catagory 6 patch cables Grey

CS1443008



£7.98

£6.57

CS092	7508	0.5m	£1.50	£1.35	
CS092	7608	1m	£1.65	£1.45	
CS092	7708	2m	£1.85	£1.65	
CS092	7808	3m	£2.17	£1.87	
CS092	7908	5m	£2.65	£2.30	
CS121	2808	10m	£4.73	£4.05	
CS120	8508	15m	£5.75	£4.99	
CS120	8608	20m	£6.50	£5.75	
CS120	8708	25m	£7.25	£6.50	
CS120	8808	30m	00.83	£7.25	,
_	·				•

# VGA/SVGA Splitters, 2, 🕏 pro-signal

Ideal for educational use, presentations and shop displays.

- . 350MHz bandwidth (300MHz for 8-way) . Effective transmission distance of 210 ft.
- · Active and Power LEDs · Male in/female out connections (15way
- Hi-D) · Powered by an AC adaptor (supplied)
- · Supplied in a heavy metal case with nonslip feet

• Dimensions (HxWxD): 25x180x90mm Contents: Splitter, AC adaptor and user quide

Video Splitter		443303
CS0798408	2 Way	£17.50
CS0798508	4 Way	£25.00
CS1371408	8 Way	£39.50

# VGA CAT5 Extenders 🔕

Send video or video and audio data along a CAT5 cable to a pair of monitors up to 150m away.

- 4 Position distance equaliser for
- optimum signal Supports resolutions up to
- 1024x768 Use standard CAT5/5e/6

498112

- unshielded cable as the data link Standard 15way Hi-D male input and 2x 15way Hi-D female
  - outputs The audio version uses 3.5mm

Video

user auide

Audio/Video

- sockets for input and outputs
- . R145 sockets for the CAT5 cable
- · Powered by ac adaptors Dimensions (HxWxD): 20x104x70mm Contents: Tx, Rx, 2x ac adaptors and

443584

CS1093208	Video Extender	£42.50
CS1093308	Audio/Video Extender	£49.95

# **Monitor Cables 15** to 15 Way

Cables are wired for use with monitors

Not wired 1-1

Ferrite filters on all cables from 10-40m





Female to Male		1+	10+
CS1447808	0.5m	£1.10	£0.90
CS1447908	1m	£1.40	£1.20
CS1448008	2m	£2.32	£1.90
CS1448208	5m	£4.04	4 £3.23
CS1448308	10m	£8.20	£6.61
CS1448508	20m	£12.1	2 £10.81
CS1448608	30m	£16.2	0 £15.58
CS1448708	40m	£21.4	3 £20.60
Male to Male			
CS1449808	0.5m	£1.12	2 £0.91
CS1449908	1m	£1.40	£1.20
CS1450008	2m	£2.32	£1.86
CS1450208	5m	£4.04	4 £3.23
CS1450308	10m	£8.20	£6.61
CS1450508	20m	£12.1	2 £10.81
CS1450608	25m	£17.3	5 £15.46
CS1450708	30m	£16.2	0 £15.58
CS1450808	40m	£21.4	3 £20.60

# **Wireless G Presentation Gatewa**v

- Allows any member of the group to take instant control of the projector/monitor with no
- cable-swapping Real time display of PowerPoint presentations, JPEG images, or any other application
- Display (up to 1024x768)
- · Works with virtually any
- projector/monitor with VGA or DVI connector 802.11b/g and 10/100 Base-T support
- Connections: VGA DVI, audio out, RJ45
- Supports Win 2000SP4/ XP
  - Min. Sys. Req: 900MHz CPU, 256MB RAM,
  - wireless enabled PC
  - Dimensions (HxWxD): 36x152x83mm

479423

All Prices Exclude VAT

442505

# **Computers & Networking**

# 19" TFT VGA/DVI Monitor

Model: TS902D

1280x1024 resolution (0.294 dot pitch)

- · 8ms response time
- Built-in speakers (1W per channel)
   Tilding approach to the channel
- Tilting removable base
- VESA wall mountable
- Conforms to ISO13406-2
- Power: 100-240Vac, 50/60Hz
  3 years manufacturer's warranty
- Dimensions (HxWxD): 408x415x202mm (with base)
- Weight: 4.3kg
- Contents: Monitor, VGA cable, DVI cable, IEC mains lead, audio lead and user guide.

**£135.00** order code CS1553808



498278

# **USB Scroll Mice**

- Supports Win 98/NT/ME/2000/XP
   USB interface

CS1289908	Silver
CS1289808	Black
C31203700	beige



**£2.99** 

# **Basic Optical Mice**

- USB interface
- Supports Win 98/2000/ME/XP and Mac OS X 10.1 or above



£9.95

Microsoft<sup>\*</sup>

443982

CS1460508 Black CS1339308 White

# Back to Back LCD Stand

- Install 2x LCD monitors back to back
- Adjustable height
- Meets VESA standard 75x75mm and 100x100mm
- Desktop mounted





All Prices Exclude VAT

# **PS/2 Keyboards**

- PS2 interface
- Supports Win 95/98/ME/2000/XP/NT4.0



SB0265408 Black
SB0274408 Beige **£2.99** 

# **Stream Keyboards**

Plug and play, no software required
Ultra-silent keystroke use

- 6 HotKeys for volume control and Mediaplayer functions
- functions
  Includes USB-PS/2
  adaptor
- Supports Win 2000/XP
- Dimensions(HxWxD): 18x472x176mm
  3 year manufacturer's quarantee
- Contents: Keyboard, user guide

CS1482208 Black CS1482308 Grey £12.50

478044

476241

## **Dual LCD Screen Stand**

- Install 2x LCD monitors horizontally (19" max.)
- Easy adjust and swing for the
- most comfortable position

   Capable of holding up to 6kg
- per screen
   Meets VESA standard
   75x75mm and 100x100mm
- Weighted metal base

£35.00

order code CS1462208

# **CPU Brackets**



Raise your CPU off the floor which brings the benefits of more floor space, easier to clean floor area, easier floppy and CD removal/insertion and more convenient cable access.

- Steel construction
- The sliding type has an
- adjustment bracket for a desk lip
- All types require a minimum of 25mm work surface thickness
   Complete with all screw fixings
  - 443506

		1+	2+
CS0900208	Budget Bracket CPU-42	£11.50	£10.93
CS0900308	Sliding Bracket CPU-57	£17.94	£16.63
CS0900408	Deluxe Bracket CPU-87	£33.25	£30.88

SYLVANIA

# **Energy Saving Lamps**

Rapid start up (between 0.5 and 1 sec)

. 8,000 Hours average life

· Colour temperature: 2700k (Warm White)

Diameter: 41mm

Not suitable for use with with dimmers, photocells or timer devices

BC Fitting				1+	10+
LP0263908	9W	40W	145mm	£0.90	£0.79
LP0264008	11W	60W	155mm	£0.90	£0.79
LP0264108	15W	75W	165mm	£0.90	£0.79
LP0264208	18W	100W	175mm	£0.90	£0.79
ES Fitting					
LP0264308	9W	40W	145mm	£0.90	£0.79
LP0264408	11W	60W	155mm	£0.90	£0.79
LP0264508	15W	75W	165mm	£0.90	£0.79
LP0264608	18W	100W	175mm	£0.90	£0.79

# LYNX-D Fluorescent Lamps - 2 Pin

Fitted with a 2-pin G24d type base - requires integral starter.

Colour: Homeliaht

464164

464165

Technical Data Dia 22mm Length 118, 153, 173 or 193mm Base (2 Pin)

10 & 13W G24d-1 18W G24d-2 G24d-3

497766 26W Watts Light Output (Im) 1+ 10+ I P0001008 10W 600 f2.45 £2.33 LP0001108 13W £2.33 LP0001208 18W 1200 f2 45 £2 33

1800

# i Energy Saving Lamps

- Rapid start up (between 0.5 and 1 sec)
- 8,000 Hours average life
- Colour Temperature: 2700k (Warm White)

Diameter: 40mm

Not suitable for use with with dimmers, photocells or timer devices

Watts	GLS Equiv.	Length	1+	10+
5W	25W	102mm	£1.35	£0.94
8W	40W	112mm	£1.35	£0.94
11W	60W	122mm	£1.35	£0.94
14W	75W	132mm	£1.35	£0.94
8W	40W	112mm	£1.35	£0.94
11W	60W	122mm	£1.35	£0.94
14W	75W	132mm	£1.35	£0.94
	5W 8W 11W 14W	5W 25W  8W 40W  11W 60W  14W 75W  8W 40W  11W 60W	5W         25W         102mm           8W         40W         112mm           11W         60W         122mm           14W         75W         132mm           8W         40W         112mm           11W         60W         122mm	5W         25W         102mm         £1.35           8W         40W         112mm         £1.35           11W         60W         122mm         £1.35           14W         75W         132mm         £1.35           8W         40W         112mm         £1.35           11W         60W         122mm         £1.35

- **Double D Lamps** Low energy, long life lamps for domestic and commercial applications
- 10.000 Hours average lamp life
- 3500K Colour temperature
- . Compatible with all current control gear

### Technical Data

lype	Сар	Lumens	Length	Width
2 Pin 16W	GR8	1050lm	132mm	132mm
2 Pin 28W	GR8	2250lm	196mm	196mm
2 Pin 38W	GR8	3000lm	198mm	198mm
4 Pin 16W	GR10q	1050lm	132mm	132mm
4 Pin 28W	GR10q	2250lm	196mm	196mm
4 Pin 38W	GR10a	3000lm	198mm	198mm

			4509	14
2 Pin		1+	10+	
LP0259808	16W	£1.49	£1.05	
LP0259908	28W	£2.28	£1.70	
LP0260008	38W	£2.72	£2.09	
4 Pin				
LP0260108	16W	£1.49	£1.04	
LP0260208	28W	£2.28	£1.69	
LP0260308	38W	£2.72	£2.09	

# Fluorescent Tubes

26W

## SYLVANIA

f2.45

£2.33

Supplied in nacks of F

LP0001308

**T**5 LP LP LP

\* Ċ

olour W= White, CW= Cool White, WW= Warm White							
49783							
(Dia. 16mm)	Length	Watts	Colour	1+	5+		
0240608	150mm/6"	4W	W	£3.64	£3.33		
0240708	225mm/9"	6W	W	£3.64	£3.33		
0240808	300mm/12"	8W	W	£4.49	£4.19		
0240908	525mm/21"	13W	W	£4.89	£4.49		

ΙP T8 (Dia. 26mm) LP0241308 600mm/2 18W ww £3.94 £3.72 LP0241408 600mm/2 18W CW £3.94 £3.69 LP0241108 600mm/2 18W £3.69 £3.49 LP0241908 895mm/3 30W W £2.85 £2.76 LP0242008 895mm/3 30W WW £2.85 £2.76 LP0242108 895mm/3 30// CW £2 85 £2.76 LP0242208 1200mm/4 36W W £4.79 £4.59 LP0242308 1200mm/4 36W 1/1/1/ £4.69 £4.49 I P0242408 1200mm/4 36W CM f4.69 f4.49 LP0242508 1500mm/5 58W £4.30 f4.19 LP0242608 1800mm/6' 70W W £7.75 £7.10 T12 (Dia. 38mm) LP0242708 1200mm/4' 40W W £4.82 £4,42 LP0242808 £6.19 1500mm/5 65W £5.99

75W

100W W

125W W

# orescent Starters

Two-pin glow starters which are housed in high-impact polycarbonate. Fitted with an internal radio interference suppression capacitor. Supplied in packs of 5.

1800mm/6

2400mm/8

2400mm/8

**Technical Data** 

LP0242908

LP0310308

LP0310408

Power Supply 240V 50Hz Dims (LxDia) 36x21.5mm Pin Pitch 12.7mm

LA0029108 65W and Below LA0029208 70W and Above 462547

£9.24

£15.39

£15.39

£8.84

£13.58

£13.58

# **MR16 Low Voltage Halogen Lamps**

- 2.000 hours average life
- Diameter: 50mm Aluminium coated reflector · Voltage: 12V
- Base: GX5 3/GH5 3



476347

Dasc. 0/(3.5) 003.5			101000
20W Lamps		1+	20+
LP0307608	12°	£0.31	£0.20
LP0307708	24°	£0.31	£0.20
LP0307808	36°	£0.31	£0.20
35W Lamps			
LP0307908	12°	£0.31	£0.20
LP0308008	24°	£0.31	£0.20
LP0308108	36°	£0.31	£0.20
50W Lamps			
LP0308208	13°	£0.31	£0.20
LP0308308	24°	£0.31	£0.20
LP0308408	38°	£0.31	£0.20

# **Low Voltage Halogen Cansule Lamps**



2,000 hours average life

Space between pins: G4 = 4mm, GY6.35 = 6.35mm

			470347
G4 Fitting		1+	5+
LP0283208	5W	£0.69	£0.65
LP0283308	10W	£0.69	£0.65
LP0283408	20W	£0.69	£0.65
GY6.35 Fitting			
LP0283508	35W	£0.89	£0.84
LP0283608	50W	£0.89	£0.84
LP0283708	75W	£1.09	£1.02
LP0283808	100W	£1.09	£1.02

# **Double-Ended Halogen Lamps**

- · Ideal for use in rough-service applications, interior uplights and external floodlights
- . 2,000 hours average life
- Triple support

				497917
240V			1+	5+
LP0281808	100W	80mm	£0.63	£0.59
LP0281908	150W	80mm	£0.63	£0.59
LP0282008	200W	80mm	£0.63	£0.59
LP0282108	250W	80mm	£0.63	£0.59
LP0282208	200W	118mm	£0.57	£0.50
LP0282308	300W	118mm	£0.57	£0.50
LP0282408	500W	118mm	£0.57	£0.50
110V				
LP0282808	300W	118mm	£0.96	£0.85
LP0282908	500W	118mm	£0.96	£0.85
LP0283008	100W	189mm	£1.84	£1.75

All Prices Exclude VAT

# **Mains Halogen**

- Suitable for indoor and outdoor use (when protected
- from direct contact with water) Can be dimmed using standard

<ul> <li>dimmer switches</li> <li>UV stop glass fronte</li> </ul>	·d	D		1:6-		497882
PAR16 - Ø 50mm (R50)		Base Fitting	Beam	Life (Hours)	1+	15+
LP0255908	25W	E14	25°	1500	£3.57	£3.23
LP0256008	40W	E14	25°	2000	£3.89	£3.56
PAR20 - Ø 63mm (R63)						
LP0256108	50W	E27	10°	2500	£3.89	£3.56
LP0256208	50W	E27	25°	2500	£3.89	£3.56
PAR25 - Ø 80mm (R80)						
LP0256308	50W	E27	10°	2500	£3.89	£3.56
LP0256408	50W	E27	25°	2500	£3.89	£3.56
LP0256508	75W	E27	10°	3000	£3.89	£3.56
LP0256608	75W	E27	25°	3000	£3.89	£3.56
PAR30 - Ø 95mm (R95)						
LP0256708	75W	E27	10°	3000	£3.89	£3.56
LP0256808	75W	E27	30°	3000	£3.89	£3.56
LP0256908	100W	E27	10°	3000	£3.89	£3.56
LP0257008	100W	E27	30°	3000	£3.89	£3.56
PAR38 - Ø 120mm						
LP0257108	75W	E27	10°	3000	£3.89	£3.56
LP0257208	75W	E27	30°	3000	£4.17	£3.81
LP0257308	100W	E27	10°	3000	£4.17	£3.81
LP0257408	100W	E27	30°	3000	£4.17	£3.81

# **12V MR16 LED Lamos**

 Ideal replacements for low voltage halogen lamps

Longer life with low heat and low power consumption

• 50,000 hours average life

Base: GX5.3/GU5.3

4	
	478513

SYLVANIA

	No. of LEDs	Wattage	1+	5+
LP0301908	15	1.0-1.5W	£5.28	£4.87
LP0302008	20	1.5-2.0W	£8.12	£7.65

# **Rough Service**

GE Lighting Suitable for industrial vibration occurs

applications Reinforced internal

construction

Can be used where

1500 hour average life BC (B22) and ES (E27)

Pearl finish

497814

Watts Fittina Voltage LP0227308 60W ВС 110/120V £0.80 LP0227408 60W BC 200/250V £0.80 LP0227808 60W ES 110/120V 08.03 LP0227908 200/250V 60W ES 08.03 LP0227508 100W BC 110/120V £0.86 LP0227608 100W BC 200/250V £0.86 LP0228008 100W ES 110/120V £0.86 LP0228108 100W 200/250V £0.86

#### **T5 Linkable Fluorescent Fittings**

Fasy to install linkable fluorescent fittings with diffuser, ideal for

21x55mm (WxH)

kitchen cuboards Compact and slimline - only • IP20 rated

fixinas

 Supplied with tubes Complete with 2m mains cable, 500mm link lead and

450929

	Watts	Length	1+	5+	
LA0279308	8W	345mm	£4.74	£4.42	
LA0279408	13W	570mm	£6.47	£6.03	
LA0279508	21W	900mm	£8.18	£7.64	
LA0279608	28W	1200mm	£9.91	£9.24	,
					_

#### **12V Dimmable Lighting Transformers**

- ITS/FMC approved
- Short circuit, overload and surge protected
- Thermal cut-off
- Screw terminals

Operating Temp (max): 50°C (40°C 35-105VA)

471263

	VA Rating	Dims (LxWxD	1+	10+
LA0293808	20-60VA	120x38x26	£4.10	£3.40
LA0293908	35-105VA	152x48x38	£6.10	£5.45
LA0294008	50-150VA	218x48x40	£10.77	£9.51
LA0294108	70-200VA	218x48x40	£17.13	£16.44

#### **Battens 'Popular Pack'**

- Supplied complete with high efficiency 26mm (3500K) tubes
- Surface or suspended mounting
- Clip-on cover plate and adjustable end cap



Single			1+	10+
LA0008208	18w	600mm	£13.00	£11.50
LA0008308	36w	1200mm	£13.67	£12.95
LA0008408	58w	1500mm	£14.49	£13.27
Twin				
LA0008508	36w	600mm	£19.17	£18.01
LA0008608	72w	1200mm	£23.00	£21.84
LA0008708	116w	1500mm	£26.92	£25.20

**Low Voltage Fireproof** 

· Fire tested and assessed for up to 90 minutes . Designed to comply with Fire Safety & Sound Insulation requirements of the various national UK Building Regulations . Complies to BS 476: Parts 21 &

23: 1987 and Hospital Regulation HTM 81

· Part "E" compliant (Acoustics)

. 50w Lamps (not supplied)



	1+	5+
White	£4.91	£4.54
Satin Chrome	£5.34	£5.16
Chrome	£5.34	£5.16
Brass	£5.34	£5.16
White	£5.34	£5.16
Satin Chrome	£6.10	£5.90
Chrome	£6.10	£5.90
Brass	£6.10	£5.90
	Satin Chrome Chrome Brass White Satin Chrome Chrome	White         £4.91           Satin Chrome         £5.34           Chrome         £5.34           Brass         £5.34           White         £5.34           Satin Chrome         £6.10           Chrome         £6.10

#### Mains Voltage Fireproof Downlights - 230v

 Fire tested and assessed for up to 90 minutes . Designed to comply with Fire Safety & Sound Insulation requirements of the various national UK Building Regulations

- Maintains acoustic barrier
- · Ventilation holes in top for cooler operation
- Complies to BS 476: Parts 21 8 23: 1987 and Hospital Regulation HTM 81
- Part "E" compliant (Acoustics)
- 50w Lamps (not supplied)



497977

Fixed Downlights		1+	5+
LA0298508	White	£5.30	£4.95
LA0298608	Satin Chrome	£5.85	£5.50
LA0298708	Chrome	£5.85	£5.50
LA0298808	Brass	£5.85	£5.50
Tilting Downlights			
LA0298908	White	£5.85	£5.50
LA0299008	Satin Chrome	£6.68	£6.32
LA0299108	Chrome	£6.68	£6.32
LA0299208	Brass	£6.68	£6.32

#### **1P65 Bulkheads**

Polycarbonate Bulkhead

- Vandal-resistant diffuser Requires 1 x BC GLS lamp,
- 100W max. (not supplied) Dimensions (WxHxD): 133x240x102mm
- Cast Aluminium Bulkhead
- Vandal-resistant diffuser Requires 1 x BC GLS lamp. 100W max. (not supplied)
- Dimensions (WxHxD): 117x235x102mm





47499	•	18.00
		474999

		1+	5+
LA0271808	Black - Polycarbonate	£5.13	£4.80
LA0302508	White - Polycarbonate	£5.07	£4.91
LA0271908	Grey - Aluminium	£4.98	£4.81







		1+	5+
LA0306308	2 x AA Torch	£1.25	£0.99
LA0306208	2 x D Torch	£1.69	£1.33
LA0306108	3 x D Torch	£1.99	£1.63
	'		

#### **Standard Lantern** High performance bi-convex 'beammaster' lens

Weatherproof

Durable hi-impact co-polymer body

Reflector diameter: 86mm Uses 6V 996/4R25 battery

Robust portable halogen

Ideal for industrial and home

Carry handle & adjustable

1.5m heavy duty cable with plug

Supplied with 118mm doubleended halogen lamps

clamping bracket

12V power outlet

Safety glass & cage

worklights

Bulb: 4.8V Krypton



//ni-lite

order code LA0216208

#### **500W Halogen** DEFENDER **Worklights** · Single or twin portable halogen worklights with stands · Ideal for domestic or commercial · Made of robust, die-cast aluminium Safety glass cover & cage Supplied with halogen lamp and 2m cable with plug . Overall height from 1.1m to 2m 478450 LA0292708 Single £9.95

Twin





		1+	3+
LA0292508	150W Worklight	£4.62	£4.26
LA0292608	500W Worklight	£5.72	£5.28

#### Tikka Headtorch

**BEIZI** 

£14.00



- Extremely small headlamp
- Very long burn time (150+ hours)
- LED technology

I A0292808

- Emits even, clean, white beam
- · Ideal for close-up work
- · Only 70g in weight · Requires 3x AAA batteries (included)

465130

order code LA0106408

#### Ideal for site, garage/workshop and domestic applications 2 x 18W fluorescent tubes encased in tough, impact-resistant plastic Sturdy splash-proof construction with non-slip base

and carry handle

**Rechargeable Fluorescent** 

Rechargeable, portable fluorescent tube light with

• One tube can be lit on its own or both can be lit

Self-righting base, will not tip over easily

- 12V DC outlet for powering other 12V DC appliances
- 12V 8Ah sealed lead-acid rechargeable battery Supplied with both mains charger and 12V DC car
- Dimensions (HxWxD): 810x310x290mm

order code LA0301908



469359

#### **Standalone Kevpad**

- Stylish back-lit keypad IP67 weather Shallow profile
- Remote electronics Remote included
- Stand alone
- 100 user codes

#### Technical Data

Voltage Current

Inputs Exit button & Timer Outnuts 1-3 relay, timed or latch Dimensions (HxWxD) 100x75x15mm





OCDV.

476382

Re	lav	Output	ŀc
nc	ıay	Outpu	LS

SR0717908	1	£88.93
SR0718008	2	£99.00
SR0718108	3	£110.46

· Audible indicator

Fasy install

12-48VDC or 12-24VAC

· User code changes

#### **Phone System** 3.5" B&W TFT-LCD screen

**B&W Video Door** 

- Effective resolution:>420 lines
- 2 wire connection
- Infrared for night vision capability
- Video and two way intercom
- · Door lock control
- Auto turn off.
- Camera motion vertically
- Rain proof camera
- Surface mount
- Power: 110V 240V AC





- Dimensions monitor (HxWxD):
- 225x190x62mm
- Dimensions camera (HxWxD): 127x95x35mm

471868

£36.90 order code SR0700208

# **Standalone Proximity**



- · Easy keypad programming
- 12V AC/DC supply
- · Exit button input/relay output Accepts auxiliary reader option
- · Accepts tags or cards

#### **Technical Data** Input Voltage

CD0 47 4000

Current Rating Programming Inputs

Outputs Operating Temperature Dimensions (HxWxD)

12V AC/DC



-20 to +50°C 77x140x25mm

1/0 1 11



- 4	9	7	7	6

SR0474008	Keypad/Controller	£84.98
SR0474108	Auxillary Plastic Reader	£43.38
SR0474208	Auxillary Metal Reader	£75.42
SR0474308	Proximity Tag	£2.69
SR0474408	Proximity Card	£1.70
$\overline{}$		

## Colour Video Door

#### **Phone System**

- 5.0" Colour TFT-LCD screen Effective resolution:
- 960(H)x234(V) Handsfree, monitor, intercom
- Simple 2 wire connection
- Infrared for night vision capability
- Video and two way intercom Door lock control
- With hand-move alarm function
- Auto turn off,
- Camera motion vertically Rain proof camera





- · Slim and surface mount
- Power: 16V DC
- Operating temperature: -15°C -±50°C
- Dimensions monitor (HxWxD): 185x130x27mm
- · Dimensions camera (HxWxD): 127x95x35mm

473963

order code SR0700108

# **Self-Retracting**

A self-retracting key reel featuring a reliable spring return mechanism and spring clip fixing on the rear. Enables keys to be used without detaching from key ring.

- . 650mm (26") stainless steel chair with nylon coating
- · Can be attached to waistband, pocket or bag



DURATOOL

465360

order code SR0675708

#### Rim/Mortice Release Kits

- Kits supplied with both mortice and rim case fittings
- Fail safe or fail secure (fail safe allows the door to be opened if the power is removed and fail lock will stay locked if power is removed)
- 12 & 24V DC and 12V AC available
- 3 year manufacturers warranty

#### Kits include:

- 1x strike
- 1x mortice strike
- · 1x rim case

SR0474508 12V AC/DC Fail Lock £7.22 12V DC Fail Safe £11.92 24V AC/DC Fail Lock £7.68

SR0474608 SR0474708 SR0474808 24V DC Fail Safe £11.71

All Prices Exclude VAT

472068

#### **100 Series Digital Codelocks**

- · Digital code door lock with oval handle and soft rounded lock case
- Fully mechanical
- . Easy to fit, with all parts and fixings included
- Suitable for internal and external use
- Code can be changed quickly, as required
- Over 8,000 codes to choose from

· Holdback option, to keep door unlocked when

SR0530008 Silver grey

SR0530108 Polished brass

SR0530208 Silver grey + holdback

SR0530308 Polished brass + holdback



£27<u>9</u>1

#### Premium Brass Padlocks Closed Shackle

kasp

Hardened Steel Shackle - extra protection against hacksaw &

cropping attacks Double bolted locking mechanism (30 mm and above) - extra strength to resist torsion & pull attacks

Solid Brass Body added resistance against corrosion

 Anti-pick mushroom pins (30 mm and above) - extra protection against picking

Paracentric keyway - extra protection against manipulation

473943 40mm £6.86 SR0696908 50mm £8.93



#### **Brass Padlocks**





- · Function open sprung shackle
- Solid brass body
- · Hardened steel shackle
- 3 nickel plated keys
- 3-6 pin tumbler lock mechanism
- · Keyed alike versions available in 40 & 50mm

Standard	Size	476137
SR0702008	20mm	£0.30
SR0702108	30mm	£0.69
SR0702208	40mm	£0.94
SR0702408	50mm	£1.63
Keyed Alike		
SR0702308	40mm	£0.94
SR0702508	50mm	£1.63

## **Premium Brass Padlocks** (Keved Alike)



- and above) extra strength to resist torsion & pull attacks
- · Anti-pick mushroom pins (30 mm and above) - extra protection against picking
- Paracentric keyway extra protection against manipulation

		170000
Standard	Body Size	
SR0696108	30mm	£3.96
SR0696208	40mm	£4.62
SR0696308	50mm	£7.17
SR0696408	60mm	£9.28
Long Shackle		
SR0696508	40mm	£5.66

All Prices Exclude VAT



Health and safety regulations regarding the isolation of industrial power supplies demand colour coded padlocks be used in conjunction with a lock-off hasp.

 Plastic coated body - maximum resistance against corrosion · Brass shackle - anti-spark & added resistance against corrosion

Size 497953 Different keys SR0697008 40mm Black £4.87 SR0697108 40mm Blue £4.87 SR0697208 Green £4.87 40mm SR0697308 40mm Orange f4.87 SR0697408 40mm Red f4.87 SR0697508 40mm Yellow £4.87 Keyed Alike SR0719208 40mm Rlack £4.99 SR0719308 Blue £4.99 40mm SR0719408 40mm £4.99 SR0719508 Orange f4.99 SR0719608 40mm Red £4.99 SR0719708 40mm Yellow £4.99

#### Lock Off Hasps kasp

All steel lock off hasps

473030

- · Allow up to 6 workers to lock of an individual power source
- Available in two sizes with 25mm or 38mm jaws
- Red plastic coated for high visibility





£5.65

SR0697608 25mm SR0697708 38mm £6.48



#### **Hasp. Staple and** Shackleless Padlock

Hasp and Staple

Made from hardened steel

· Corrosion resistant

 Supplied with concealable fixings Padlock

- · Round shackless, made from hardened steel
- Chrome-plated finish Supplied with 3 keys
- Dimensions (WxDia): 37x73mm



Top View

STERLING

Bottom View

495667

497883

#### Technical Data

Hasp and Staple Length

Width Staple Hole Diameter Padlock

Diameter Width

Barrel Diameter

SR0636408

SR0636508

37mm 10mm Hasp & Staple

188mm

14.1mm

44mm

73mm

f9.98 Padlock £21 11

#### **Fully Adjustable Master Locking Cable**

- Patented locking mechanism holds the cable tight at any position from 30cm to 1.8m
- Convenient re-keyable cylinder 100% braided steel cable
- Weather-tough and rust-resistant
- Vinyl sleeve prevents scratching
- Compact storage with velcro strap to hold excess cable
- Supplied with 2 keys

#### **Collapsible Parking Posts**

Restricts access to your parking spaces, office forecourts, driveways, private roads, pedestrian precincts, etc. Two types of parking posts are available:

- · Floor mounting folding post is bolted directly into the floor and is then padlocked upright. The post can be lowered upon request when the padlock is unlocked. The post then folds flat to the floor allowing access.
- . Hole fixing, pull out, collapsible post which fixes into a steel receptacle which is permanently sunk into the floor. The post then can be put into or pulled out from its encased holder. The post is then padlocked to form a permanent parking post.

Both posts are 820mm high from ground level and are manufactured from 50mm square tube hardened steel. The posts are finished in a brass coloured zinc coating for visibility. Both posts can be used with any padlock including keyed alike.

SR0079908 Folding Parking Post £39.97 SR0080008 Pull Out Parking Post

#### Portable Kev Storage Box Master

- Large key storage compartment, holds over 5 house, car or padlock keys
- 4 dial resettable combination lock
- Solid die cast body, reinforced to withstand hammering and sawing
- Zinc lock body and shutter door
- Wall mountable
- Weather-resistant

Width: 85mm

order code SR0667608



497884

#### 8-Zone Metal Alarm Panel 🔏 with LCD Kevnad



- · Accents the ScanProx module and tag for easy
- setting and unsetting of the system Can be connected to a speech dialler or plug-by communicator via a
- wire-in communications output Allows for flexibility in configuration, as it has three fully
- programmable outputs
- 250 event log which is downloadable, printable, date and time stamped to comply to ASI (Association of British Insurers) requirements

SR0425508 **Additional** keypad

497817

- Programmable three x 30-digit phone numbers for each trigger
- Remote cancelling of next dialled number
- Two 10 second duration user recordable messages, one for each triager
- Battery backed up built in memory for telephone numbers and
- programmed settings
- Dual trigger design for motion detection and tamper alert
- Easy to connect to any alarm control panel or use as a stand alone communicator
- 12V DC external supply
- Dimensions (HxLxW) 120x200x45mm

456890

#### ni Infrared Security System

Complete infrared security system, which is simple to install, allowing low cost monitoring of door or walkway, announcing intruder or customer. Ideal for shops, offices, warehouses and receptions.

- Alarm or chime setting
- Adjustable activation time (3-30 sec) and volume
- Nominal detection range 7m
- 1 Second duration for chime, 30 seconds for alarm
- 9V dc, 200mA power supply included

448169

3 Swann

order code SR0548908

#### **Colour Security Dome Camera**

- · Cost effective security camera for home. office and retail
- · Broad lens provides sharp overall focus for crystal clear picture
- Easily adjustable to 360°
- · Compact and easy to install
- Supplied with 18m cable and 9V dc power adapter
- Additional 36m audio/video extension cable available

£33.31 order code SR0633708



vision

#### **Mini Speed Dome with** 100x **7**00m - Kit

· Can be panned, tilted and zoomed in seconds to the view you require with the Joystick controller supplied

· Manufactured from industrial grade

· Polycarbonate vandal resistant dome (will withstand a blow from a 10lb sledgehammer)

. Sony 1/4" Super HAD CCD image sensor produces 500 TVL and offers 0.1 lux low light sensitivity

- 4.2 to 42.0mm 10x Zoom Lens with 10x Digital Zoom for a total of 100x Zoom
- Offers 360° panning or 90° tilting at speeds of up to 120° per second
- . Up to 200 preset positions can be stored and recalled and 8 quard tours
- Supports Pelco D or P protocol for control by compatible DVRs and Controllers (a controller is included as standard)
- Supplied with 20m CAT5E (AWG24) cable and 2 video to CAT5 baluns for easy installation
- · Can be surface or flush mounted to a ceiling indoors or outdoors

order code SR0684208

482248

## **3-in-1 Digital Security** 🛷 📚 💯 High quality flood light with built in digital camera

and video recorder - captures time and date stamped images or video clips when PIR triggered day or night.

- . Web cam, Digital Video Camera, 500W Floodlight
  - Records each time PIR triggered
- PIR detection angle 52° and range 9m
- Continuous repeat or time delayed Time & date stamped photos
- 10 second video clips
- Records upto 2560 photos and 512 video clips to 1Gb card (512Mb card supplied)
- Format jpeg and video jpeg
- Recover images via supplied USB lead or by reading card
- Supplied with Ulead photo management software
- 1.3M pixel colour CMOS image sensor
- Automatic exposure, white balance and sharpness
- Time and lux settings for lamp

Contents: Camera, 512Mb SD card, USB lead, Ulead software and Win95/98 drivers, 500w lamp, user quide,

496636

- Provides crystal clear recording time after time
- Time and date stamp on every frame as required for police evidence
  - Record 4 cameras for up to 40 days at one frame per second
- Adjustable frame rate up to 25 fps and selectable picture resolution
- Play back recorded images individually or in quad mode
- Select images for playback by time, date or event Continuous record facility with automatic overwrite
- USB connection cable enables images to be downloaded to PC
- Cameras have a 330TVL resolution, infrared LEDs for night vision and 15m RJ11 terminated cable each
- Cable may be extended up to 60m max

467617



DEFENDER

#### Dav/Night Camera

1/4" sharp CCD


- Horizontal definition 420 TV line Built in 30 IR LED for 20m night vision
- Supplied with power adaptor
- Mounting bracket included Dimensions (HxWxD):
- 61x70x135mm
- Weight: 228g



#### **Procell Batteries**

'Best ever' Procell alkaline batteries are dedicated to industrial and commercial markets. They have the same specification and high performance as the Duracell Plus 'copper and black' range.

 Most powerful Procell battery to date packaged for the professional user



Techn	ical Data					
Type	Voltage (V)		Dia. (mm)	Heigh	it (mm)	
AAA	1.5		10.5	44.5		
AA	1.5		14.5	50.5		
C	1.5		26.2	50.0		
D	1.5		34.2	61.5		456162
PP3	9.0		26.5	48.5		430102
		Type	Pack	Contents	1+	10+
BTOO	35408	AAA	10		£3.99	£3.70
BT02	40308	AAA	20		£7.49	£6.95
BTOO	35508	AA	10		£3.99	£3.70
BT02	40408	AA	20		£7.49	£6.95
BTOO	35608	С	10		£6.99	£6.55
BTOO	35708	D	10		£9.59	£9.05
BTOO	35808	PP3	10	,	£12.99	£12.25

#### Industrial Alkaline Batteries powerone))

Excellent performance from Industrial Alkaline cells, which are well suited for constant or pulse discharge with high discharge currents.



CCLE

	AAA/AA battery	
		463346
BT0307408	AAA Pack of 500	£59.95
BT0307508	AA Pack of 500	£59.95
BT0307608	C Pack of 200	£68.95
BT0307708	D Pack of 100	£51.95
BT0307808	PP3 Pack of 200	£134.95

- Non-rechargeable lithium coin cells High capacities and long shelf life
- 3V nominal voltage
- Applications include memory support. calculators, watches and cameras

	Type	Pack Size	Capacity (MAh)	1+	10+
BT0381308	CR1220	1	40	£1.16	£1.06
BT0381408	CR1616	1	55	£1.16	£1.06
BT0381508	CR1620	1	79	£1.16	£1.06
BT0381608	CR2016	1	90	£1.16	£1.06
BT0381708	CR2025	1	163	£1.16	£1.06
BT0381808	CR2032	1	240	£1.16	£1.06
BT0381908	CR2430	1	290	£1.60	£1.46
BT0382008	CR2450	1	620	£1.60	£1.46
BT0382108	CR2016	2	90	£2.13	£1.95
BT0382208	CR2025	2	163	£2.13	£1.95
BT0382308	CR2032	2	240	£2.13	£1.95

#### **ÝUCEL Alarm System Sealed Lead Acid Batteries**

A range of maintenance-free. rechargeable, sealed lead acid batteries ideal for alarm

systems, emergency lighting and other stand-by poy applications.

· Faston tabbed connection

BT0193908

BT0194008

BT0194108

RT0194208

-by power For more for more information		
tion For more information information		470832
W.	1+	5+
12V, 1.2Ah	£6.95	£6.46
12V, 2.1Ah	£8.50	£7.88
12V, 2.8Ah	£9.12	£8.24
12V, 7Ah	£10.62	£9.84

# **High Temperature Emergency**

The VTD70C range is now used by major manufacturers worldwide for longer lifetime at higher temperatures.

- . 2.4V to 12V Nickel Cadmium batteries fitted with end caps
- Supplied with push fit flying leads
- Easy installation
- No soldering required
- Charge current 400mA (cyclic), 200mA (float)
- 4 years life duration at higher temperatures
- Meets IEC 610E1 1 G 610EE1 2

		CAN.	1+	5+
BT0400308	2 x D Sing	le Stick	£9.08	£8.46
BT0400408	3 x D Sing	le Stick	£12.18	£11.41
BT0400508	4 x D Sing	le Stick	£16.36	£15.24
BT0400608	5 x D Sing	le Stick	£20.59	£18.79
BT0362208	2 x 3 D Tv	vin Stick	£24.53	£22.62
BT0362308	2 x 4 D Tv	vin Stick	£33.27	£30.64
BT0362408	2 x 5 D Tv	vin Stick	£41.59	£38.29
BT0362508	2 x D Side	x Side	£9.09	£8.46
BT0362608	3 x D Side	x Side	£12.27	£11.31
BT0362708	4 x D Side	x Side	£16.64	£15.31

#### 

- Perfect for the kitchen, closet or workshop
- Designed to be placed in drawers, cupboards. closets and shelves
- · All mounting hardware included

Battery Rack 40 includes:

- 12 x AA Ultra Plus
- 8 x AAA Ultra Plus • 8 x C Ultra Plus
- 8 x D Ultra Plus
- 2 x PP3 (9V) Ultra Plus
- (can store 2 extra 9V's)
- Battery Rack · Battery tester
- · Mounting hardware · Batteries for tester
  - Instruction sheet

464093

497949

order code BT0360708

All Prices Exclude VAT

474195

#### **Heating & Ventilation**

#### MD250 Mini Dehumidifier MAMCOR

- Ideal for cloakrooms, wardrobes. cupboards,pantry, etc
- Silent in use
- · 250ml day extraction rate
- 500ml tank with auto shut off enough for 2 days
- Long life brush-less high speed motor
- Compact design 180x150x260mm
- Weight: 1Kg

£27.64



450439

481488

447937

#### **16" Pedestal Fan**

- 16" fan blade
- 3 speed settings
- Oscillation option
- Height adjustable
- White finish



#### Oil Filled Radiators PRO-elec

- 3 Heat settings
- Adjustable thermostat control
- · Triple overheat protection
- · Rotary switch for easy control · Power indicator light
- Pressure tested for safety
- · Round shaped fins
- 24Hours timer
- · Smooth castors for easy movement · With cord storage
- Power supply: 220-240V, 50/60Hz
- . 9 or 11 Fin radiators available
- 9 Fin radiator weight: 9.5kg
- 9 Fin radiator dimensions: 47x14x66mm
- 11 Fin radiator weight: 10.9kg
- 11 Fin radiator dimensions: 55x14x64mm

$\overline{}$			
HG0034008	11 fins	2500W	£21.68
HG0033908	9 fins	2000W	£19.35

#### **Heated Towel Shelf**

- 67W output
- Wall mounted (fixing screws supplied)
- Built in power indicator light
- Sealed power switch
- 1.5M cable fitted with 13A plug
- Can be used in bathroom zone 3 if hard wired
- Colour polished chrome effect

order code HG0025708

447933

hermolay

# **Underfloor Heating**

Flexi-Mat System

For installation under tiles and other suitable solid floor surfaces Rated at 160W to 1200W/m<sup>2</sup> for all sizes of mat

Will stretch up to 50% extra in length to provide a range of heating

intensity (see grid below) Single ended 2 core with 4 metre flying lead for connection to thermostat via an RCD, (system must be protected by an RCD)

Fixings supplied

No multiple wire connections

Mat heating cables secured in a uniform pattern for time saving installations

Ideal for conservatories, house extensions, room conversions, bathrooms and kitchens

10 year manufacturers product guarantee (mat 10 years, thermostat 3 years)



	Length	4/9/02
HG0029908	2.5m	£59.87
HG0030008	4.0m	£75.20
HG0030108	6.0m	£103.25
HG0030208	10.0m	£154.85
HG0030308	15.0m	£221.87
HG0030408	25.0m	£348.75

#### **1200W Halogen Heater** The instant radiant heat is bright and cheerful,

giving a warm glow to the room immediately. It is economical and energy efficient heating at an affordable price. • 70-Degree oscillation

- · Targeted heat with various settings for total · Stability safety cut out instantly shuts off the
- power if a child or pet knocks it over
- · A cool touch cabinet and chrome (non heat absorbing) grill
- · A warning bleep sounds when the unit is activated
- The outer chrome grill and inner honeycomb mesh protects the lamns
- · Thermal fuses prevent overheating of unit
- 3 Heat settings: 400, 800 and 1200W
- Suitable for the home or office • Dimensions (HxWxD): 590x360x170mm
- · Weight: 2.8kg

order code HG0028408



#### **Electronic On/Off** Thermostat

- Single On/Off heating control
- . Dial temperature setting range of 10° to 30°C
- On/Off indication
- Mounts on a single gang flush or surface
- mount wall box min. 35mm deep
- 3 wire supply and load connection 2 wire temperature probe connection
- Supplied complete with temperature probe

#### Technical Data

Timer Mode ON/OFF Voltage Free Contacts Operating Voltage Switch Rating 240V AC Temp Range

Bat. 1000Hr Rechargeable Cable Connection Conforms To Directives Dimensions (HxWxD)

Single Pole On/Off 230V AC

16A resistive (3kW)Inductive 3A 10-30°C 4 Hours

1.5-2.5mm<sup>2</sup> Cable 73/23/EEC 89/336/EEC 84x84x21mm

491737

450846

£36.32

## RF Room Thermostat

- · Advanced Radio Frequency Programmable Thermostat
- Real time clock
- Room temperature display
- Control profile display Simplified temperature
- Simplified programming procedure
- 6 Pre-defined control profiles 3 User programmable control
- profiles Voltage free option for comi.
- boilers Frost protection

adiustment

Temporary override set temperature

#### Technical Data

Receiver Switching Capacity Clock Accuracy Temp. Measurement

- · Receiver range 100m In onen area
- User selectable temperature span
- User selectable heater/cooler operation
- Battery level detection
- Control unit 2 AA batteries supplied

230 VAC 50Hz 16A resistive, 8A inductive ±1 min/month 0°C to 40°C in 1°C resolution

450855

order code HG0020208

# **Thermostatic**

Fully Reversible

- For flow or return
- Vertical or horizontal head
- Range 8°C to 32°C Easy fit to suit 8-10-15mm
- Wax sensor
- Chrome plate body
- Frost protection setting
- Standard 1/2" tail Maximum working pressure 10 bar
- Push fit head fitting

- General purpose time switch for mounting directly over a single pattress
- 24 hour version
- 15 minute tappet intervals 16A resistive, 8A inductive
- Captive tappets
- Timed/off/constant selection
- Volt free SPDT contacts Not suitable for discharge lighting

#### GRASSLIN.



497981

## **Room Thermostat**

- Range 5°C to 35°C
- 10 Amp resistive, 2 Amp inductive at 240 VAC
- Accelerator heater
- Neon indicator
- Single pole / single throw
- Differential 0.5°C
- Surface mount



497879

order code HG0020408





**Purpose Timeswitch GRASSLIN** General purpose time switch for

**Digital Immersion & General** 

- surface mounting 24 hour/7 day programming
- 16A resistive, 2.5A inductive Minimum setting 1 minute
- Timed/off/constant selection plus advance
- Reserve 5 hours (capacitive)
- Not suitable for discharge lighting Volt free SPDT contacts (remove link)
- Earth park terminal and cable clamps



497982

#### 4" (100mm) Extractor Fans 🚌 🛒

A range of low profile axial wall fans manufactured from high gloss white ABS. The fans are suitable for 4" ducting and accessories.

. Exceeds the UK Building Regulations

- Tested for electrical safety to EN60335 by TUV
- · Pull cord, timer and humidistat control options
- IP35 rating
- · Easy to installation
- Manufactures technical support available
- 3 year manufactures guarantee

#### Technical Data

Extract Performance 26 I/s Extract Performance 95m³/hr 14W Power 34dB (A) Noise at 3m 220-240V 50Hz Voltage

		464200
HG0022408	Standard Fan	£6.47
HG0022508	Pull Switch Fan	£6.89
HG0022608	Timer Fan (2-30mins)	£8.35
HG0022708	Timer/Pull Switch Fan	£10.16
HG0022808	Humidstat/Timer Fan	£13.77
HG0022908	Humid/Timer/Pull Switch	£16.70

# 4" (100mm) Round

A round axial wall fan manufactured from high gloss white ABS, suitable for 4" ducting and accessories

- Exceeds the UK Building Regulations
- . Tested for electrical safety to EN60335 by TUV
- IP35 rating
- · Manufactures technical support available
- 3 year manufactures guarantee

#### Technical Data

Extract Performance 27 l/s 98m<sup>3</sup>/hr Extract Performance 14\N Power Noise at 3m 34dB (A) Voltage 220-240V 50Hz

order code HG0023008

#### (100mm) In-line Duct **Fan Fixing Kit**



- · Louvred Grille (brown) 100mm
- 100mm Flexible PVC hose, 3m extended
- · Round internal grille (100mm) white
- · 4 Cable ties, screws & rawl plugs





464190

# **4" (100mm) In-Line**

In-Line fans designed for above 1m runs (up to 3m approx), installed in the ceiling void or loft space.

- Exceeds the UK Building Regulations
- Tested for electrical safety to EN60335 by
- Timer control model available
- IPX4 rating
- Manufactures technical support available
- · 3 year manufactures quarantee

#### Technical Data

Extract Performance 30 I/s 107m<sup>3</sup>/hr Extract Performance Power 14W 36dB (A) Noise at 3m Voltage 220-240V 50Hz

482037 HG0023208 Standard Fan £6.89 HG0023308 Timer Fan £9.16

### 4" (100mm) Wall Fixing Kit 😌 🚟 🖼

Kit suitable for any 4" (100mm) axial fans installations.

- Louvred Grille (brown) 100mm
- 100mm Aluminium Duct, 300mm extended
- 4 Fixing screws & rawl plugs



## 4" (100mm) In-Line Duct 1997) **Timer Fan and Ceiling Kit**

Mixed flow in-line duct fan designed to provide a high extract rate over long distances where a high rate of extraction is required. The unit is produced in clean white ABS with detachable mounting

foot to allow fast, trouble free installation



- Ceiling kit includes inlet, 3m of compressed PVC flexible duct, brown louvered outlet and flaps for conversion to gravity flap
- Remotely operated electronic overrun timer adjustable from 1 to 25mins, enabling a 15min overrun
- Exceeds building regulations for bathrooms and toilets
- Ideal for installation within shower cubicles BSI Kitemarked to BS EN 60335 for electrical safety
- Three year quarantee

Note: extraction figures are not quoted as they vary dependant on the installation

495604

order code HG0023408



## **4" (100mm) In-Line Duct Timer** Fan. Ceiling Kit and Light 🔀

Mixed flow in-line duct fan designed to provide a high

extract rate over long distances where a high rate of extraction is required. The unit is produced in either clean white ABS or chrome coloured ABS with detachable mounting foot to allow fast, trouble free installation.



- conversion to gravity flap outlet
- Light kit includes 12V 50W halogen floodlight with cover lens and a 12V 60W transformer
- · Remotely operated electronic overrun timer adjustable from 1 to 25mins, enabling a 15min overrun
- Exceeds building regulations for bathrooms and toilets
- Ideal for installation within shower cubicles
- BSI Kitemarked to BS EN 60335 for electrical safety
- · Three year quarantee

Note: extraction figures are not quoted as they vary dependant on the installation

HG0004608	White	£44.39
HG0004708	Chrome	£47.76

# 6" (150mm) Round

A round axial wall fan manufactured from high gloss white ABS, suitable for 6" ducting and accessories

- . Exceeds the UK Building Regulations
- . Tested for electrical safety to EN60335 by TUV
- · IP35 rating · Easy to installation
- · Manufactures technical support available
- 3 year manufactures guarantee

#### **Technical Data**

Extract Performance 80 I/s 292m<sup>3</sup>/hr Extract Performance Power 24W Noise at 3m 38dB (A) Voltage 220-240V 50Hz

466720

order code HG0024108

# **6"(150mm) Wall**

- · Louvred Grille (brown) 150mm
- . 150mm Aluminium Duct, 300mm extended
- · 4 Fixing screws & rawl plugs



BASE

#### 6" (150mm) Extractor Fans 🏻 🖼 🖼 🖼

A range of 150mm axial wall fans manufactured from high gloss white ABS. The fans are suitable for 6" ducting and accessories. Suitable for larger rooms such as the kitchen, utility room or larger bathrooms.

- Exceeds the UK Building Regulations
- · Tested for electrical safety to EN60335 by
- Pull cord, timer and humidistat control options
- IP35 rating
- · Manufactures technical support available
- · 3 year manufactures quarantee

#### Technical Data

Extract Performance 82 I/s 294m<sup>3</sup>/hr Extract Performance 24W Power Noise at 3m 39dB (A) Voltage 220-240V 50Hz

466719

HG0023508	Standard Fan	£10.18
HG0023608	Pull Switch Fan	£10.60
HG0023708	Timer Fan (2-30mins)	£13.63
HG0023808	Timer/Pull Switch Fan	£14.10
HG0023908	Humidstat/Timer Fan	£21.60
HG0024008	Humid/Timer/Pull Switch	£24.30

#### **Cooker Hood Ducting Kit**

This is kit is ideal for connection to high power cooker hoods with 150mm connections.

 Suitable for simple through the wall installations of under 1m

Complete with a cowled outlet that provides protection from the wind and rain and helps prevent back drafts



497898

#### **Boiler Flue Terminal Guard**

- · Easy to install
- · widely specified and used by british gas
- Zinc coated stainless steel
- Dimensions (ØxD): 290x230mm)



order code HG0033308





## ility Waistcoats

High visibility waistcoats in 100% polyester: ideal for personnel working in hazardous environments where visibility may be poor, for example, motorway maintenance engineers.

• Class 2

Specification: BS FN 471:1994

 Compliant to EC Directive EC/686/89 Personal Protective Equipment (Annex II Health and Safety Requirements)

· Incorporates a convenient hook and loop fastening

Medium (38"/40") HE2773308

Large (42"/44") HF2773408 HE2773508 X-Large (46"/48"



£2.74

PU coated 300 denier Oxford polyester outer fabric meeting the full EN471 Class 3 certification. Heavy duty zip with storm flap. Polyeater filler with guilt lining. Concealed hood in collar. Fully taped seams. Phone pocket, security pocket in storm flap. Zipped access to shell to enable personalisation.



497811

		1+	5+
HE3025208	M	£24.97	£22.78
HE3025308	L	£24.97	£22.78
HE3025408	XL	£24.97	£22.78
HE3025508	XXL	£24.97	£22.78
HE3025608	XXXL	£24.97	£22.78
		'	

#### **EN471 Anorak and Overtrousers**

- Class 3.3.1 waterproof polyester taped seams
- · 200g filling with nylon lining and waterproof wick strip 2 band and brace 50mm retro tape (sewn-on)
- 2 inset front pockets with flaps and a large inside pocket
- . No. 8 2-way YKK front zip with storm flap and studs
- · Concealed un-lined hood

#### Matching Fluorescent Yellow Overtrousers

· Class 1 un-lined waterproof trousers with elasticated waist

2 x 50mm sewn-on retro stripes on each leg

	- · · · · · · · · · · · · · · · · · · ·					
Size	Medium	Large	X-Large	XX-Large		
Anorak to fit						
Chest (Inches)	40-43	43-46	46-49	49-52		
Trousers to fit						
Waist (Inches)	34-37	37-40	40-43	43-46		
Anorak to fit						
Chest (cm)	100-108	108-115	115-122	122-130		
Trousers to fit						
Waist (cm)	84-92	92-100	100-108	108-116		



Allolak		1 T	J+
HE2970008	Medium	£26.80	£25.20
HE2970108	Large	£26.80	£25.20
HE2970208	X Large	£26.80	£25.20
HE2970308	XX Large	£26.80	£25.20
Overtrousers			
HE2970508	Medium	£12.94	£11.78
HE2970608	Large	£12.94	£11.78
HE2970708	X Large	£12.94	£11.78
HE2970808	XX Large	£12.94	£11.78

All Prices Exclude VAT

#### **Body Protector** Disposable Suit

General purpose overall. Designed for light protection against non-toxic liquids and dust. Strong and comfortable.



HE3003708	М
HE3003808	L
HE3003908	XL
HE3004008	XXL

£1.24

#### **100% Waterproof Jackets and Trousers**

A range of stylish olive green 100% waterproof jackets and trousers. All the garments are manufactured from 100% waterproof nylon outer coating and with a PVC inner lining. The fabric has been further sealed and taped at the seams to ensure of no leakages. The hooded jackets have sturdy, zipped front fastenings with two hip pockets. The jackets have also been designed with adjustable waists, hoods and cuffs. The jackets and trousers are ideal for outdoor professional and recreational purposes and are guaranteed to keep the individual dry, despite the weather.



Jackets		
HE2758008	Olive Green Small (38"-40")	£9.96
HE2758808	Olive Green Medium (40"-42")	£9.45
HE2758208	Olive Green Large (42"-44")	£9.45
HE2758308	Olive Green X-Large (44"-46")	£9.45
Trousers		
HE2758108	Olive Green Small (28"-30")	£5.63
HE2758908	Olive Green Medium (32"-34")	£5.80
HE2759008	Olive Green Large (36" - 38")	£5.80
HE2759108	Olive Green X-Large (38"-40")	£5.80

## **Lightweight Fleece**

300gms, anti-pull zip fleece. Interactive zip with reversible zip puller. Two waist pockets, draw cord and toggles at hem.

Navy Blue

Navy Blue

Navv Blue

Navy Blue



£7.98 £7.45

M

XXL

HF3003308

HE3003408

HF3003508

HE3003608



## **Dual Density Rigger Boots**

- · Golden tan rigger boot with cold insulating lining
- Steel midsole
- · Padded ankle
- Shock absorbing heel
- Anti-static



HE3025808	6	£19.54
HE3025908	7	£19.54
HE3026008	8	£19.54
HE3026108	9	£19.54
HE3026208	10	£19.54
HE3026308	11	£19.54
HE3026408	12	£19.54

#### **Disposable Latex Gloves**



100 disposable gloves manufactured from high quality latex, which have been corn starched and powdered for extra comfort.

HE2797008	Medium	1+	5+ C# 20
HE2797108	Large	£4.90	£4.ZU

## Hard Cap Knee Parls DURATOO!

- Grooved cap design helps prevent thread abrasion
- Durable knee protection, ergonomic design suitable for carpentary, masonary, floor covering and all household repairs
- . Thick foam centre padding for maximum comfort
- · Plastic knee cap keeps dirt out · Comfortable, double elastic straps with easy-on easy-off fasteners for a good fit

order code TL1049708



463335

#### **Criss Cross Work Gloves**

A pair of universal work gloves manufactured from a nylon mix with a criss cross PVC coating for added grip. Supplied in a medium size which stretches to fit.



**65p** order code HE2763108

497405

# **Traffic Cones**

Moulded in top quality polyethylene. High visibility cone with white reflectorised sleeve and sand weighted base. Meeting the 1975 traffic sign regulations. Des 2.

	Size (in)	Size (cm)	
HE3034608	18	45	£3.15
HE3034708	21	53	£4.84
HE3034808	24	61	£5.25
HE3034908	30	76	£6.75
HE3035008	39	100	£8.82

#### **Heavy Duty Rigger** Gloves

- · Improved quality chrome leather on palm, knuckle and fingers
- Striped fabric
- 2in Pasted cuff
- Size 9
- · Simple design



order code HE299450

462536

#### **Foam Earplugs**

Made from a soft energy absorbing polymer foam, these earplugs offer excellent protection. The plug is compressed between finger and thumb and inserted into the ear. The plugs expand gradually to conform exactly to the size and shape of the ear canal. The result is a custom fitting earplug that provides maximum hearing protection. The earplugs may be washed in warm water several times before replacement is

Supplied in boxes of 5 one pair pillow packs.

necessary

order code SAEP08



495599





High quality safety helmets manufactured to EN. Available in 3 different colours. One size fits all.

- . Tough and functional
- · Manufactured from high density Polyethylene
- · Approved to DIN and ANSI standards

495600

SA0168108	Blue	<b>— 0440</b>
SA0168308	White	<i>†.</i> 4. I9
SA0168208	Red	

#### **BIG BLUE Ear Defenders**

The 'Big Blue' ear defenders are suitable for all medium industrial applications as the large acoustic foam filled cups offer excellent attenuation. Other features

- · Soft, wide foam cushions for long-term comfort
- · A reinforced, padded plastic headband Conforms to EN352-1



#### **Technical Data**

Frequency (Hz) Mean Attenuation 14.4 14.5 21.4 31.7 37.6 34.1 Standard Deviation 2.3 4.2 3.2 3.7 5.1 3.0 Assumed Protection 12.1 10.3 18.2 28.0 32.5 31.1 5.8 46

order code HE2810108

35.2 489117

343

## **Stealth Safety Spectacles**



The Stealth safety spectacles offer unrivalled protection coupled with a stylish look for the fashion conscious worker. The spectacles have a lightweight black frame with curved, profiled polycarbonate lenses, to give all-round clear vision.

- Available in clear and smoke lens options
- · Conforms to EN166

497370

HE2811408	Clear Lens	00 04	
HE2810008	Smoke Lens	£3.24	£2.98

#### **Electronic Ear Muffs**

Revolutionary technology blocks out only the sounds that exceed safety levels.

- · Electronically reduces & protects hearing above 85dB
- · Hear normally up to 85dB . Over 200 hours of battery life
- · Auto adjustable headband
- Rotary on/off volume control
- · LED indicator light
- Solid state circuit
- · Operating environment temperature range -6°c to +40°c
- · Requires 2 x AA batteries (not supplied)

order code HE3066108



Goggles



- Direct vent goggle
- Kitemarked to BSEN166-1B
- Clear polycarbonate lens with elasticated headband
- CF marked

462535



#### **Dust Masks**

Low cost masks for protection against non-toxic dust particles.

- Efficient
- Easy to breath through
- Lightweight, comfortable

Supplied in packs of 50.

This product does not offer any protection against hazardous dusts. If hazardous dusts are present please select the relevant protection product.

**£4.98** Order code SAR09908



Contained in injection moulded plastic case with optional wall fixing bracket. Suitable for premises with up to 10 employees. The contents meet the requirements as specified on the HSE March 1997 Approved Code of Practice. See table for full details of the



· A complete refill pack is available

Kit

Kit

Ref

SA0171908

SA0001808

SAS-COM2BOR

		462604
	1+	5+
with mounting bracket	£15.98	£14.50
without mounting bracket	£9.50	£9.00
ill Pack	£9.89	£8.90

#### **Dust Masks with Valve**

The mask is made up from a soft inner shell to ensure optimal filtration, with an outer polymesh shell, completely free of metal, to ensure optimal shape retention. The unique Ventex valve system significantly reduces exhalatory resistance and reduces the build up of carbon dioxide leading to a reduction in temperature within the mask. As a result, the wearer can feel comfortable for longer periods. Two



495601

- HE2747008: A disposable filtering face piece for protection against fine inert dust particles up to 4x0ES
- HE2747108: A disposable filtering face piece for protection against toxic dust, mist and fume particles up to 10x0ES (Occupational Exposure Standard)

			462532
		1+	5+
HE2747008	Dust Mask with Valve	£1.69	£1.62
HE2747108	Fumes Mask with Valve	£1.99	£1.89

#### Statutory First Aid Kit (Large)

This large economy kit is extremely robust. The case is also available empty. The contents meet the requirements as specified in the HSE March 1997
Approved Code of Practice. Suitable for premises with 21-50 employees. See table for full details of the contents.



- · A complete refill pack is available.
- Dimensions (HxWxD)mm 230x330x100

			497760
		1+	5+
HE2731708	Large Economy Kit	£22.97	£20.45
HE2731808	Empty Case	£10.50	£9.49
HE2779008	Refill Pack	£19.50	£18.90

#### **Dust Mask Set**

masks are available:

The kit contains one complete lightweight comfortable mask, five mask filters and one face cloth. The plastic mask fits comfortably around the mouth and nose and is suitable for nuisance, household and non-toxic dusts and powders only. Replacement mask filters are also available and supplied in packs of five.



DRAPER

III packs of five		497762	
		1+	10+
HE2721808	Comfort Mask Set	£2.94	£2.74
HE2721908	Replacement Filters (5 Pack)	£1.23	£1.14

## **Economy Eye Wash Cabinet**

An inexpensive eye care kit which complies with the ACOP L74 Health & Safety (First Aid) Regulations. The kit contains 2 x 500ml sterile saline solution, 2 x sterile eye pads and an instruction panel. The transparent, moulded plastic cabinet has a quick release bracket and convenient carry handle.



- Dimensions (HxWxD): 260x210x90mm
- · Wall fixings not supplied

			497758
		1+	5+
HE2799108	Eye Wash Cabinet	£9.98	£9.20
HE2780208	Eye Wash (2x 500ml)	£7.48	£7.12

#### **PT-2480 Labelling Machine**



Includes Carry Case, UK mains adaptor (Model H1), USB cable, Software on CD, 6 x AA batteries, wrist strap and 4 tapes

- · Handheld labelling machine Portable and durable, ideal for industry, the warehouse & electrical
- 16 Character x 2 Line Display Allows you to preview font styles and sizes etc. before printing
- . Rubber ABCD and numeric keyboard (56 keys)
- 9 Built-in barcode functions (CODE39, I-2/5, EAN8, EAN13, UPC-A, UPC-E. CODABAR. CODE128. EAN128)
- . USB Connectivity, USB 1.1 (Transfer only), cable supplied
- CD includes: P-Touch Editor Version 3.2 for Windows, P-Touch Transfer Manager & P-Touch Back-Up Manager
- . Manual cutter & tape cut pause function
- . Up to 7 lines of text
- 450 accents, symbols & characters
- 8 print sizes
- 5 print styles Bold/Outline/Italic/Italic bold/Italic outline
- Mirror printing
- 15 border styles
- 10 pre-formatted label templates
- Repeat printing (1-99) & auto numbering (1-99)
- 2,000 character memory (approx)
- · Rotate print
- Adjustable strap
- Auto power off
- 180dpi print head with 10mm per second print speed
- . Template & database download, upgradable software and backup
- Utilises 5 Tape widths (TZ tapes) 6, 9, 12,18 & 24 mm -Supplied with 2 x flexible tapes for cables and 2 x strong adhesive tapes for specialist use, both black on white

System requirements to run the Software: Microsoft® Windows® 98/98SE/Me/2000Pro/XP

495661

8200 Tile Grout Marker



- · For use in kitchens, bathrooms and other tiled areas for improving the whiteness of
- · Contains a special fungicide to prevent mould re-growth
- Permanent, water resistant ink
- · Bullet tip, stroke width 2 4mm





ÍahelP∩INT 150 Lahel Printer Clear 13 character semi-graphical display

- (77x16mm)
- ABC keyboard
- 2 type sizes, 4.2mm (max) character height
- Type Styles Normal, bold, italic, outline, shadow, mirror, vertical & strikethrough
- 5 box styles/underline
- Print preview
- Vertical & horizontal printing
- Multiple copies
- Prints up to 2 lines
- Memory Last 3 printed labels, 3 label designs & 3 label formats
- Utilises 2 Tape widths (D1 tapes) 9, 12mm Power supply - 6 x AAA batteries (not supplied)

Technical Data

Dimensions (HxWxD)

Weight

63x120x181mm 300a

492425

order code LM0040508

## **8404 Aerospace Marker**



Specially developed at the request of the aerospace industry. Quality tested and approved to Bae ABP-9-3323 Class A. Contains low corrosion ink for precision engineering. Useful for producing fine lettering in any industrial environment.

- Lightfast, smudgeproof and water resistant ink with no xylene or toluene added
- Resistant to many solvents including acids, alcohols and varnishes
- Ideal for writing on components and circuitry Also for labelling chemical bottles and laboratory equipment
- Fine bullet tip, stroke width 0.75mm

order code LM00372

472687

#### 8300 Industrial Permanent Markers





surfaces · Bullet tip, stroke width 1.5 - 3mm



497848

LM0036808	Black	1+
LM0036908	Red	217
LM0037008	Blue	Z LJ

#### Interior Wood Adhesive **EVOSTIK**

Fast setting, extra strong wood adhesive for interior use

· Suitable for wood, hardboard, chipboard, blockboard, cardboard, paper, textiles

- · Dries to a clear finish that can be sanded, painted or stained
- · No mess, clog-free nozzle and twist to seal cap
- Anti-roll bottles



497892

SA0185308	125ml	£2.15
SA0185408	250ml	£3.55
SA0185508	500ml	£4.92
SA0185608	1 Litre	£9.45
SA0185708	2.5 Litre	£15.99
SA0185808	5 Litre	£29.85
$\overline{}$		

#### **Weatherproof Wood Adhesive**

· Fast setting, extra strong weatherproof wood adhesive for interior or exterior use

Suitable for wood, hardboard, chipboard, blockboard, cardboard, paper, textiles

Dries to a clear finish that can be

sanded, painted or stained No mess, clog-free nozzle and

twist to seal cap Anti-roll bottles

SA0185908

SA0186008

SA0186108

SA0186208

SA0186308

. Complies with FN 204 Type D3 - weatherproof, water resistant wood adhesive



**∠EVO·STIK** 

5 1 12 tri	
	497893
250ml	£3.50
500ml	£5.20
1 Litre	£7.99
2.5 Litre	£15.98
5 Litre	£29.50

#### No Nails Adhesive

A solvent free, instant grab adhesive to replace nails and screws in most DIY applications. The extremely strong adhesive can be used for fixing skirting boards, dado rails, architraves, plasterboard, plaster, polystyrene coving and carpet grippers.

Available in a 310ml cartridge (for use with a caulking gun) or a hand-held, 330g tube



497772

SA0145408 310ml Cartridge SA0145508 330q Tube

#### npact Adhesive

A general purpose high strength adhesive for sticking decorative laminates, rigid PVC, wood, chipboard, hardboard, leather, rubber, stone, metal and dense, firm fabrics. Instant - needs no clamping, 250ml



(EVO-STIK

497770

#### **Super Glue**

A highly effective superglue in a handy, nonclog dispenser. Suitable for porcelain, most plastics, leather, metals, wood, card, porous materials and many more. Not recommended for glass, glazed surfaces or plastics that are oily/waxy in appearance e.g. polypropylene, polyethylene. Bonds in seconds. 3q

> 20+ order code SASGMO8



## **Spray Adhesive**



495698

· Developed for fixing and bonding a wide range of materials

- · Ouick and easy to use
- · Apply to both surfaces, leave until adhesive feels tacky and then simply bond surfaces together
- Suitable for wood, metal, most plastics, rubber, glass, paper and card etc
- Ideal for speaker coverings and cabinet veneers
- 400ml

12+ order code SA0188608

#### **Araldite® Epoxy Resins**

General purpose epoxy resins for metals, ceramics, jewellery, rubber, glass, leather, wood and most hard plastics that are resistant to heat, oil and grease.

Standard: Workable for up to 2 hours and sets within 6 hours.

Rapid: Workable for 3 - 5 minutes and sets in 10 minutes. Contents: 32a



497771

		1+	5+
SA0131708	Araldite Standard	£2.50	£2.30
SA0131808	Araldite Rapid	£3.19	£2.99

#### **Big Gap Filler**

- · Fills, seals and bonds in one
- . Insulates, stops air infiltration and deadens sound · Fills large holes, cracks and sounds
- . When dry it can be cut, shaped, sanded or pointed
- Supplied in a 500ml aerosol with applicator

462600

Tetrion

497891

#### **Decorators Caulk**

- Superior smooth finish makes it ideal for filling fine cracks, sealing gaps and weatherproofing
- Suitable for internal and external use
- Remains flexible when cured to avoid cracking
- Overpaintable in 30 minutes
- Highly waterproof
- Lasts up to 15 years
- Colour: White

Size: C30 cartridge



ZEVO-STIK

#### **VALLANCE General Purpose** Silicone Sealants

- Multi-use, mid modulus, fast curing silicone sealant
- · Suitable for glazing, industrial and sanitary applications
- · Excellent adhesion to most surfaces
- High joint movement +/-20%
- · Contains a fungicide to prevent mould growth
- Waterproof with low dirt pick-up
- · Lasts up to 25 years
- · Size: C20 cartridge

SA0185108

SA0185208

White

## **Multi-Purpose Silicone Sealant**

- High modulus sealant for interior and exterior use
- Bonds most building materials including plastics.
- ceramics, vitreous enamel and gloss painted surfaces
- Will not crack, shrink or discolour
- Contains a fungicide to inhibit mould and mildew growth
- Highly waterproof
- Lasts up to 25 years Colour: Clear
- Size: C20 cartridge

order code SA0187208



#### **Evomastic Frame Sealant (Evostik**

- · Oil based mastic sealant formulated for sealing exterior door and window frames made of metal or wood
- · Designed to prevent the damaging penetration of water and excluding draughts
- Specially formulated to give the highest level of performance
- Overpaintable Waterproof

C40400400

- . Lasts up to 10 years
- · Size: C20 cartridge

SAU186408	ivaturai
SA0186808	Black
SA0186908	Off White
SA0187008	Grey
SA0187108	Mahogany



## Sanitary Silicone Sealant (Evostik)

- Long life, rapid curing sealant for use around sanitary units and non-porous materials
- Bonds to plastics, ceramics, vitreous enamel and glass Contains a fungicide to inhibit mould and mildew arowth
- Highly waterproof
- Lasts up to 25 years Colour: White
- Size: C20 cartridge

order code SA0186608



## **Professional Glazing/Frame Sealants**

#### Arbosil LM

- · One part, low modulus, fast curing silicone sealant
- Suitable for joints in roofing sheets, MVP and Heel Bead methods of glazing double glazed units, Remedial glazing and Perimeter sealing of PVCu frames
- Not suitable for use with natural stone. overpainting, glass wall assemblies
- UV-resistant
- Service temperature range: -40°C to +120°C • Size: 310ml (Grey is 380ml)

497897

SA0184708	White
SA0184808	Black
SA0184908	Translucent
SA0185008	Grey

£242 £223

ARBO PROFESSIONAL



## **Multi-Purpose Grease**





A multipurpose, top quality lithium based grease with outstanding high temperature stability. Suitable for most greasing applications including wheel bearings, universal joints, chassis etc. Supplied in a 400g cartridge.

- · High melting point
- Wide temperature range
- · Good corrosion resistance

5+ order code SA0014208 497775

#### **Silicone Grease Tube**





This multi-purpose grease is for use on Switch contacts, Ignition systems, E.H.T. connections, etc. Has high insulation and water repellent properties. 50grm tube.

order code SASILGRSETUBEO8

497774

#### **Heavy Duty Cleaner/** Degreaser

- · Quickly removes grease, oil, dirt and arime
- Deep cleaning citrus foaming
- Water rinsable for easy use · For engines, equipment, drives
- and more 500ml



12+ order code SA0187908



#### WD-40 The **Problem Solver**

Available in 250ml and 450ml aerosols or a bulk pack of 5L. WD-40 can be applied by spraying, brushing or dippina.

- Stops squeaks
- Starts wet engines Cleans and protects
- Loosens rusted parts
- Frees sticky mechanisms
- Contains NO CFCs or silicone

#### Technical Data

Contents 250ml/450ml/5L Flammahility High Compatibility High

		1+	12+
SA0194608	250ml Aerosol	£1.84	£1.69
SA0194708	450ml Aerosol	£2.85	£2.65
SAWD405L08	Bulk 5L and Spray Applicator	£16.75	£15.58

# **Anti-Seize Copper**



Capable of withstanding extreme temperatures, this



powerful lubricant and anti-seize compound protects metal from corrosion, water, heat and acid. Once applied, a friction reducing protective coating is formed that will not wash off or burn.

- · Prevents seizure from high temperature and corrosion
- Assists dismantling of threaded fastenings
- · Prevents disk brake squeal
- Operating temperatures from -30°C to 1100°C

12+ order code SA0187808 497947

498007

## 3 in 1 Multi-Purpose Oil

Three-in-one, multi-purpose oil which cleans, lubricates and prevents rust and is suitable for a wide range of general uses. Available in 100ml or a 200ml flexi-can supplied with plastic snouts



SA0061808	100ml Flexi-Can	£1.25
SA0061908	200ml Flexi-can	£1.94

#### **Cleaning & Lubricating**

#### **Aqueous Paint Stripper MYKAI**

A powerful vet safe paint stripper which is an ideal alternative to the traditional hazardous solvent based products. The stripper strips even multiple layers of paint and varnish facilitating total removal without hazard to the user, environment or substrate. The paint stripper is a gel formulation making it ideal for use on vertical surfaces or intricate areas.

- . Suitable for use on most wood and metal surfaces
- · Recommended that compatibility is tested before use on non-standard surfaces
- Apply with a paint brush, or similar to allow the stripper to penetrate the painted surface
- . The gel does not dry so can be left on a surface until all the layers of paint have been penetrated

#### Technical Data

Contents Flammability Compatibility Ozone Depletion Potential

> 5+ order code SA0073208



0.00 High 0.00

497773

#### **Engineers' Wipes**

A pack of 50, large lint free cleaning wipes, designed for general cleaning and drying of

- many different types of surface. · Excellent wet strength, resists tearing
- Highly absorbent
- · Suitable for use with water based and solvent based cleaners
- · Use on a wide variety of surfaces including glass, plastic, metal, LCD, TFT and filter screens
- · Can be rinsed and re-used
- Economical pack of 50 wipes, supplied in a resealable plastic pack · Wipe dimensions: 300x350mm

order code SA0160408



A general purpose synthetic yellow jumbo sponge with a shaped centre section for easy grip.



497815

All Prices Exclude VAT

#### **Coloured Low-Lint Cleaning Cloths**

Coloured low-lint cloths, which are suitable for any cleaning or polishing application.

- Supplied in a 5kg box
- · Excellent value for money



495630

order code SA0176808

## **Single Ply Blue Paper Roll**



General purpose, highly absorbent paper roll for light economic wiping. Can be dispensed from the outside or from the centre once the cardboard core has been removed.

- 300m roll made up of 750 x 21gsm perforated blue sheets each measuring 210x400mm
- Full roll size (H x DiaØ): 210x185mm Centre hole: Ø60mm (with cardboard core intact)
- Supplied in individual rolls

order code SA0177008



#### **Air Duster**

- Emits a powerful blast of dry air, for instant cleaning
- Removes dust, dirt and loose contaminants from most surfaces
- Safe, non-flammable formula
- Suitable for use on computer. photographic, test and audio/visual equipment
- 400ml



DIO-POWER

471227



#### SolderPro 70 Gas **Soldering Iron**

SolderPro 70 Kit (Case Size: 215x105x38mm)

- Butane gas nowered iron
- · Variable heat control, equivalent to
- · Lightweight and portable
- . Tank holds enough fuel for up to 120 mins operation (at mid setting)
- Flint ignition
- Easy to refill
- S-01 bit fitted (1mm pencil) S-06 blow torch also included
- · Also available in a kit with the contents held in a sturdy case

Contents of SolderPro 70 (Kit):

SolderPro 70 Iron with S-01 tip, solder dispenser with 60/40 rosin core 1mm solder, tip cleaning

sponge + sponge holder, S-05 hot knife tip, S-06 blow torch tip, S-07 heat blower tip

#### **Technical Data**

Soldering Tip Temperature 210 - 450°C (410 -850°F) 1300°C (2500°F) Torch Temperature 25 - 80W Equivalent Wattage Gas Container Capacity 20ml Dimensions (LxDia.) 190x25mm

478455 Weight (when filled) 76q SD0109208 SolderPro 70 £14.59 £13.99 SD0100308 SolderPro 70 Kit

#### **Orvx Portasol Technic**

Delivers power equivalent to a 60 watt electric iron.

- · Powered by ordinary lighter fuel.
- . Up to 60 minutes continuous use.
- Adjustable temperature equivalent to 10-60 watts.
- Tip temperatures to max of 400°C.
- Supplied with one 2.4mm tip.





£24.58 £23.60

iroda

#### **Butane Gas Refill**



A 200ml can of ultra-refined, high quality butane gas suitable for refilling portable gas soldering irons and butane filled apparatus.

order code SA0189408

465246



#### Mains Soldering Irons DURATOOL

A range of economically priced mains soldering irons

· Supplied complete with a 0.6mm pointed soldering

· Fitted with 13A UK mains plug

#### Technical Data

Supply Voltage 220 - 240Vac Overall Length (Excluding Tip) 190mm Handle Length 110mm Handle Diameter 21mm Blue/Black Colour Cable Length

465731 1.2m

Soldering Irons		1+	3+
SD0112408	40W	£2.16	£1.93
SD0112508	60W	£2.32	£2.10
Replacement Tips	s – 40W		
SD0112808	0.6mm Pointed	£0.74	£0.70
SD0112908	2.0mm Screwdriver	£0.74	£0.70
SD0113008	3.8mm Chisel (45°)	£0.74	£0.70
Replacement Tips	s – 60W		
SD0113108	0.6mm Pointed	£0.74	£0.70
SD0113208	2.0mm Screwdriver	£0.74	£0.70
SD0113308	3.0mm Chisel (45°)	£0.74	£0.70

#### **Temperature Controlled Soldering Station** DURATOOL



- · Finger tip temperature regulator control (up/down buttons)
- Safe, low voltage 24V iron operation
- · Integral enclosed stand
- Pull-out tray that houses the sponge
- ESD version available
- Mains on/off switch and fuse · Range of tips available

Contents of Station: Power unit, soldering iron (with 0.5mm pointed tip), sponge, user instructions Note: The replacement sponge listed below will need cutting to size

#### **Technical Data**

Temp Setting Range 150°C - 450°C Display Precision Power Output - Iron 5% 48W Dimensions (HxWxD) 87x195x165mm Iron Length 198mm Iron Lead Length 1 1m 220 - 240Vac Supply Voltage

476841

SD0111908	Station Blue	£29.00	
SD0112008	Station ESD Black	£34.00	
Accessories		1+	3+
SD0112108	Soldering Iron	£4.29	£3.92
SD0112208	Element for Soldering Iron	£1.27	£1.08
SD0111808	Sponge (71x41mm) Pk 5	£1.22 £1.12	





#### **Tin Cleaner**

- · Contents made of low abrasive brass shavings
- · No water or messy wet sponges necessary
- · No temperature drop as in conventional sponges
- · Anti-slip pad on the base and an integral adjustable soldering iron
- · Two concave indents on the top rim
- Dimensions (Dia. x H): Ø82x30mm

20+ 1+ order code SD0101508





465743

## ProsKit\*

#### **Bench Top** Fume Absorber

A portable bench top fume absorber to be used during hand soldering applications. Available in standard and ESD versions.

- · High performance fan
- Activated carbon filter
- Absorbs flux and lead fumes
- Easy filter replacement
- Supplied with 3 filters
- Mains cable length: 1.1m Colour: Black (Both versions)
- · Light duty hand soldering only

Not recommended when using Rosin based flux solders.

Power Consumption 23W Dimensions (HxWxD) 270x220x168mm Filter Dimensions (HxWxD) 130x130x10mm Weight

488517

**DURATOOL** 

		1+	3+
SD0123608	Standard Version	£18.43	£16.92
SD0123808	ESD Version	£24.10	£22.60
SD0124008	Replacement Filters (Pk 5)	£3.78	£3.40

#### **60/40 Solder**



A high quality 60/40 flux cored solder. Weight 500gm. Reel core diameter 20mm.

SA0000608	18swg	
SA0000708	20swg	
SA0000808	22swa	

£6.85

462587

### DURATOOL **Desoldering Pumps**

A range of aluminium desoldering pumps with teflon nozzle.

#### **Technical Data**

Length Body Diameter Tip Hole Diameter

SD0115408

SD0115508

194mm 20mm

465738

## **Savbit Alloy Solder**





10+ order code SA12SAVBIT08

All Prices Exclude VAT

#### No-Clean' Green **Lahel Soldamon**

This soldamop is manufactured using high purity oxygen free and oil free fine gauge copper wire. It is impregnated with a special 'No-Clean' flux. This flux improves the wicking action of the braid and the residue left behind is halide free and non-conductive which means it does not need to be cleaned off.

Gold

Silver

- · Significant Health & Safety benefits
- · Faster desoldering

497780

	Width	Reel Length	1+	10+
SD0066208	0.8mm	1.5m	£1.55	£1.42
SD0066308	1.5mm	1.5m	£1.79	£1.65
SD0066408	1.5mm	10m	£7.30	£6.85
SD0066608	2.5mm	1.5m	£1.70	£1.60
SD0066708	2.5mm	10m	£8.25	£7.80
$\overline{}$				

#### **Countersunk Twinthread** DURATOOL

- Zinc plated and hardened twinthread woodscrews
- · Countersunk Pozi head • 13mm - 100mm length





407056

	4500				497856		
	Gauge	Length		Pack	1+	10+	
FN0149208	No. 4	1/2"	13	200	£0.46	£0.44	
FN0149608	No. 6	1/2"	13	200	£0.44	£0.42	
FN0149808	No. 6	3/4"	20	200	£0.55	£0.53	
FN0149908	No. 6	1"	25	200	£0.57	£0.55	
FN0150008	No. 6	11/4"	32	200	£0.65	£0.63	
FN0150108	No. 6	1½"	38	200	£0.71	£0.68	
FN0150208	No. 6	2"	50	200	£1.13	£1.08	
FN0150708	No. 8	1/2"	13	200	£0.60	£0.58	
FN0150908	No. 8	3/4"	20	200	£0.55	£0.52	
FN0151008	No. 8	1"	25	200	£0.61	£0.58	
FN0151108	No. 8	11/4"	32	200	£0.65	£0.62	
FN0151208	No. 8	1½"	38	200	£0.85	£0.81	
FN0151308	No. 8	13/4"	44	200	£1.01	£0.96	
FN0151408	No. 8	2"	50	200	£1.10	£1.06	
FN0151608	No. 8	21/2"	63	200	£1.55	£1.49	
FN0151708	No. 8	3"	75	100	£2.50	£2.40	
FN0151808	No. 10	1"	25	200	£1.14	£1.07	
FN0152008	No. 10	1½"	38	200	£1.54	£1.49	
FN0152208	No. 10	2"	50	200	£1.72	£1.65	
FN0152308	No. 10	2½"	63	100	£2.25	£2.13	
FN0152408	No. 10	3"	75	100	£2.69	£2.54	
FN0152608	No. 10	4"	100	100	£4.75	£4.49	
FN0153208	No. 12	3"	75	100	£3.55	£3.40	

#### **Countersunk Self Tapping Screws**

· Zinc plated

FN0162208

No. 8

- Supplied in packs of 200
- 9.5mm 38mm length





£1.75

497847

	Gauge	Length		Driver	1+	10+
FN0161408	No. 4	3/8"	9.5	PZ1	£0.73	£0.69
FN0161508	No. 4	1/2"	13	PZ1	£0.77	£0.72
FN0161608	No. 6	1/2"	13	PZ2	£0.96	£0.90
FN0161708	No. 6	3/4"	20	PZ2	£1.13	£1.06
FN0161808	No. 6	1"	25	PZ2	£1.46	£1.37
FN0161908	No. 8	3/4"	20	PZ2	£1.50	£1.41
FN0162008	No. 8	1"	25	PZ2	£1.10	£1.03
FN0162108	No. 8	11/4"	32	PZ2	£1.60	£1.50

PZ2

11/2"

#### Countersunk **Chinboard Screws**

- Zinc and yellow passivated
- · Single thread and hardened
- · Countersunk Pozi head



Screw Size v Driver Size

Gauge/mm No. 8, 9, 10 (4, 4.5, 5mm)

**DURATOOL** 

Driver Size P72

499812

						499812
	Gauge	Length (")	mm	Pack	1+	10+
FN0155108	No. 8	5/8"	15	200	£0.41	£0.38
FN0155208	No. 8	3/4"	20	200	£0.49	£0.45
FN0155308	No. 8	1"	25	200	£0.55	£0.50
FN0155408	No. 8	11/4"	30	200	£0.62	£0.59
FN0155508	No. 8	1%"	35	200	£0.75	£0.69
FN0155608	No. 8	15/8"	40	200	£0.80	£0.74
FN0155708	No. 8	13/4"	45	200	£0.88	£0.81
FN0155808	No. 8	2"	50	200	£1.00	£0.94
FN0155908	No. 8	23/8"	60	200	£1.65	£1.51
FN0156008	No. 9	1"	25	200	£0.65	£0.61
FN0156108	No. 9	11/4"	30	200	£0.75	£0.69
FN0156208	No. 9	1%"	35	200	£1.11	£1.03
FN0156308	No. 9	15/8"	40	200	£0.96	£0.86
FN0156408	No. 9	2"	50	200	£1.25	£1.15
FN0156508	No. 10	1"	25	200	£1.19	£1.10
FN0156608	No. 10	11/4"	30	200	£1.00	£0.94
FN0156708	No. 10	1%"	40	200	£1.29	£1.19
FN0156808	No. 10	13/4"	45	200	£1.48	£1.37
FN0156908	No. 10	2"	50	200	£1.66	£1.52
FN0157008	No. 10	2%"	60	100	£1.89	£1.76
FN0157108	No. 10	23/4"	70	100	£2.16	£2.00
FN0157208	No. 10	31/4"	80	100	£2.46	£2.27
FN0157308	No. 10	4"	100	100	£3.82	£3.53
\						

#### **Carcass Screws** DURATOOL





- · Black phosphate finish
- · Countersunk pozi head
- · Supplied in packs of 200 • 32mm - 45mm length

497870

FN0168608 4.2mm 11/4" 32 PZ2 £1.49 45 PZ2 FN0168708 4.2mm 13/4" £1.74

All Prices Exclude VAT

£1.65

#### **Pan Head Pozidriv Self Tapping Screws**

#### DURATOOL

- Zinc plated
- · Fully thread
- St

upplied in packs of 200		-	497845		
Gauge	Length	Driver	1_	10+	

	Gauge	Lengi	LII	DITVCI	1 T	10+
FN0178308	No. 4	1/4"	6	PZ1	£0.44	£0.41
FN0178408	No. 4	3/8"	9.5	PZ1	£0.67	£0.63
FN0178508	No. 4	1/2"	13	PZ1	£0.54	£0.51
FN0178608	No. 4	3/4"	20	PZ1	£0.62	£0.58
FN0178808	No. 6	1/2"	13	PZ2	£0.91	£0.86
FN0179008	No. 6	3/4"	20	PZ2	£1.12	£1.05
FN0179108	No. 6	1"	25	PZ2	£1.28	£1.20
FN0179208	No. 8	1/2"	13	PZ2	£1.26	£1.18
FN0179308	No. 8	5⁄8"	16	PZ2	£1.39	£1.31
FN0179408	No. 8	3/4"	20	PZ2	£1.56	£1.47
FN0179508	No. 8	1"	25	PZ2	£1.75	£1.65

## **Coach Screws** with Hexagon Head



400001

- Conforms to DIN571

	Dia. (mm)	Length	mm	Pack	495681
FN0166508	M8	2"	50	25	£0.67
FN0166608	M8	2%"	60	25	£0.70
FN0166708	M8	23/4"	70	25	£0.75
FN0166808	M8	31/4"	80	25	£0.77
FN0166908	M8	4"	100	25	£0.93
FN0167008	M8	51/4"	130	25	£1.44
FN0167108	M8	6"	150	25	£2.45
FN0167208	M8	8"	200	25	£2.57
FN0167308	M10	15/8"	40	10	£0.39
FN0167408	M10	2"	50	10	£0.41
FN0167508	M10	2%"	60	10	£0.44
FN0167608	M10	2¾"	70	10	£0.46
FN0167708	M10	31/4"	80	10	£0.56
FN0167808	M10	4"	100	10	£0.64
FN0167908	M10	51/4"	130	10	£0.73
FN0168008	M10	6"	150	10	£0.99
FN0168108	M10	8"	200	10	£1.18

#### **Drywall Phillips Screws**



· For fixing plasterboards to metal studding

Zinc plated

 Phillips insert bit included Note: 3.5mm diameter screw shank is equivalent to a No. 6 aguae screw and 4.5mm equivalent to No. 9

497862

DURATOOL

	Dia. (mi	m) Length	mm	Pack	1+	10+
FN0153508	3.5	1"	25	1000	£2.90	£2.73
FN0153608	3.5	11/4"	32	1000	£3.53	£3.32
FN0153708	3.5	11/2"	38	1000	£3.84	£3.61
FN0153808	3.5	13/4"	45	1000	£5.00	£4.70
FN0153908	3.5	2"	50	1000	£5.24	£4.93
FN0154008	4.5	2%"	65	500	£8.55	£8.04

#### **Collated Drywall Screws**



- Dark grey phosphate
   Sharp point coating
- Driver size: PH2 Coarse thread · Supplied in packs of · Universal collated

DURATOOL

	Dia. (mm)	(")	mm	1+	10+
FN0187708	3.5 (No. 6)	1"	25	£7.79	£7.60
FN0187808	3.5 (No. 6)	11/4"	32	£7.84	£7.70
FN0187908	3.5 (No. 6)	1%"	35	£7.84	£7.70
FN0188008	3.5 (No. 6)	1½"	38	£8.45	£8.30
FN0188108	3.5 (No. 6)	13⁄4"	45	£12.60	£10.81
FN0188208	3.5 (No. 6)	2"	50	£13.95	£11.81
FN0188308	3.5 (No. 6)	2%"	55	£14.62	£12.35

## **Decking Screws**

DURATOOL

- Designed for all deck and outdoor applications
- Countersunk pozi head
- Net-coat green
- Supplied in packs of 200

V	
497869	

		Dia.	Length	mm	Driver	1+	10+
	FN0168208	4.5mm	2"	50	PZ2	£3.71	£3.49
	FN0168308	4.5mm	21/5"	55	PZ2	£4.10	£3.85
	FN0168408	4.5mm	2%"	60	PZ2	£4.48	£4.21
(	FN0168508	4.5mm	3"	75	PZ2	£5.52	£5.19

#### **Mirror Screws**

#### DURATOOL

	Gauge	Lengt	h	1+	10+
FN0162308	No. 8	1"	25	£1.18	£1.11
FN0162408	No. 8	11/4"	32	£1.18	£1.11
FN0162508	No. 8	11/2"	38	£1.25	£1.18

- · Zinc plated
- · Chrome plated top · Slotted screw head
- · Supplied in packs of 10



497867



DURATOOL

#### **Hammer-In Fixings**

DURATOOL

Hammer-in fixings with a pozi screw head which



497849

- can be used for release if required.
- · Pre-assembled for quick easy and repetitive installation
- · For fixings battens, conduit etc. to masonry
- Through fixing eliminating the need for marking

and repositioning	9			
	Dia. x Length (mm)	Pack	1+	10+
FN0139908	5 x 40	25	£0.70	£0.66
FN0140008	5 x 50	25	£0.64	£0.60
FN0140108	6 x 40	25	£0.64	£0.60
FN0140208	6 x 50	25	£0.60	£0.56
FN0140308	6 x 60	25	£0.84	£0.79
FN0140408	6 x 80	25	£1.05	£0.99
FN0140508	8 x 80	10	£0.60	£0.56
FN0140608	8 x 100	10	£0.59	£0.55
FN0140708	8 x 120	10	£0.78	£0.73
FN0140808	10 x 100	10	£1.00	£0.94

# Masonry Anchor DURATOOL

- · For use in concrete, brick and block
- Four way expansion shield and retaining spring offering strong and secure anchorage
- Supplied in packs of 10

	Thread	Thread Fastens Min. Hole		497	
		Material up to		1+	10+
FN0142508	M6	10	50	£2.40	£2.26
FN0142608	M6	25	50	£2.53	£2.38
FN0142708	M6	40	50	£2.61	£2.45
FN0142808	M8	10	55	£2.99	£2.81
FN0142908	M8	25	55	£3.05	£2.87
FN0143008	M8	40	55	£3.33	£3.13
FN0143108	M10	10	65	£4.10	£3.85
FN0143208	M10	25	65	£4.19	£3.94
FN0143308	M10	50	65	£4.34	£4.08
FN0143408	M10	75	65	£5.60	£5.26

#### **Frame Fixings**



- Pozi head screw
- Through fixing eliminating
- the need for marking and repositioning
- The plug supports the screw along its total length Nylon plug body
- Supplied in packs of 10

495677

	Dia. x Length (mm)	1+	10+
FN0139008	8 x 60	£0.57	£0.54
FN0139108	8 x 80	£0.72	£0.69
FN0139208	8 x 100	£0.83	£0.78
FN0139308	8 x 120	£0.95	£0.89
FN0139408	10 x 80	£1.00	£0.94
FN0139508	10 x 100	£1.05	£0.99
FN0139608	10 x 115	£1.23	£1.16
FN0139708	10 x 135	£1.29	£1.24
FN0139808	10 x 160	£1.69	£1.59

#### **Masonry Anchor Projection Bolts**



For use in concrete, brick and block

Four way expansion shield and retaining spring offering strong and secure anchorage

Supplied in packs of 10

Thread Fastens Material Min. Hole


	Size (mm)	up to (mm)	Depth (mm)	1+	10+
FN0143508	M6	10	50	£2.25	£2.12
FN0143608	M6	25	50	£2.50	£2.35
FN0143708	M6	50	50	£2.65	£2.49
FN0143808	M8	10	55	£2.95	£2.77
FN0143908	M8	25	55	£3.12	£2.93
FN0144008	M8	40	55	£3.35	£3.15
FN0144108	M10	15	65	£4.15	£3.90
FN0144208	M10	30	65	£4.38	£4.12
FN0144308	M10	60	65	£5.46	£5.13

#### **Window Frame Anchors**









- aluminum window and door profiles . Through-fixing for ease and speed of installation
- · Complete with white cover cap
- Nylon plug body
- Supplied in packs of 10

	Dia. x Length (mm)	Driver	497850
FN0140908	8 x 100	Size	£0.64
FN0141008	8 x 120	PZ3	£0.76
FN0141108	8 x 140	PZ3	£0.80
FN0141208	10 x 75	PZ3	£0.90
FN0141308	10 x 100	PZ3	£0.73
FN0141408	10 x 120	PZ3	£0.84
FN0141508	10 x 140	PZ3	£1.09

## **Masonry Bolts**

Designed to be screwed directly into the base material.

- Versatile alternative to a traditional shield anchor
- · Zinc and yellow passivated
- · Supplied in packs of 10

		Dia./Drill	Thread			49/8/2
		Size (mm)	Length		1+	10+
	FN0170008	6	50	2"	£1.88	£1.77
	FN0170108	6	75	3"	£2.43	£2.28
	FN0170208	6	100	4"	£2.76	£2.59
	FN0170308	8	60	2%"	£2.31	£2.17
	FN0170408	8	75	3"	£2.70	£2.54
	FN0170508	8	100	4"	£3.66	£3.44
	FN0170608	10	75	3"	£3.74	£3.52
	FN0170708	10	100	4"	£4.83	£4.54
	FN0170808	10	150	6"	£7.26	£6.82
Ĺ	FN0170908	12	100	4"	£6.06	£5.70

All Prices Exclude VAT

407070

# **Plasterboard Speed**

- · Specially designed cutting tip for guick installation into plasterboard
- Supplied with No. 6 x 35mm (1%") pozi driv roundhead screws
- Alternative screws (6-10 gauge) can be used if required for different fixtures
- The overall length of the plug is 38mm with a maximum screw penetration of 25mm (1")



DURATOOL

465109

		1+	10+	
FN0141808	Metal	£5.52	£5.30	
FN0141908	Nylon	£4.23	£3.98	/

#### **Plasterboard Anchors Duratool**

- · Designed specifically for plasterboard and panelled walls
- · Anti-rotation teeth pierce the base material to form firm anchorage for screwdriver fixing (pozi/slotted head)
- All metal, zinc plated construction suitable for heat resistant applications
- Supplied complete with screw and washer in packs of 10



#### Technical Data

Screw	Anchor Body	Board	Fixing Hole	
Dia.	Length (mm)	Size (mm)	Size (mm)	
4mm	32	2 - 6	7	
4mm	45	5 - 18	7	
5mm	37	6 - 13	8	
5mm	52	3 - 16	8	
5mm	65	14 - 32	8	
6mm	65	14 - 32	10	410823

	Dia. x Length (mm)	Board Size (mm)	
FN0146008	4 x 32	2 - 6	£0.89
FN0146108	4 x 45	5 - 18	£1.08
FN0146208	5 x 37	6 - 13	£1.18
FN0146308	5 x 52	3 - 16	£1.29
FN0146408	5 x 65	14 - 32	£1.50
FN0146508	6 x 65	14 - 32	£1.70

#### **Spring Toggles**

- Quick and simple to use - No requirement for
- specialist tools
- All metal construction · Zinc plated
- . Supplied in packs of 10





DURATOOL

	Dia. x Length (mm)	Drill Size (mm)	1+	10+
FN0142008	M3 x 50	11	£1.27	£1.19
FN0142108	M5 x 50	14	£1.54	£1.45
FN0142208	M5 x 75	14	£1.69	£1.59
FN0142308	M6 x 50	18	£1.83	£1.72
FN0142408	M6 x 75	18	£2.12	£1.99

All Prices Exclude VAT

#### Galvanised Felt Nails DURATOO

- Galvanised
- Supplied in weights of 0.5kg



	Length ( "	)mm	Approx. Qty.
N0176908	1/2"	13	360
N0177008	3/4"	20	268

£131

#### *e*lick heat la DURATOOL

- General purpose construction nail
- · Supplied in weights of 0.5kg

	( )		Approx. Gry.	1.7	10+
FN0176308	1"	25	1265	£0.97	£0.92
FN0176408	15/8"	40	470	£0.66	£0.62
FN0176508	2"	50	235	£0.65	£0.61
FN0176608	25/8"	65	115	£0.65	£0.61
FN0176708	3"	75	62	£0.65	£0.61
FN0176808	4"	100	32	£0.65	£0.61

#### **Masonry Nails**

Hardened and tempered

Zinc plated

Warning: Aways wear eye protection to BS2092

497876

495682

2.5	1"	25	100	£0.49
3	15⁄8"	40	100	£0.88
3	2"	50	100	£1.02
3.5	25/8"	65	100	£1.78
3.5	3"	75	100	£2.01
	3 3 3.5	3 15%" 3 2" 3.5 25%"	3 15%" 40 3 2" 50 3.5 25%" 65	3 15%" 40 100 3 2" 50 100 3.5 25%" 65 100

#### **Push-On Screw Cover Caps**

 Designed specifically for pozi head screws (6 - 8 gauge)

• 100 Pack

	Colour
FN0159908	White
FN0160008	Brown
FN0160108	Black
FN0160208	Beige

## DURATOOL

DURATOOL







10+



DURATOOL

## Hinged Screw Cover Caps

 Will suit most types of screw head (6 - 8 gauge)

Pack of 100



49786

FN0159508	White
FN0159608	Brown
FN0159708	Black
FN0159808	Beige
$\overline{}$	

9**8**p

<sup>10+</sup> **92**p

#### Stretcher Plate

- Zinc plated
- Dimensions: 38x38x25mm
- Fixing holes: 2 of 4mm circular and
- 2 of 6x16mm elongated
  Supplied in packs of 10




£1.10 £1.03 order code FN0181508

497877

#### **Modesty Blocks**

- Manufactured in long lasting polyamide
- 3 screw fixing per block
- (accepts No. 8 screw)

   Dimensions: 36x13x13mm
- Packs of 10



DURATOOL

FN0149008 White FN0149108 Brown 3**9**p

35p

DURATOOL



A choice of four colour coded plastic wall plugs for use with screw sizes 3 - 10mm (4 to 18 gauge).

- All purpose lightweight fitting
- Anti-rotation ribs at the head of the plug for extra holding power
- Four way split
- Ideal for use with standard and parallel threaded woodscrews
- Supplied in boxes of 100 (10 x 10 clusters)

## Knock Down Blocks

- Manufactured in long lasting polyamide
- Allows assembled units to be disassembled easily by unscrewing the centre fixing bolt
- Packs of 10



DURATOOL

FN0148808 White FN0148908 Brown **£1.10** 

#### **Technical Data**

Colour	Length	Screw Gauge	Drill Siz
Yellow	23mm	4-8	5mm
Red	31mm	6-10	5.5mm
Brown	38mm	8-12	7mm
Blue	44mm	14-18	10mm

20+ 1+ FN0138608 £0.23 £0.19 Yellow FN0138708 Red £0.27 £0.24 FN0138808 Brown £0.41 £0.30 FN0138908 Rlue £1.40 £1.19

## **Worktop Clamp**

- For connecting mitred worktops
- Cup square head
- Zinc plated



FN0181608	65mm	M6	£0.42
FN0181708	150mm	M6	£0.51

## Satellite Dish Fixing Kit DURATOO

- Specially designed for satellite dish installation
- Nylon plug M10 x 50mm
- M8 x 50mm Zinc plated screw offers increased corrosion resistance
- Supplied in packs of 4





50p 47p order code FN0141608

497565

467150

#### Cup Square Coach Bolts DURATOOL with Nut (Carriage Bolts)



- Zinc plated
- · Conforms to DIN603
- · Complete with nuts

497974

					107071
	Dia. (mm)	Length		Pack	
FN0171008	M6	(" ) mm	40	25	£0.61
FN0171108	M6	2"	50	25	£0.63
FN0171208	M6	25/8"	65	25	£0.70
FN0171308	M6	3"	75	25	£1.10
FN0171408	M6	4"	100	25	£1.17
FN0171508	M6	5"	125	25	£1.55
FN0171608	M6	6"	150	25	£1.65
FN0171708	M8	15/8"	40	25	£0.89
FN0171808	M8	2"	50	25	£0.90
FN0171908	M8	25/8"	65	25	£1.10
FN0172008	M8	3"	75	25	£1.10
FN0172108	M8	35/8"	90	25	£1.34
FN0172208	M8	4"	100	25	£1.80
FN0172308	M8	43/8"	110	25	£1.95
FN0172408	M8	5%"	130	25	£1.99
FN0172508	M8	6"	150	25	£2.40
FN0172608	M10	2"	50	10	£0.63
FN0172708	M10	25/8"	65	10	£0.70
FN0172808	M10	3"	75	10	£0.77
FN0172908	M10	4"	100	10	£0.99
FN0173008	M10	4%"	110	10	£1.05
FN0173108	M10	5%"	130	10	£1.28
FN0173208	M10	6"	150	10	£1.40

#### **Electrical Screws**

DURATOOL



A range of electrical screws designed to replace those used in standard electrical sockets, blanking plates, switches and pattresses etc. The screws are nickel plated and supplied in packs of 50

		499664
FN0195308	M3.5 x 25mm	£2.14
FN0195408	M3.5 x 40mm	£2.82
FN0195508	M3.5 x 50mm	£3.56
FN0195608	M3.5 x 75mm	£5.69

All Prices Exclude VAT

#### Hex Rolt Kit

This kit contains a selection of the most nonular sizes

Steel and zinc plated

Box size: 215x140x42mm with lugs on the lid for easy stacking with like boxes

| M5 x 12 | 25 | M6 x 40 | 10 | M8 x 50 | 10 | M5 x 20 | 25 | M6 x 50 | 10 | M8 x 60 | 5 M6 x 30 20 M8 x 30 20 M10 x 30 10

DURATOOL

DURATOOL

DURATOOL

497932

order code FN0188708

#### Hex Full Nut Kit

This kit contains a selection of the most popular sizes.

Steel and zinc plated

Box size: 215x140x42mm with lugs on the lid for easy stacking with like boxes

Size (mm) Qty Size (mm) Qty Size (mm) Qty M3 200 M5 200 M8 100 M4 200 M6 200 M10 30

10+ 1+ order code FN0188908

## **Flat Washer Kit**

This kit contains a selection of the most popular sizes.

Steel and zinc plated

 Box size: 215x140x42mm with lugs on the lid for easy stacking with like boxes

Size (mm) Qty Size (mm) Qty M4 200 M6 200 Size (mm) 200 M10 M6 x 25 M8 x 32

> 10+ order code FN0189008

#### Threaded Bar

Bright zinc plated

. Supplied in 1m lengths

\*\*\*\*\*\*\*\*\*\*\*\* 411078

DURATOOL

Diameter (mm) x Length FN0165008 M6 x 1m £0.59 FN0165108 M8 x 1m £0.59 FN0165208 M10 x 1m £0.75 FN0165308 M12 x 1m £0.99



# Power Tool and Compartment Box

- Twin snap latches
- See through organiser with upto 16 compartments
- Moulded grip
- Ideal for storing power tools
   and accessories

 Dimensions: (LxWxH) 395x390x425mm D URATOOL 0X 474157

£7.95 £7.12 order code \$63289708

#### 25" Aluminium Tool Box DURATOOL

- Spacious metal body
- Tote tray
   3-way handle easy to open, lock and carry
- Padlock eye holes
   Dimensions:

   (WxHxD) 640 x
   250 x 240mm

   Note: Tools not

included

£12.47 order code \$63288308

474149

**£9.98**order code TLTC03X08

## **Aluminium Tool Case**

A high quality, heavy duty aluminium tool case designed to hold a wide range of tools and implements. Comes with a tool holder pallet under the lid and removable and adjustable dividers in the main body of the case. Robust, rugged design eliminates the threat of moisture and dust creeping in. Two heavy duty twin catches and locks. Supplied with two keys and carrying strap for easy transportation.

Tools not included.
Dimensions:
457(L) x 330(W) x 152(D) mm



order code TLTC03

# 22" Stainless Steel DURAYCOL

- Heavy-duty tool box
- Removable tote traySoft grip carrying handle
- provides extra comfort

  Integral saw groove for
- resting workpieces on when cutting wood or pipes etc.

   Heavy duty
- Heavy duty metal latches
- Padlock eyes for extra security
   Dimensions (HxWxD): 275x570x280mm
- 047.40

order code TL1029308

## Waterproof Tool Boxes

- Provides maximum shock protection to contents
- Waterproof
- Can be padlocked for additional security
   Built in pressure valve
- Corrosion proof
- Ideal for instruments, audio visual, photographic and test equipment



DURATOOL

 SG3290008
 465x360x175mm
 £24.95
 £21.20

 SG3290108
 515x435x225mm
 £29.80
 £24.90

All Prices Exclude VAT

462946

#### **Rolling Tool Box**

- Provides maximum storage and easy transportation of tools
- Main compartment suitable for power tools and large equipment
- 2 internal tote trays
- Lift off lid with internal storage trays
- Sawhorse groove in lid
- Dimensions: (LxWxH) 610x375x415mm

Note: Tools not included

£19.25 £17.65 order code \$63288408

474150

#### DURATOOL





£13.98 £13.12 order code \$63290308

**16" Hard Based** 

Note: Tools not supplied

495733

STANLEY

#### Rolling Plastic Toolbox

- 3 part combination tool box with heavy duty wheels
- Large bottom section flips open allowing easy access
- All sections can be lifted off and can act as separate tool boxes
- Rectractable handle for easy transportation
- Dimensions: (LxWxH)
   485x315x712mm


Note: Tools not included



1+ **E24.09 £21.95** order code \$63288508

474151

#### Technician's Tool Case



50 Internal pockets, easily accessible Padded central compartment for

sensitive testing and diagnostic equipment, circuit boards or laptops

2 Zipped compartments for plans and

diagrams
Side compartments unzip for free-

standing mode giving easy access to tools

• Lightweight padded

shoulder strap for carrying in comfort

· Strong and durable to withstand tough working conditions

Dimensions: 430x190x320mm

NB. Tools not included

£23.36 £22.29

462640

(CK)

#### Heavy Duty Rolling Tool Box

- Provides maximum storage and easy transportation of tools
- Manufactured from impact resistant metal with plastic coating
   Removable sections, each with carry
- handles

   Durable/lightweight construction
- Large storage bin in base suitable for transporting power tools and large equipment
- Mid-section drawer and top tool box
   Soft grip telescopic handle and heavy
- duty wheels
   Weight 15kg
- Dimensions: (WxDxH) 580x345x670mm
  Note: Tools not included

Note: Tools not included

**£43.38 £39.18** order code \$63288108

DURATOOL

474147

#### Technician's Tool Rucksack

Designed with technicians, service engineers and electricians in mind

48 pockets and holders for easy access
 Padded central compartment for sensitive

testing and diagnostic equipment, circuit boards of laptops

laptops
• 2 internal wings designed to specifically store essential tools

2 mobile phone holders

Dimensions: 350x190x430mm

NB. Tools not included

463322

£22.47



DURATOOL

#### Chisel Roll

Specifically designed for the joiner

Safely stores 9 chisels or screwdrivers

- Rolls up into a space saving compact tool bag · Made from heavy-duty
- nolvester Padded handle and
- and safety Dimensions:

370x540mm

fastening clips for comfort NB. Tools not included



497822

order code TL0885408

#### **Tool Roll**

- 30 pockets designed to carry
- a wide range of tools Suitable for all trades
- · Can be used as a tool roll or hung in a garage or workshop as a tool store
- Padded handle and fastening clips for comfort and safety
- Dimensions: 500x560mm NB. Tools not included



order code TL0885308

472275

raaco

#### Storage System with 4 **Service Cases**

Portable storage unit manufactured from impact proof plastic containing four A4 size service cases

· The cases have a configuration of removable inserts in various sizes for storing small parts tools and accessories

Each service case has tightly fitting U-profile lid to keep even the smallest contents securely in place

Smart retainer lock system keeps the cases in place during transit

- · Can stand alone, be wall hung or connected and grouped together
- · A practical solution for the mobile workshop


Size: 310x376x265mm

order code SG3287908

497950

#### Compartment Roxes

- Transparent
- Hinged lids



474153

			1+	10+	
SG3289108	18	230x125x35mm	£1.41	£1.13	
SG3289208	18	292x186x42mm	£1.65	£1.13	ı
SG3289308	24	382x235x48mm	£1.98	£1.61	İ.

#### **15 Compartment Box** DURATOOL

- Hinged lids
- Double locking lid
- Removable compartment trays Dimensions: (LxWxH) 210x338x62mm
- Note: Box contents not included



order code SG3289408

#### **22 Compartment Box**

- Hinged lids
- Double locking lid
- Removable compartment tray 420x335x62mm

Note: Box contents not included



DURATOOL

474155

order code SG3289508

#### **8 Compartment Box**

- 8 compartments
- Hinged lids
- · Removable compartment tray
- Dimensions: (HxWxD) 420x334x115mm Note: Box contents not included

5+ order code SG3289608







#### **20" Wheeled Bag**

- · Hardwearing and durable 600 X 600mm denier fabric
- · Hook and loop fastening
- Twin zip up compartments
- Reinforced plastic base for durability
- · Multiple internal and external pockets for superb storage capacity
- · Rigid frame for easy opening and high access
- Wheeled base and telescopic handle for portability

Note: Tools not supplied

order code SG3290408

# STANLEY



**Electrician's Tool Pouch** 

- Keeps all your tools by your side 15 rigid pockets and carrying straps
- for easy access
- · Swivel hammer loop moves with contours of the body keeping it free from inconvenience or potential hazard
- External metal tape holder
- Insulating tape holder
- Made from heavy-duty polyester Dimensions: 350x190x430mm

NR. Tools not included



order code TL0885208

497821

#### **Laptop Tool Case**

- Padded and reinforced
- 10 inner and outer pockets
- Large pocket for Laptop · Adjustable shoulder strap
- · Manufactured from hardwearing polyester

material

Note: Tools not included



£19.28 £18.38 order code SG3292708

## **Technicians Vest**

Model: 415007

· Durable polyester construction

Fully Adjustable

- · 26 pockets and holders for tools equipment and mobile phone
- 3 strong metal loops for attaching hanging items - includes 1 carabiner
- 3 Swivel hammer loops
- Reflective strip for visibility on site Mesh lining for comfort and
- breatheability
- · Strong metal tape holder



476666

order code SG3290908

## **Leather Tool Belts**

5 Pocket Single Leather Tool Belt:

- . 1 large main pocket
- . 1 medium size pocket with metal tape holder
- · 3 small tool pockets
- 1 knife sheath
- · 1 leather fixed hammer holder
- 11 Pocket Professional Leather Double Tool Belt:
- · 2 large main pockets
- · 2 medium size pockets 6 small tool pockets
- 1 metal freestyle hammer holder
- · 2 leather hammer holder loops
- 1 leather tape pocket
- 50.8mm adjustable heavy-duty web belt with plastic buckle
- · Double stitched and rivet reinforced for added strength

1+ order code TL0941708 463330

## **Soft Tool Case**

- Site surveyers case Inner pockets for tools.
- CD's etc
- Removeable clipboard
- Large outer pockets Dimensions: (LxWxH)
- 380x282x60m Manufactured from
- hardwearing polyester material with heavy duty zips Strong robust handles

Note: Tools not included





# Safe. Secure. Reliable.

- Model: XTR446 (Twin Pack)

   Up to 9 km range depending on terrain and conditions

- Channel memory38 Codes and CSQRugged water resistant design
- Room monitor
- Side PPT switch and volume control
  500mW Tx power

- Power save

- 20 Hour battery life (14 hrs with NiMH)
  Backlit LCD display

- Keypad tones (selectable on/off)

- Roger beep
   Battery low alert
- Dimensions (WxHxD): 55x118x34mm

Contents:  $2 \times XTR446$  radios,  $2 \times NiMH$  batteries,  $2 \times earbuds$ ,  $2 \times belt clips$ , twin charging pod, AC adaptor, user manual



PMR Radios

£48.95

order code IT4499308

#### **Hand Tools**





BAHCO

480225

ECLIPSE

480226

# Wood Saws With a choice of 7 or 11

With a choice of 7 or 11 tpi hard point blade which features aggressive triple bevel teeth for faster cutting.
This saw also features a high impact plastic

handle with soft touch inserts for improved comfort and control.

	· · · · · · · · · · · · · · · · · · ·			
Course	Length	TPI	1+	5+
TL1140808	20	7	£4.69	£4.35
TL1140908	22	7	£4.69	£4.35
Fine				
TL1141008	20	11	£4.45	£4.12
TL1141108	22	11	£4.45	£4.12
			_	

#### **Pro-Hacksaw**

 Professional hacksaw frame, allows very high blade tension for accurate and exact kerfs

 Spring tensioned blade loading mechanism, strong rectangular back section for blade storage

Can also be used as a compass saw

474174

497985

 Alternative 55° blade mounting for flush cutting

 Supplied with a 300mm/12in Sandflex 24TPI bi-metal blade

£12.37 £11.24 order code TL0947608

## **Plasterboard Saw**

 Designed for cutting holes in plasterboard for sockets and conduits

 150mm tapered blade with induction hardened teeth

 Plastic moulded handle for extra comfort

> 1+ £3.15 £2.98 order code TL1165108

#### 12" Hacksaw Blades

High quality 12" hacksaw blades that are suited to virtually all popular hacksaw frames.

Bi-metal: A range of hacksaw blades manufactured from M3 High Speed Steel.

Because of their construction, these blades are able to withstand heavy feed pressures giving economical, high cutting rates. The

blades are virtually unbreakable in normal use and will cut through most types of material including alloy and stainless steel. Available in 18, 24, 32 TPI versions.

Hard HSS: Manufactured entirely from top quality M2 High Speed Steel and hardened throughout. These blades are capable of cutting even the most difficult of materials and because of their construction, combine high accuracy and long life. 18, 24, 32 TPl.

Flexible HSS: Flexible with induction hardened teeth. Capable of cutting through most metals. 18, 24, 32 TPI. Supplied Individually.

1+ 10+ TLNAA45E08 Bimetal 18 £1.47 £1.40 TLNAA46V08 Bimetal 24 £1.54 £1.46 TLNAA47R08 Bimetal 32 £1.52 £1.45 TL0404008 Hard HSS 18 £1.71 £1.53 TLNAE46X08 Hard HSS 24 £1.55 £1.47 TL0404108 Hard HSS 32 £2.12 £1.91 TL0404208 Flexible HSS £1.49 £1.36 18 TLNAS46D08 Flexible HSS £1.38 £1.32 24 TL0404308 Flexible HSS 32 £1.49 £1.36

250mm (10") Hardpoint DURATOO

Tenon Saw


 Tenon saw with comfortable rubber/plastic grip

• Ideal for general use

£2.79 £2.47 order code TL1047608

DURATOOL 472183











(Closed)

#### Components include:

- Jaws with indentations for wire stripping
- Straight knife
- Extra-small flat screwdriver
- Small flat phillips screwdriver
- Bottle opener/slotted screwdriver

- Key ring/lanyard attachment

D LEATHERMAN

order code TL0980408

Heavy Duty STANLEY · 5 blades stored in handle

order code TLST21009908

## **Function Multi-Tool** 7

Length: 100mm (Closed) • Weight: 140g

Components include:

Super LED torch with magnifier spotlight

- Spring loaded pliers
- Large knife blade
- Small knife blade

Large Slotted screwdriver

- Large Phillips screwdriver

- Bottle opener

466765

462880

order code TL1101508

## Utility Knife with DURATOOL · Efficient and minimum user fatique

· Supplied with spare blade and a plastic holster

order code TL1196208



497907

# 100 Knife Blades &

· Used blade section for safe disposal · Contains 100 two notch stainless steel blades

order code TL1049408





Each tool locks out individually

Length: 164mm (Open). 101mm (Closed)

order code TL0979808

462655

#### **Hand Tools**

#### **Claw Hammers**

- Tubular steel handle
- · Vinyl grip





		1+	10+
TL1029608	8oz	£1.52	£0.99
TL1029708	16oz	£1.89	£1.29

#### **Claw Hammers** Estwing 16oz, 20oz and 24oz claw hammers manufactured with drop forged, carbon steel heads, which have been correctly tempered and hardened to face and claw. The shaft is also made from tempered tubular steel and is fitted with a high visibility, comfortable grip. 480188 5+ TL1189408 16oz £20.25 £19.39 TI 1189508 2007 £23.23 £22.34 TL1189608 24oz £24.41 £23.57







## **Antivibe Single Forged Hammer**

STANLEY

- · One piece forged hammer, provides maximum comfort and grip in use
- 100% crack detection for maximum safety
- · Features include a large striking face, patented grip and patented butt reinforcement

Curved Head	Weight (gm)	Weight (oz)	1+	5+
TL0946508	450	16	£15.98	£14.85
TL0946608	570	20	£17.15	£16.02
Ripping Head-Straight				
TL0946708	570	20	£17.84	£16.50

















### Screwdrivers

 A range of screwdrivers with a satin finish shaft, magnetic tip and a 2 component handle



Slotted	Type/Size	1+	5+
TL1037908	3 x 0.4mm	£0.94	£0.85
TL1038008	4 x 0.7mm	£0.94	£0.85
TL1038108	5.5 x 0.8mm	£1.09	£0.94
TL1038208	6.5 x 0.9mm	£1.09	£0.94
TL1038308	8 x 1.5mm	£1.16	£1.01
Pozi			
TL1038508	1 x 80mm	£0.94	£0.85
TL1038608	2 x 100mm	£1.09	£0.94
TL1038708	2 x 38mm	£1.09	£0.94
TL1038808	3 x 150mm	£1.30	£1.09
Phillips			
TL1038908	PH0 x 80mm	£0.94	£0.85
TL1039008	PH2 x 100mm	£1.09	£0.94

### 7 Piece Screwdriver Set

- Soft grip handles for added comfort and greater turning power
- Chrome vanadium blades with magnetic tips for better control in the fastener

  Contents:
- Slotted: 3 x 80, 4 x 100, 5.5 x 125, 8 x 150mm
- Phillips: PH0 x 60, PH1 x 80, PH2 x 100mm

£4.95

491185

# 101 0010 111000100

6 Piece Screwdriver Sets

A Professional grade screwdriver sets offering uncompromising levels of quality. The blades are made of high quality chrome-vanadium-molybdenum steel, through hardened and chromium plated. The blade tips have a black finish

and multicomponent handles for maximum torque transfer

with minimum of effort. The screwdrivers come in to different sets (Slotted / Phillips) (Slotted / Pozidriv). All the screwdrivers are manufactured to all relevant DIN / ISO standards.

		1+	5+
TL1111708	Slotted / Phillips	£13.97	£13.27
TL1111808	Slotted / Pozidriv	£14.39	£13.72

All Prices Exclude VAT

### **Screwdrivers**

- High grade steel bar for high torque and reduces the chance of tip breakage
- Slip-resistant rubber grip
- Impact-tough handle is overmoulded onto be for greater torque
- Colour coded ends for easy identification
- Sand blasted and heat treated tip for durability and precision

ee and ed onto bars cation for durability		48008: 5+	9
	1+	5+	
0	£1.69	£1.62	

Slotted			1+	5+
TL1143608	2.5	50	£1.69	£1.62
TL1143708	3	100	£2.16	£2.07
TL1143808	3.5	75	£1.98	£1.90
TL1143908	3.5	100	£2.18	£2.10
TL1144408	4	30 (Stubby)	£2.03	£1.94
TL1144008	4	100	£2.36	£2.27
TL1144508	5.5	30 (Stubby)	£2.36	£2.27
TL1147508	5.5	125	£2.89	£2.77
TL1144108	5.5	150	£2.90	£2.79
TL1144608	6.5	30 (Stubby)	£2.71	£2.60
TL1144208	6.5	150	£3.72	£3.57
TL1144308	6.5	250	£4.06	£3.90
Phillips				
TL1144708	PH00	50	£2.23	£2.14
TL1144808	PH0	75	£2.36	£2.27
TL1145508	PH1	30 (Stubby)	£2.03	£1.94
TL1144908	PH1	100	£2.71	£2.60
TL1145008	PH1	250	£3.39	£3.24
TL1145608	PH2	30 (Stubby)	£2.71	£2.60
TL1145108	PH2	125	£3.72	£3.57
TL1145208	PH2	250	£4.06	£3.90
TL1145308	PH3	150	£4.06	£3.90
TL1145408	PH4	200	£5.41	£5.19
Pozidriv				
TL1145708	PZ0	75	£2.36	£2.27
TL1146308	PZ1	30 (Stubby)	£2.03	£1.94
TL1145808	PZ1	100	£2.71	£2.60
TL1145908	PZ1	250	£3.39	£3.24
TL1146408	PZ2	30 (Stubby)	£2.71	£2.60
TL1146008	PZ2	125	£3.39	£3.24
TL1146108	PZ3	150	£4.06	£3.90
TL1146208	PZ4	200	£5.30	£5.08
	· ·			

### **6 Piece Torx Screwdriver Set**

A professional grade torx screwdriver set offering uncompromising levels of quality. The blades are made of high quality chrome-vanadium-molybdenum steel, through hardened and chromium plated. The blade tips have a black finish and multi-component handles for maximum torque transfer with minimum of effort. The screwdrivers are manufactured to all relevant DIN / ISO standards. Contents:

- T10, T15, T20, T25, T30, T40

£14.98 £14.19 order code TL1111908





# Proturn® VDE



- Ergonomic multi component handle with the practical hanging hole provides firm hold with maximum torque
- · Blade made from high-quality steel through hardened with a black oxide tip for exceptional strength and durability
- Each screwdriver is tested in accordance with EN /IEC 600900:2004 for working on live equipment up to 1000 V AC / 1500 V DC

Slotted				1+	5+
TL1112008	2.5x0.4	75	161	£1.91	£1.83
TL1112108	3.0x0.5	100	186	£2.01	£1.86
TL1112208	3.5x0.6	100	200	£2.07	£1.92
TL1112308	4.0x0.8	100	207	£2.53	£2.35
TL1112408	4.5x1.0	125	232	£2.85	£2.65
TL1112508	5.5x1.0	125	244	£3.27	£3.04
TL1112608	6.5x1.2	150	269	£3.65	£3.39
TL1112708	8.0x1.2	175	269	£4.28	£3.98
Phillips					
TL1112808	PH1	80	187	£2.73	£2.55
TL1112908	PH2	100	219	£3.44	£3.19
Pozidriv					
TL1113008	PZ1	80	187	£3.06	£2.84
TL1113108	PZ2	100	219	£3.69	£3.43
TL1113208	PZ3	150	269	£4.87	£4.61

# **7 Piece VDE**

A 7 piece VDF screwdriver set and all purpose voltage tester with soft grip handles for added comfort and greater turning power.

Contents:

Phillips: PH0 x 60mm, PH1 x 80mm & PH2 x 100mm

Slotted: 3 x 75mm, 4 x 100mm, 5.5 x 125mm & 6.5 x 150mm

order code TL1028408

### 12 Piece VDE Screwdriver and Bit Set 12 piece screwdriver and bit set

rated at 1000 volts.

- · Chrome Molybdenum
- · Supplied in plastic storage case Contents:
- 1 x VDE magnetic driver, Bits: Phillips: PH1, PH2, PH3; Pozi: PZ1, PZ2, PZ3; Slotted: 3, 4, 5, 6, 7mm

order code TL1106808



462862

**VDE 6 Piece** Screwdriver Set Slotted & Pozi

· Ergonomic dual compound handle offering grip and comfort

Contoured blade insulation for better access

480100

- Toughened high alloy steel blade for high wear resistance
- Precision machine tip for ultimate screw fit and high torque output
- Non roll flats, won't roll off uneven surfaces
- Permanent tip type marking on the end of the handle for convenient identification

Contents: Set of 5 SensoPlus VDE screwdrivers plus mains tester, containing: Slotted screwdrivers 75 x 2.5mm, 100 x 4mm & 125 x 5.5mm, PZD screwdrivers PZD1 x 80mm & PZD2 x 100mm, Mains tester slotted 65 x 3mm

order code TL1094108

466764



screwdrivers. Smaller model has pocket clip, suitable for 220-250V AC, Larger version for 150-250V AC.

497792 TLHT131602208 60mm Blade £1.45 TLHT331900208 £1.57 115mm Blade

### **Mains Tester Screwdriver**



One piece mains tester with moulded blade and handle and insulation for assured safety, high visability permanently sealed resistance neon tube. Top quality chrome vanadium blade.



480095

All Prices Exclude VAT

**33 Piece Security** 

A 33 piece security bit set ideal for use with cordless screwdrivers and drills.

- Compact pocket sized bit box
- Supplied with 1 x 60mm bit holder • Torq bits: T8, T10, T15, T20, T25. T27, T30, T35, T40
- Hex bits: <sup>5</sup>/<sub>64</sub>", <sup>3</sup>/<sub>32</sub>", <sup>7</sup>/<sub>64</sub>", <sup>1</sup>/<sub>8</sub>",
- Hex bits: 2, 2.5, 3, 4, 5, 6mm
- Tri-Wing bits: #1, #2, #3, #4 Spanner bits: .#4, #6, #8, #10
- Cross-head bits: #6, #8, #10
- · Magnetic bit holder

**DURATOOL** 

475003

order code TL1120308

14-in-1 Ratchet DURATOOL Stubby Screwdriver

High torque ratchet screwdriver handle

Can be angled up to 60° Precision 3 setting ratchet

- Screwdriver hits fit
- comfortably in the handle 6 x sockets - 6, 8, 9, 10, 12,
- 1 x socket adaptor
- 6 x screwdriver bits:
- Slotted: 3/16", 9/32"
- Phillips: PH1. 2
- Torx: T15, 20 Length: 120mm

1+

order code TL1027008



100 Piece All DURATOOL **Purpose Bit Set** 

4 x Square: 0, 1, 2, 3mm

3 x Torx set: 6, 8, 10mm 4 x Spanner: 4, 6, 8, 10mm

4 x Tri-wing: 1, 2, 3, 4

9 x Hollow tip torx: T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H

6 x Hollow metric: 2, 2,5, 3, 4, 5, 6 6x Hollow SAE hex: 5/32, 9/64, 1/8, 7/64, 3/32, 5/64

3 x Clutch: 1, 2, 3

9 x Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7 8mm

8 x Phillips: PHO. PH2. PH2. PH2. PH2. PH2. PH3

8 x Pozi drive: PZ#0, PZ#1, PZ#2. PZ#2, PZ#2, PZ#2, PZ#3 9 x Metric: 1.5. 2. 2.5. 3. 4. 5. 5.5.



7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 9 x Torx: T8, T10, T15, T20, T25, T27, T30, T40, T45 3 x Spline: M5, M6, M8 Drive Adaptor Magnetic hex bit driver Hook hanging bit (Y-design) Socket drive bit Hex wobble adaptor

476691

453077

5+

£3.55

order code TL1039908

### **14-in-1 Stubby Ratchet DURATOOL Screwdriver**

3 Settings - forward, reverse and fixed

Supplied with 7 x 32mm long double ended hits

Phillips, slotted, torx, hex and square combination bits

 Overall length: 120mm Bit Combinations:

PH1 - SL3, PH2 - SL5, PH3 -SL6, T15 - T20, T25 - T30, H4 H5, S1 - S2 (square)



464816

order code TL1121508

### Gearless Ratchet DURATOOL Screwdrivers Operates with friction rather than teeth for a

smoother, non-stepping action

- · Forward and reverse settings · Available as long shaft or
- stubby versions
- 6 x screwdriver bits: - Slotted: 5, 6mm - Phillips: PH1, 2
- Pozidriv: PZ1, 2 Length: 300mm (Long Shaft), 110mm (Stubby)

TI 1027108 £3.76 Long Shaft Screwdriver TL1027208 Stubby Screwdriver £3.37

All Prices Exclude VAT

### **Magnetizer/De-Magnetizer**

- Pocket sized
- magnetizer/demagnetizer Magnetizes or demagnetizes most steel screwdrivers or other small tools
- Collects metal items from inaccessible places
- · Allows easy and precise handling in confined spaces



order code TL0926408









a comfortable grip.

· Drop forged, heat treated fully polished steel

TL1034208

TL1034308

480120



150mm (6")

180mm (8")













£1.30



steel

order code TL0849508

### **Side Cutters-Hardwire**

Cutting edges specifically engineered to cut cleanly through cable but also strong enough for med/hard wire

· Ergonomic anti-slip handles

· Induction hardened cutting edges

	Size	Cutting Capacity		
TL0588508	160mm	2.0mm	£11.80	
TL0588608	180mm	2.0mm	£14.23	

# 6" Wire Stripping 🚳

Heavy duty strippers manufactured from selected carbon steels with induction hardened cutting edges. Comfortable moulded grips with generous antislip horns. Brass setting screw and locknut. Coil spring



# **170mm Cable**

Razor sharp cutting edges that cut easily through copper and aluminium cable up to 14mm in diameter (50mm²)

· Splits insulation sheathing, razor sharp blade grips whilst it cuts with no cable squeeze

· Manufactured from hot drop forged alloy steel

order code TL0849808

497786

### **Cable Tie Pliers**



- Lightweight plastic construction
- · Ergonomic handle grip and trigger
- Length 170mm

497785

497805

1+ order code TL1052008

### Tie Gun Cabler

- Strong and Lightweight Glass fibre reinforced
- body Tension adjuster for
- secure binding Automatic cut off – pull trigger and
- the tie is automatically tensioned and cut Suitable for cable ties 2.4 - 4.8mm wide
- Size.2.4-4.8mm

£9 24 order code TL1171208

497990

467128

### **Waterpump Pliers**

- Hot drop forged chrome vanadium steel Oil hardened and tempered to specified levels
- 7 position adjustment
- Double-dipped coated handles
- Box jointed construction gives
- accuracy and long life Slim head design for
- use in confined spaces Built-in stop prevents finger
- Manufactured to DIN5231D and ISO8976

specification

480122

£<u>9.9</u>7

	Length	Capacity	1+	5+
TL0588908	175mm	30mm	£10.90	£9.97
TL0886508	250mm	32mm	£11.26	£10.27
TL0589008	300mm	64mm	£20.29	£19.52





480155



· Fully approved and independently audited by German VDE institute

- Individually tested to 10.000v
- Meets VDE 0682-0201, IEC 60900:2004, ASTM-F 1505-94
- · Extra long cutting edges
- · Induction hardened for use on medium and hard wire, round and flat cable
- · Ergonomic handles for comfort and safety
- · Hardened and precision ground for high performance

Finished with Anti – glare coating

		1+	5+	
L1091608	185mm	£13.44	£12.62	
L1091708	205mm	£14.23	£13.49	J

### **VDE Wire Stripping Pliers**

Fully approved and independently audited by German VDE institute

Individually tested to 10,000v Meets VDE 0682-0201, IEC 60900:2004, ASTM-F 1505-94

Ergonomic handles for comfort and safety

- Hardened and precision ground for high performance
- Finished with Anti glare
- coating Ideal for repetitive wire stripping
- Features adjustable capacity and spring assisted opening

Stripping capacity (mmØ) 0.3-5mm

order code TL1092008

# TL TI

# 'Combicutter 3' - 🚳 💦

- . It strips, it bends, it shears
- · The only cutter an electrician needs
- · Pattress screw shearing hole cuts cleanly without damaging the threads, cutting hole aligns automatically when the side cutters are fully oper
- Wire stripping notches, for effortless and damage free wire stripping
- · Wire bending anvil, completes the doubling
- back of wires quickly, reliably and damage free

Length: 160mm

order code TL1082308

**VDE Snipe Nose Pliers** 

- Chrome vanadium steel
- 2 colour handle with slip quard Individually tested to 10,000V
- Meets VDE 0682-0201, IEC 60900

### Contents:

497956

465592

- 160mm Diagonal pliers
- 180mm Combination pliers
  - 200mm Long nose pliers

order code TL1203008

# **Electrician's**

- Sturdy wire/cable cutting scissors · Stainless steel blade with plastic handles
- Length: 140mm

1000V ac

£6.65

480171

498280

order code TL1082508

1000V Cable Knife

Insulated for live conductors up to

Strong comfortable handle

### Fully approved and independently audited by German VDE institute Individually tested to 10,000v Meets VDE 0682-0201, IEC

- 60900:2004, ASTM-F 1505-94 Ergonomic handles for
- comfort and safety Serrated Jaws
- · Hardened and precision ground for high performance
- . Finished with Anti - glare coating
- gripping hole and cutting edges · Available in two different sizes
- 1 +TL1092308 175mm £13.31 £12.50 TL1092408

497957

## Overall length: 180mm 5+ order code TL0457508

All Prices Exclude VAT





### **5 Piece Mini DURATOOL Pliers Set**

- · Ergonomic handles for extra comfort
- . Two tone anti-slip handles
- · Supplied in a handy zipped wallet Contents:
- Round nose pliers (5") 120mm
- Top cutter pliers (4") 100mm
- Flat nose pliers (5") 120mm Bent nose pliers - (4 1/2") 110mm
- Diagonal cutters (4 1/2") 110mm

462868

order code TL1033108

# Wire Stripper DURATOOL Hardened and tempered

- crimping and cutting edges Vinvl handles
- Length: 230mm (9")
- Crimping
- Insulated: 1.5, 2.5, 6mm
- Non-Insulation: 4-6, 2.5, 1.5mm

• 0.75, 1, 1.5, 2.5, 4, 6mm

 ISO: M2.6, M3, M3.5, M4, M5 Stripping

497954

order code TL1033308

## **Insulated Terminals -Red. Blue. Yellow**

Powerful ratchet type crimping tool for consistent crimping of red, blue and yellow insulated terminals.

Manufactured from hardened steel with cushioned plastic grips. Adjustable crimping pressure and ratchet release lever.

order code TL0862008

472224

# Modular Ratchet DURATOOL

An 8 Contact (RJ45) modular ratchet crimp tool for crimping 8 way (8P8C) modular telephone plugs.

- · Built in wire cutters
- · Locking mechanism

order code TL1033408

462865

All Prices Exclude VAT

### Crimping/Stripping Tool Kit

A crimping, stripping and cutting tool complete with 60 insulated terminals. Features:

 Stripping - 0.75, 0.9, 1.25, 2.0, 3.5, 5.5mm<sup>2</sup>

Crimping - 1.25, 2.0, 3.5-5.5mm<sup>2</sup> (non-insulated), 1.25, 2.0, 5.5mm<sup>2</sup> (insulated) Bolt cutter - M2.6, M3, M3.5,

M4. M5

Length: 230mm

1+ order code TL1017808 DURATOOL

472212

**Coaxial Connectors - RG6. RG58.** RG59. RG62 Cables

Powerful ratchet crimping tool for crimping BNC, TNC, F connectors etc. to RG6. RG58, RG59 and RG62 cables, and the pin to the centre core. Cushioned plastic grips and ratchet release lever.

order code TL0862108

462638

### **8P-RJ45 Modular Crimping Tools**

A versatile tool that cuts, strips and crimps RJ45 (8P8C) modular connectors in a parallel action. Two versions available, either with a plastic or zincaluminum alloy crimping section, they are identified by a black oxide or chrome plated cover plate.

- · Ratchet operation with release
- Includes round cable cutter
- · Frame made of middle carbon steel
- · Lightweight durable and compact
- Soft grip handles

Technical Data

Crimping Section Material Cover Plate Colour Length Weight

TI 0730308 Hard Plastic Black Oxide 195mm 333a

TI 0730408 Zinc-Aluminium Alloy Chrome Plating 195mm

497813

Crimp Section/Finish 5+ TL0730308 Plastic (Black) £11.93 £11.02 TL0730408 Zinc-Aluminium (Silver) £14.90 £13.45



### **INC Hand Tool**

- · Professional BT type terminal tool
- · Manufactured from toughened plastic with a hardened steel blade
- · Quickly and safely cuts and terminates cables
- · Handle houses wire hooks and extractors
- Supplied with moulded belt holder





**DURATOOL** 

DURATOO

**Punch Down Tool** A clever little stripping tool for stripping different size cables up to 6.2mm in

diameter The unit is also a punch down tool, ideal for IDC connection

**Cable Stripper &** 

The tool measures only 95mm in length, which makes is small enough for a key ring

order code TL0976508

# niversal Cable

- Flat wire Stripper ideal for telephone cordage, intercom and speaker cables
- · Round cable stripper ideal for flexible cable, multicore and networking cables
- · Manufactured from durable shock proof plastic
- · Suitable for heavy duty cables
- · Suitable for cables with a diameter between 3mm and 9mm

order code TL0976608

# -in-1 Automatic DURATOOL

Steel jaws automatically adjust to strip wire from 10-26AWG

Crimps insulated and non-insulated terminals 10-22AWG

· Length: 215mm

order code TL0991308

468962

7" Automatic Wire Stripper

- For all types of wire from 0.2-6mm
- Strips lengths up to 25mm
- Self adjusting mechanism
- Also has a cable cutter



order code TL1033608

**Cyclons Data Cable** 

The Cyclops facilitates the safe and accurate stripping of Twisted Pair (UTP and STP) and multicore (screened and unscreened) Voice, Data, Audio and Security cables up to 11mm in diameter Having no open blades or manual adjustments it is easy to use and severs PVC or Low Smoke (plenum) insulation without damage to braid, foil or conductors. Also suitable for fibre optic cables. Instructions are included.

order code TLTOG2002008

नुगाससप्

480167

DURATOOL

467076

### **Rotary Coaxial** Cable Strinner

A high-quality rotary coax cable stripper which is suitable for stripping RG6, RG58 and RG59 cables as well as cable with a diameter between 4 and 10mm

Simply insert the cable into the tool, swing the tool two or three times around the cable and the outer sheath is stripped and the braid is exposed

The blades can be adjusted to the cable size by inserting an Allen key (supplied) into the built-in hex key and turning clockwise for larger cables, and anti-clockwise for smaller diameter cables

order code TL0976708

462652

All Prices Exclude VAT

### **Hand Tools**









All Prices Exclude VAT

### **Bolt Cutters** DURATOOL Drop forged, heat treated steel Ideal for cutting bolts, rivets, rods, bars, chains etc.

				47230	)5
			1+	5+	
	TL1035008	455mm (18")	£6.12	£5.72	ı
(	TL1035108	600mm (24")	£7.64	£6.43	i



manufactured from heat treated drop forged steel.

5

7

· Straight jaws

TL1032008

TL1032108

· Serrated for extra grip

		,	462863	
		1+	5+	
"	12mm	£1.45	£1.24	
"	21mm	£1.69	£1.54	
O"	25mm	£1 93	£1.75	

454374



The curved jaws provide for a more secure fit around round stock or irregular shaped objects

Length (mm) 1+ 5+ TL0950408 100 £6.94 £6.70 TL0950508 125 £9.43 **£**8 88 5 TL0950608 175 7 £10.00 £9.44 TL0950708 £9.45 £9.15

### **4 Piece Locking Pliers Set** · Drop forged, heat treated,

- serrated steel jaws
- Adjustment screw and guick release lever
- Black finish Set contents:
- 125mm (5") curved jaws
- 180mm (7") curved jaws
- 150mm (6") long nose - 250mm (10") straight jaws

order code TL1032308



### **Fish Tape**

- · Helps to pull cables through conduit
- Durable plastic container · Slide handle with break
- · Made from flexible sprung
- Width 3.2mm, Thickness - 1.6mm
- · Simple and easy to use
- Length 50 feet



497994

order code TL1189308

### **6 Piece Warding File Set**

- Manufactured from high carbon steel, hardened and tampered with sand blast finish
- Soft grip handles with hanging holes and case
- Files measure 170mm in length
- Contents: Flat, half-round, round, 2 x square and tri-square

DURATOOL

1+

order code TL1150108





The cable access kit allows you to gain access to wire cables under floorboards, ceiling ducts, trunking and wall cavities. Contents:

10 x 1 metre glass reinforced polyester rods

- 1 x Flexi extender
- 1 x Ring end (for pushing)
- 1 x Hook end (for pulling)

480176

£10.30 order code TL1151308

### **5 Piece Engineers File Set**

Manufactured from high carbon

- alloy steel Soft grip handles with
- hanging holes · File blades measure 200mm (8") ir
- length Contents: Flat, halfround, round, square and triangular files

467134

497971

order code TL1036308

### **6 Piece Needle File Set**

- 6 piece needle file kit with cushion grip
- Size: 3 x 140mm Contents: flat taper, half round, three
- square, square, round and flat parallel supplied in a plastic carry case



order code TL1035708

472351



For cutting, shaping, shaving, rasping and filing most materials without any adjustment or need to re-sharpen.

480453

TL0951308	21-295	Flat file	£8.55
TL0951508	21-122	Planer file	£10.72
TL0951408	21-115	Shaver tool	£1.99

### **3 Pc Mini G Clamp Set**

- Range of mini G clamps
- · Manufactured from cast
- Includes: 1", 2" & 3" capacity clamps

1+ 5+ order code TL1050508





### **Micro Plastic Spring Clamp Set**

- 3 1/2" 90mm clamp set
- · Compact design for household applications and fine woodworkings
- Rust resistant lightweight resin construction

Supplied in a set of 4

1+ 5+ order code TL1047908



467101

### **G Clamps DURATOOL**

- · G clamp with fine thread
- Matt black finish



		1+	5+
TL1030308	2" (50mm)	£1.12	£0.90
TL1030408	4" (100mm)	£1.91	£1.73
TL1030508	6" (150mm)	£2.62	£2.33
TL1030608	8" (200mm)	£3.88	£3.54

### **Steel Spring Clamps**


150mm spring clamp, maximum jaw capacity 50mm supplied in singles.



5+ order code TL0575508

**G** Clamps







497802

	Jaw Capacity (in/mm)	Weight (lb/Kg)	1+	5+	
TL0867008	2/50	1/2/0.2	£2.98	£2.89	
TL0867108	3/75	1/0.3	£3.95	£3.82	
TL0867208	4/100	1½/0.7	£5.52	£5.40	,

All Prices Exclude VAT

## **6" Ouick Clamp DURATOOL**

- Quick action Clamp
- 150mm (6") clamping capacity

5+ 1+ order code TL1051008



# **Trigger Clamps** FatMax

- Quickly converts from clamp to spreader
- Reinforced nylon and steel construction provides strength and durability



480500

		Length (mm)	1+	5+
TL1140008	Small	114	£3.39	£3.24
TL1140108	Medium	152	£6.74	£6.31
TL1140208	Medium	304	£8.13	£7.79
TL1140308	Medium Heavy Duty	304	£13.49	£12.87
TL1140408	Large Heavy Duty	609	£16.27	£15.59
TL1140508	Large Heavy Duty	914	£20.33	£19.49

### **8 Piece Clamp Set** DURATOOL

- Ratcheting trigger advanced action
- Easy to use push button for quick release
- · Easily convert the bar clamp to a spreader no tools required
- Ratchet bar clamp: 2 pcs 2.5" x 12", 2 pcs 1.5" x 4"




£6.04 order code TL1048008





• 1200mm (48") Aluminium sash clamp





453494

497972

order code TL1030708

### 6" Woodworking Vice

A 6" woodworking vice. The quide bars are manufactured from chrome vanadium steel to increase smooth operation and precision. The vice is fitted with base holes to allow the unit to be permanently bench mounted.

• The jaws are 150mm (6") in width and have a 150mm (6") capacity.

order code ME1855808

**Woodcraft Vice IRWIN**.

### .5m Band Clamp

4.5m band length accommodates large or irregularly shaped objects.



£6.98 order code TL1140608

Fits under the bench in the normal way, the jaws being flush with the bench top

7" (178mm) wide

• 61/2 "(165mm) opening

Record

£15.16

497828

480506

### **Swivel Table Vice** With Anvil

- Heat treated jaws, 60mm wide & 25mm deep
- Open to 80mm
- Locking swivel base turns through 360°
- Mounting clamp opens up to 45mm
- · Paint coated body
- · Weight: 2.3kg

1+ 5+ order code TL1030808

### DURATOOL



### **Swivel Bench Vices** A range of cast steel swivel bench

vices with 360° swivel. Vices are available in 3" (75mm), 4" (100mm) and 6" (150mm).



TL0577808	6" (150mm)	£33.36 £30.33
TL0577708	4" (100mm)	£16.89 £15.67
TL0577608	3" (75mm)	£13.80 £12.72

### lacuum Base Vice

- Mounts on most flat surfaces
- · Easy lock handle and tough nylon body · Ideal for DIY, hobbies, crafts and
- electronics applications
- Jaw Width: 60mm Head Tilt: 180°
- Head Swivel: 360° Weight: 900g





### Mechanics Vices IRWIN Record

### Model: No 1

- · Medium duty vice commonly
- found in workshops and garages Steel handle and plain screw with hardened replaceable jaw plates
- 3" Jaw width



497827

### **Hand Tools**

### **3 Piece Line Pins Set**

- This traditional kit is still the best way to ensure straight lines for building and marking out
- Two pins hand forged with bright plate finish
- Includes 12m line

480518

order code TL0933708



### 150mm (6") Pointing Trowel

- Professional high-quality hardened and tempered blade
- Soft grip handle improves grip power and control

order code TL0933008

# **Plumb Bob and Brick Line Set**

- 18m (59ft) twisted nylon brick line
- 225g (1/2lb) hard steel plumb bob

order code TL0989908



## **6" Pointing Trowel**

- Flexible and well balanced carbon steel blade
- Comfortable soft grip handle
- Welded tang

order code TL1188808

480524

410935

# Pink and Yellow **#**

- · Made from braided nylon
- · Will not unravel if stuck by a trowel
- · 7 metres in length
- Sold in two colours

TL1190508

TL1190608

Yellow Line

480523

£3.84

### " Pointing Trowel 🐠

- Solid forged steel blade
- Wooden handle
- 6" 152mm in length

order code TL1192608

498026

### **Brick Jointer**

- Steel brick jointer for finishing 1/2" and 5/8" mortar joints
- Length: 295mm

order code TL0989108

480520

Pink Line

### 175mm (7") Gauging Trowel

- Professional high-quality hardened and tempered blade
- Soft grip handle improves grip power and control

order code TL0932908

497859

7" Gauging Trowel



- · Top quality finest steel blade
- · Comfortable soft grip handle
- · Rounded nose holds more mortar

order code TL1188908























Kit Contains:

13mm brick jointer

150mm pointing trowel

- 280mm brick trowel

180mm gauging trowe - 280mm plastering float







### Finishing Cement Trowels

- · Resilient, durable DuraSoft handle reduces fatigue and offers excellent durability
- · Aluminium alloy mounting is lightweight but very strong
- . Handle rise is set for the correct hang and balance
- 350mm in length



49802
5+

₩

		1+	5+
TL1191008	Standard	£21.74	£20.90
TL1191108	Stainless steel	£24.75	£23.80

# **Dry Liners Finishing Trowel**

· ABS plastic banana shaped handles

Longer blade for skimming on dry lining walls

Carbon high grade blade

Dimensions: 13" x 4¾4"



order code TL1188308

### **10" Edging Trowel**

- Used to produce a radius at the edge of a concrete slab to help prevent the edge from chipping off
- Blade made from heavy gauge 301 premium stainless steel
- Resilient durasoft handle with finger guard



order code TL1191408

### **Jointing Knives**

- · Flexible blade of high carbon steel
- Blade is tempered then
- polished to a mirror finish Full length tang goes through and rugged solvent resistant nylon handle
- · Handle has a striking head for setting drywall nails



	1+	5+
4"	£6.09	£5.44
6"	£6.86	£6.19
	4" 6"	

- Stainless steel spring tempered blade allows the tool to flex and produce a tight, bubble free tapered corner joint
- Comfortable handle for
- all day use · Available as both external and internal

corner trowel

TL1188608

TL1188708

Internal

External

Internal



	480532	
1+	5+	
£6.98	£6.80	
£7.54	£6.92	J

# Stainless Steel **///**



DuraSoft II handle is smaller and more contoured for improved comfort

The narrow profile of the handle moves the hand forward to help improve blade control

. One of the most lightweight taping knives on the market

498027

		1+	5+
TL1193108	10"	£7.41	£6.97
TL1193208	12"	£7.96	£7.12
$\overline{}$			

### **Trademan Stilts**

Adjustable stilts from 460-765mm with double safe inter lock system,

- · Padded calf brace
- · Weight capacity: 225 lbs



476685

offering additional strength and stability

· Dual spring action

order code TL1151108

- An aluminium hawk with plastic handle
- Size: 330mm x 330mm (13" x 13")



480533



### **Gorilla Tubs**

- Extremely versatile tubs (buckets) Perfect for the building site.
- garden, workshop, stables & home/office
- · Ideal for cement, plaster, soil, sand rubble etc.
- Carry heavy loads easily
- Super strong handles
- Durable and very strong Super-flexible
- . Store and carry tools
- Flexible rim enables easy pouring
- · Very easy to clean after use



**DURATOOL** 

		1+	5+
TL1100408	14 Litre (Small)	£2.69	£2.49
TL1100508	26 Litre (Medium)	£3.66	£3.01
TL1100608	40 Litre (Large)	£4.57	£3.89
TL1100708	75 Litre (X-Large)	£8.48	£7.47



		1+	10+
SI1527708	15m x 6mm	£0.84	£0.56
SI1527808	27m x 10mm	£3.14	£2.09

### **Tarpaulins**

· Polythene coating on both sides

- Reinforcing rope inside welded hem
- · Rust resistant grommets on sides and corners
- · Heat sealed seams
- · Uses: General cover, car cover, machine cover, canopy, camping ground sheet, wind protector, privacy wall, picnic mat, paint shield, boat cover, pool

452753 cover etc. 1+ 5+ SI1527908 6' x 4' £2.27 £1.87 SI1528008 9' x 6' £2.95 £2.65 SI1528108 12' x 8 £3.76 £3.50 SI1528208 18' x 12 £7.37 £6.59 SI1528308 24' x 18' £13.14 £12.26





• 375mm (15") flat pry bar

480535

1+ order code TL0917008

### **Wrecking Bar**

**DURATOOL** 



- dismantling, prising and opening Size: 24" x 3/4" (600 x 19mm)
- · Weight: 1.9kg

1+ 5+ order code TL1036608 480538

**Super Demolition Bar** 



- Double ended bar features both a 90° swan design claw & 30° claw
  - Polished tips and bevelled nail slots for high performance
- · Bar curve for added leverage
- Forged high carbon alloy steel for extra strength
- Heat treated for increased durability and resistance to bending
- Overall length: 16"

order code TL1142108

497973

Call Us!

20 25 30

### **Hand Tools**





Available with high impact, protective hand guard     Length: 230mm			480543	3
,		1+	5+	
TL1001408	Chisel	£3.35	£3.05	ı
TL1001508	Chisel + Guard	£4.03	£3.83	İ.

### 3 Piece Cold Chisel Set STANLEY Quality chrome vanadium steel for increased strength & durability. Quenched & tempered to

precise specification for added safety. Includes: Cold

Chisels (5 9/16" X 3/8", 6" x 1/2", 6 3/4" x 5/8"). For cutting/shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminium, bolts,

5+ £4.86 order code TL1141708

### **Automatic Centre** DURATOOL Punch

- No hammer needed
- This punch is made with a knurled brass handle and hardened tip for instant marking
- Size (Lx Dia): 130mm (5") x 13mm (1/2")

5+ order code TL1036408

**Brick Chisels** · For cutting bricks and composite blocks Drop forged blade · Properly hardened to avoid splintering · Octagonal shank · British made · Available with high impact, protective hand guard · Length: 230mm 480546

		1+	5+
TL1001008	3" (75mm)	£3.83	£3.58
TL1001108	4" (100mm)	£4.08	£3.82
TL1001208	3" (75mm) + Guard	£4.56	£4.22
TL1001308	4" (100mm) + Guard	£4.81	£4.25



Simply place number or letter in automatic punch and stamp where needed

Size of number and letter: 3mm (1/8")

· Ideal for security marking on personal belongings

Includes blow moulded storage case

order code TL1028208



474176

480476

### **3 Piece Nail Punch Set**

- · Fully hardened and tempered steel for wear resistance
- · Moulded elastomer jacket for improved grip
- . Long bevelled tips for easier nail alignment
- Sizes: 0.8mm (1/32"), 1.6mm (1/16") and 2.4mm (3/32")

5+ order code TL1050908 467129





497886

### **General Purpose Paint Brushes**

 Pure bristles 38n



4	9	6	5	5

		1+	5+
TL0433508	½" (13mm)	£0.43	£0.38
TL0433608	3/4" (20mm)	£0.52	£0.47
TL0433708	1" (25mm)	£0.63	£0.56
TL0433808	1½" (38mm)	£0.89	£0.84
TL0433908	2" (50mm)	£1.43	£1.30
TL0434008	2½" (62mm)	£2.15	£2.03
TL0434108	3" (75mm)	£2.62	£2.41
TL0434208	4" (100mm)	£4.26	£3.94

# **Professional Synthetic Bristle**

Professional quality for use with gloss. emulsion or varnish naints

Solid round taper filament technology creates a superb, even finish

Lasts longer than natural bristle

Squared stainless steel ferrule Wooden handle

Sold separately or as a 3 piece set

3 piece set sizes: 1", 11/2", 2"

1+ 5+ TL0997008 1" (25mm) £1.79 £1.58 TL0997108 11/2" (38mm) £2.50 £2.20 TL0997208

2" (50mm) £3.38 £2.98 TI 0997308 3" (75mm) £4.98 £4.38 TL0997408 4" (100mm) £5.97 £5.49 TL0997508 3 Piece Set £4 15 £3.98

### **Contractor Paint Brushes**

· Professional quality Long pure bristles

**Professional Pure Bristle Paint Brushes** 

Professional quality for use with gloss, emulsion or varnish paints

100% pure natural bristle - treble

Sold separately or as a 6 piece set

6 piece set sizes: 2 x 1", 2 x 11/2", 2 x 2"

1/3" (12mm)

3/4" (19mm)

1" (25mm)

11/2" (37mm)

2" (50mm)

3" (75mm)

4" (100mm)

Pack of 6

boiled to ensure finest finish

Stainless steel ferrule Wooden handle

TI 0996208

TL0996308

TL0996408

TL0996508

TL0996608

TL0996708

TL0996808

TL0996908

- Stainless steel ferrules
- Wooden handles





480555

497885

5+

£1.36

£1.66

£2.08

£2.56

£3.50

£5.80

£7.49

f9.79

1+

£1.54

£1.88

£2.90

£3.79

£5.99

£7.80

£10.98

		1+	5+
TL0432908	1" (25mm)	£1.42	£1.29
TL0433008	1½" (38mm)	£2.13	£1.98
TL0433108	2" (50mm)	£2.56	£2.34
TL0433308	3" (75mm)	£4.73	£4.43
TL0433408	4" (100mm)	£5.86	£5.51

### Piece Contractors DURATOOI **Paint Brush Set**

- Good quality brushes suitable for most jobs
- 60% polyester and 40% bristle
- Contents:-1 x 25mm (1")
- 1 x 37.5mm (11/2")
- 1 x 50mm (2")
- 1 x 62.5mm (21/2")
- wall brush

- 1 x 75mm (3") varnish brush
- 1 x 100mm (4") wall brush 1 x 50mm (2") angle sash & trim brush

10+

order code TL1048808

## The Painter's Dozen'

12-piece contractor's grade paintbrush set, with long pure bristles, stainless steel ferrules and comfortable wooden handles.



- 2 x 1" (25mm) Brushes
- 5 x 11/2" (62mm) Brushes
- 4 x 2" (50mm) Brushes
- 1 x 3" (75mm) Brush

451450

462872

order code TL0434308













### 9" (225mm) Roller Sleeves

Suitable for use with all 9" x 13/4" (225x44mm) roller frames.

 Short Pile: Ideal for gloss and eggshell paints on smooth surfaces

 Medium Pile:
 Woven fabric for semi-rough surfaces

- Long Pile: Woven fabric for rough surfaces
- Heavy Duty Long Pile: Extra strength woven fabric for use on rough surfaces
- Sheepskin: Suitable for use on rough surfaces and embossed wall coverings 497784

TL0435908	Short Pile Sleeve	£1.98
TL0436008	Medium Pile Sleeve	£1.47
TL0436108	Long Pile Sleeve	£1.64
TL0436208	Heavy Duty Long Pile Sleeve	£1.90
TL0436308	Sheepskin Sleeve	£5.40



### **Paint Mixer**

- · Perfect for mixing paint, adhesives, mortar, cement and most other liquid materials
- · Can be used with a power tool
- · Overall length: 400mm

order code TL0372008



**DURATOOL** 

### **10" Caulking Gun**

- Skeleton type caulking gun, compatible with most
- manufacturer's sealant dispensers · Capacity: 410ml



order code TL1049008



462632

### Silicone Spreader

This useful tool has a number of edges that are used to smooth and finish silicone sealant applications. It is made from a special plastic which does not adhere to silicone based sealants which ensures that it smoothes the surface without picking up. The spreader measures 95 x 82mm (LxW).

order code TL0273708

### **Plastic Dust Sheet**

A lightweight 12" x 9" polythene dust sheet, ideal for temporary protection in the home, office and garden. The sheet is dustproof and waterproof.

order code TL1102208



480564

### **Dust Sheets**



472286

D URATOOL

TL1102408 12 x 9' £4.16 £4.04 TL1102508 12 x 12 £6.65 £6.37

### **Paint Spray Gun**

An electric spray gun ideal for spraving paint onto large surface areas such as walls, sheds or fences.

· Adjustable output setting allows the the user to regulate the flow rate, depenant on the liquid being used

### Technical Data

Max capacity Max capability Wattage

800ml 260ml/min 60W

474162

order code TL1120708

# Wallpaper Stripper DURATOO!

A wallpaper stripper comprising of a waterbottle, hose and steam plate. Fasy access to refill

- and top up water Safety release valve
- to avoid overheating
- Large face steam plate to cover bigger areas
- Hose length 1.2m
- Mains lead 0.8m Max Capacity 4 litres
- Wattage 1200W



order code TL1120808

474161



TL0099308 Replacement Wheel £2.04 £1.85



- 10mm notched edges for solid bed fixing of most ceramic, marble and natural stone tiles on the floor
- Carbon steel
- ABS plastic banana shaped handle
- Dimensions 11" x 43/4'

order code TL1188508



497989

### **600W Tile Cutter**

- . Zinc table, tilts to 45° for angled cutting
- · Water-cooled blade
- · Thermally protected motor
- No-volt safety switch Diamond cutting blade
- · Supplied with parallel fence and mitre cutting guides
- · Spare blade sold separately

### **Technical Data**

Wattage 600W Voltage 230V No Load Speed 3000rpm Blade Diameter 180mm Bore Size 22.2mm 90° Cutting Depth 45° Cutting Depth 60mm 45mm Table Size

330 x 360mm

TL1204908

Spare Blade

£7.49

497919





order code TL1073708

**Wall Tile Trowel** 

· Notched design ensures correct adhesive application for wall

Lightweight and

277x116x85mm

• Dimensions (LxWxH):

durable

480565

PLASPLUGS

### **Tile Grouter Float**



- Lightweight float for tile grouting
- Size: 230mm x 100mm

order code TL0933108

497861

# **Carpet Kicker**

- · Wide head grips and 16 hardened steel pins
- Telescopic handle
- Protective buffer pad
- · Plated steel teeth construction

### **Technical Data** Max Length

Min Length Carpet End Length Carpet End Width

537.5mm 462 5mm 121.8mm 128.1mm

order code TL1151208



order code TL0322208



MODUMENT TOOLS

£2.68

f2.49

### **Handy Blowlamps**

Piezo Blowlamp

- · For plumbing and hobby use
- · High quality brass burner
- · One-handed flame adjustment Piezo version available with automatic
- ignition no matches required Cannisters not supplied - available separately




### Blowlamps

TL1018908	Standard Blowlamp	£6.86
TL1019008	Piezo Blowlamp	£10.62
Gas Cannisters		
TL1019308	170g	£1.94
TL1019408	350g	£2.74

### **High Power Gas Torches**

Piezo Gas Torch

- · High power and temperature for
- professional brazing and soldering (1850°C)
- Solid, high quality cast metal body · Wire stabiliser and hook for hands-free use
- · Piezo version available with automatic
- ignition no matches required Cannisters not supplied - available





Blowlamps		480568
TL1019108	Standard Gas Torch	£11.99
TL1019208	Piezo Gas Torch	£15.73
Gas Cannisters		
TL1019308	170g	£1.94
TL1019408	350g	£2.74

## **Soldering and Brazing Pads**

· For protection of surrounding areas when soldering etc.

Both pads are resistant to temperatures up to 600 °C

Pads do not present any of the hazards associated with asbestos materials

TI 1054208 is made from glass fibre & TL1054308 is made from

497914 HDW graphite TL1054208 300 x 300mm £8.75 £8 51 TL1054308

250 x 250mm

### **12 Piece Draining Rod Set**

- Polypropylene rods
- Double worm
- screw and plunger Overall length when
- extended: 9.2m



order code TL0556908

Fully Flexible Drain Cleaner (DRAPER

Fully flexible plated spring steel probe with turning handle. The cleaner is 4.7m in length

and is ideal for cleaning most blockages in a variety of pipework

### **Flint Spark Lighter** · Made for igniting LPG and welding torches 497915 1+ 5+ TL1055908 Lighter £1.95 £1.82 TL1056008 Spare Flints (5 PK) £1.51 £1.61

## Sink Plunger

Sink plunger manufactured with 25mm diameter beech handle and high quality 135mm rubber plunger.



All Prices Exclude VAT

### **Hand Tools**

### Plunger Unblocker DURATOOL

Fits baths, sinks and shower waste pipes

5+ order code TL1048908



### **4 Way Utility Key**

- Opens water, electricity and gas cabinets
  - Can also be used for radiators, stop cocks and outside taps

5+ order code TL0989408



### **'Bone Type' Basin Wrench**

Double ended wrench for 13mm (1/2") and 19mm (3/4") lavatory and basin nuts

· Ideal for use in horizontal or vertical confined areas

5+ order code TL0910408



### Compression Fitting Monument Yook Snanner

For tightening and loosening most 15mm and 22mm compression fitting nuts

5+ order code TL1053308



### **Basin Wrench**

- Self adjusting pivoting head
- · Enables user easy access to hard to reach bath and basin tap nuts
- Fits 1/2" &t 3/4" nuts
- 180mm long

5+ order code TL1031708



### **Pine Cutters**

DURATOOL

- · Heavy duty construction
- Suitable for copper, brass and aluminium
- · Available in 3-22mm and 3-38mm cutting sizes

480536

MONUMENT TOOLS

		1+	5+
TL1035208	3-22mm Mini Tube Cutter	£1.87	£1.80
TL1035308	3-38mm Tube Cutter	£2.19	£2.09

### **Radiator Keys** MONUMENT TOOLS



	_			
		1+	5+	
TL1053808	Brass Keys (25PK)	£0.27	£0.25	
TL1053908	Clock Type (2PK)	£1.08	£1.02	J
				,

## Pine Cutters

For work in confined spaces

· Strongly made outer ABS

plastic casing				
	W	49	462871	
	Pipe Diameter	1+	5+	
TL1052408	15 mm	£6.22	£6.07	
TL1052508	22 mm	£6.65	£6.45	
TL1052708	Spare Cutting Wheel	£1.19	£1.10	1

# Automatic Pipe Slice



- · Professional pipe cutter for copper pipes · Made from zinc presure die-cast bodies
- . Not for use on stainless steel

		1+	5+
TL1052808	15 mm	£9.62	£9.31
TL1052908	22 mm	£10.56	£9.78
TL1100308	28mm	£15.25	£14.29

472301

472211





MONUMENT TOOK





order code TL1035408















### Ball Ended Hex Keys DURATOOL

Long Short PK

Q



( )	Size	Arm	Arm	Size		430003
	(mm)	(mm)	(mm)		1+	5+
TL1135708	1.5	45	14	5	£0.78	£0.73
TL1135808	2	50	16	5	£0.78	£0.73
TL1135908	2.5	55	19	5	£0.78	£0.73
TL1136008	3	63	21	5	£0.78	£0.73
TL1136108	4	70	27	5	£1.05	£0.99
TL1136208	4.5	70	29	1	£1.15	£1.08
TL1136308	5	81	31	1	£1.15	£1.08
TL1136408	5.5	87	34	1	£1.21	£1.14
TL1136508	6	92	36	1	£1.27	£1.20
TL1136608	8	104	42	1	£1.45	£1.36
TL1136708	10	116	48	1	£1.99	£1.87
TL1136808	1.5	14	90	5	£0.97	£0.92
TL1136908	2	16	100	5	£1.00	£0.94
TL1137008	2.5	19	111	5	£1.04	£0.97
TL1137108	3	21	125	5	£1.12	£1.06
TL1137208	4	27	140	5	£1.46	£1.37
TL1137308	4.5	29	152	1	£1.22	£1.15
TL1137408	5	31	161	1	£1.28	£1.21
TL1137508	5.5	34	170	1	£1.39	£1.31
TL1137608	6	36	182	1	£1.45	£1.36
TL1137708	8	42	202	1	£1.72	£1.63
TL1137808	10	48	228	1	£2.33	£2.20

### **30 Piece Hexagonal Key Set**

Imperial & Metric

498005

10+ 1+ £4N6 order code TL1041608





## 3 - Way Handle DURATOOL **Hex Kev Sets**

Metric: 2, 2.5, 3, 4, 5, 6, 8, and 10mm Imperial: 5/4, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, and 3/8"

TL1138308 Metric TL1138408 Imperial £474

468969

498018

498019

### **9 Piece Ball Ended DURATOOL Hex Kev Sets**

Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 8, and 10mm Imperial: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, and 3/8"

TL1138508 Metric TL1138608 Imperial £7.15

£6.75

### **Hex Key Sets**

8 piece: 2, 2.5, 3, 3.5, 4, 5, 5.5 and 6mm

11 piece: 1.2, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, and

Imperial Sets

8 piece: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, and 1/4" 11 piece: 0.05", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, and 1/4"



**DURATOOL** 

49801
5+

			1+	5+
TL1137908	8 Piece	Metric	£1.91	£1.61
TL1138108	11 Piece	Metric	£2.65	£2.25
TL1138008	8 Piece	Imperial	£1.91	£1.61
TL1138208	11 Piece	Imperial	£2.65	£2.25

### 9 Piece Tamperproof Duratool Torx Kev Set T10, T15, T20, T25, T27, T30, T40, T45 and T50

Supplied in a handy, impact resistant holder which allows easy access to each key

order code TL1041808



## **Folding Ball End Hex Key Set**

- Chamfered ball point end allows user to work at angles up to 25°
- Manufactured from hardened and tempered chrome vanadium steel
- Set contains 1.5, 2, 2.5, 3, 4, 5, 6 and 8mm

5+ order code TL1139208

**DURATOOL** 





**DURATOOL** 

### 11 Piece Combination Duratool **Snanner Set**

- 11 Piece metric combination spanner set in a plastic rack
- Drop forged and chrome plated Sizes include: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and
- · Supplied in a plastic rack

£2.88 order code TL1043408



snanners

- Heat treated chrome vanadium steel with mirrored chrome finish
- Smooth gearless ratchet mechanism with 72 teeth gear ratchet function
- Supplied in a blow moulded carrying case
- Overall length for the range 139mm (8mm) 247mm (19mm)
- Contents: 8, 10, 12, 13, 17 and 19mm

order code TL1125908



495724

**22 Piece Metric and Imperial** 

Manufactured from high quality, chrome vanadium steel which has been correctly hardened and tempered.

The kit contains: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm and ¼", 5/16", ¾", 7/16", ½", 9/16", 5%", 11/16", ¾", 7/8" spanners.



472216

## 5 Piece Offset Ratchet DURATOOL **Spanner Set**

Ideal for getting at hard to reach nuts & bolts

30° offset design helps prevent bruised and scraped nuckles

12 point for maximum surface contact

Sizes: 6x8, 10x12, 11x13, 14x17 and 19x21mm



order code TL1043608

150mm

200mm

250mm

300mm

## 5 Piece Metric Stubby DURATOOL **Snanner Set**

- · 5 piece stubby spanner set in metric sizes
- · Drop forged, heat treated steel and chrome plated for longer life
- Sizes: 10, 12, 13, 17 and 19mm Supplied in a blow moulded case

order code TL1043708

## diustable Wrenches Duratoo

Drop forged, heat treated jaws

· Polished and chrome plated

TL1030908

TL1031008

TL1031108

TL1031208



24mm

30mm

		476688
Vidth	1+	5+
	£1.49	£1.37
	£1.83	£1.70
	£2.32	£2.26
	£3.18	£2.98

## **Wide Opening Adjustable Wrench**

- · Slim head, short handle and low weight make it ideal for plumbers and tradesmen
- Precision-hardened and anti-corrosion treated steel
- · Comfortable, slip-free thermoplastic handle
- . Max. jaw width: 38mm
- Length: 218mm



£13.84 £12.76 order code TL0960908



### 29 Piece 1/4" Socket Set DURATOOI

Manufactured from chrome vanadium steel and supplied in a rigid, blow moulded case. Contents:

• Flank drive sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13mm

· Slotted screwdriver sockets: 4, 4.5, and 7mm . Hex screwdriver sockets: 3, 4, 5, 6 and 8mr

Phillips screwdriver sockets: No. 1, No. 2

Pozidriv screwdriver sockets: PZ 1, PZ 2

Quick release ratchet handle

- Spinner handle
- Universal joint
- Extension bar
- Sliding T-bar

£14.98 £13.90 order code TL0428108

467111

### $\frac{5}{8}$ " & $\frac{1}{4}$ " 40 Piece Socket Set

The kit contains:

**DURATOOL** 

• 1 x 3/8" reversible ratchet handle • 14 x 1/4"drive sockets metric size: 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 11, 12 and 13mm • 14 x 1/4" drive sockets imperial size: 5/32,

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32 and 9/16'

• 3 x 1/4" drive (8 point) sockets imperial size: 1/4, 5/16 and 3/8"

- 1 x 3/8" extension bar
- 1 x 1/4" to 3/8" adaptor
- 1 x 3/8 x 16mm spark plug socket
- 1 x 6" spinner handle 1 x spin disc 1 x 3/8" metric drive socket: 15mm
- 1 x 3/8" imperial drive socket: 5/8" Supplied in blow mould case

order code TL1040908

### **14" & 14" 94 Piece Socket Set**

The kit contains:

• 13 x ¼" metric flank drive sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm

18 x 1/2" drive flank deep sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27 30 and 32mm

8 x Metric flank deep drive sockets: 6, 7, 8, 9, 10. 11. 12 and 13mm 4 x Metric flank deep drive sockets: 14, 15

17 and 19mm

1/4" x 2" extension bar • 1/4" x 4" extension bar • 1/2" x 5" extension bar

1/2" x 10" extension bar • 1/4"drive universal joint • 1/2"drive universal joint

1/4" quick ratchet handle • 1/2" quick ratchet handle

1/2" drive spark plug: 16 & 21mm

Hex key wrenches: 1.5, 2 & 2.5mm • 6" Spinner handle

17 x Bits: Slotted: 4, 5.5 and 7mm. Hex: 3, 4, 5 and 6mm. Phillips: PH1 and PH2. Pozi: PZ1 and PZ2. Torx: T8, T10, T15, T20, T25 and T30

15 x Bits: Regular: 8, 10 and 12mm. Hex: 8, 10, 12 and 14mm. Philips: PH3 and PH4. Pozi: PZ3 and PZ4. Torx: T40. T45. T50 and T55

Bit adaptor • Bit holder • 3 way adaptor

1/4" x 6" Flexible extension • 1/4" drive sliding T bar

479798

497796

DURATOO

£35.86 £33.48 order code TL1041008

### Deen Socket Sets

TL0128608: 8 Piece 1/2" Drive Set Contains: 13, 14, 16, 17, 19, 21, 22,

TL0128708: 11 Piece 3/8" Drive Set Contains: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

5+ £9.71 f8.96

TL0128608 8 Piece 1/2" Drive Set TL0128708 11 Piece 3/8" Drive Set £10.06 £9.33

## 34 Piece ¼" & ¾" Socket Set

- Manufactured from matt chrome-plated vanadium steel
- · Socket quick release system

Contents:

3/8" ratchet handle - 200mm - 3/8" extension bar - 75mm - 3/8" extension bar - 150mm

- 3/8" universal joint - 3/8" spark plug socket -16mm (5%") - 3/8" spark plug socket - 21mm (13/16") - 3/8" x 1/4" bit holder

- 3/8" sockets: 10, 11, 12, 13, 14, 15, 16, 17 18, 19, 20, 22mm - 1/4" spinner handle 150mm - 1/4" x 1/4" bit holder

1/4" slotted bits: 4, 5.5, 7mm 1/4" phillips bits: PH1, PH2, PH3, PH4 - 1/4" hex bits: 3, 4, 5, 6, 7, 8mm



order code TL0959208

## 3 Piece Ratchet Set DURATOO

Spring loaded ball bearings hold sockets and accessories securely

Sizes: 1/4" drive, 3/8 drive, 1/2 drive

order code TL1041508



**24"** x ½" Power Bar

order code TL0159208

497795



Fart Max

480101



Thumb operated blade lock





	Length	Width	Colour	1+	10+	
TL1017308	3m/10ft	13mm	Yellow	£0.87	£0.39	
TL1017408	5m/16ft	19mm	Orange	£1.06	£0.93	
TL1017508	8m/26ft	25mm	Green	£2.47	£0.99	,

### **Tane Measures**

32mm width blade for increased stand out to 3.35m / 11ft. Class 2 accuracy

 Bi-material high impact ABS case with soft touch panels for comfort & grip

 Bladearmour protective thermoplastic coating on the first 6" for protection to the most handled area

Mylar highly protective blade coating - 10 x greater abrasion compared to lacquered blades

3 pin true zero hook for accurate internal/external measuring

 Multi function hook will hook under and above edge Belt Clip

TL1143308 £11.56 £11.05 TI 1143408 8m £14.33 £13.65



	Length	Width	1+	5+	
TL1017008	3m/10ft	16mm	£1.41	£1.25	
TL1017108	5m/16ft	19mm	£1.87	£1.66	ı
TL1017208	8m/26ft	25mm	£2.54	£2.40	İ.
					•



465514 Length TL1017608 20m/33ft £1.95

30m/100ft



### **Wheel Measure**

Tough plastic casing · Folding winder 13mm wide

TI 1017708

### DURATOOL

£2.50

- Calculate the size of large areas without the hassle of measuring tape
- · Perfect for making estimates for remodeling, landscaping fencing and more
- One person operation automatically records measurements as you walk
- · Ideal for builders, farmers, road contractors, councils, schools, real estate and police accident investigations
- The mechanical counting head is a fine digit read out
- 121/2" rubber wheel
- · Counter with reset button measures distances upto

order code TL1045108



### **Hand Tools**

### **Stainless Steel Rulers DURATOO** · Satin finish stainless steel rulers in 3 sizes State State · Conversion chart on reverse 480112

5+ TL1045408 150mm (6") £0.79 £0 68 TL1045508 300mm (12") £1.51 £1.40 TL1045608 600mm (24") £2.49 £2.17

### **Stainless Steel Rulers**





# **Plastic Try Square** · Metric and imperial markings · Carbon steel blade • 150mm in length 480244

### **Rosewood Square** DURATOOL

order code TL1193508

- Solid redwood handle
- Brass face and fasteners
- · Durable laser etched blade
- 1/16" graduations



order code TL1046608

All Prices Exclude VAT

### **7**½" Rosewood **Sliding Bevel**

- Hardwood handle
- Etched stainless steel sliding blade
- · Blade length 9"



order code TL1046508

DURATOOL

DURATOOL

### **Combination Square**

- Engraved stainless steel ruler
- Extra strong metal body
- Integrated spirit level
- At least 10 different uses with scriber and level
- Length 300mm (12")



1+ order code TL1045708 480424



- Multi-purpose folding ruler supplied in a pouch
- Designed and used for setting out and obtaining right angle measurements

order code TL1045808





- · Torpedo level with magnetic slide
- Ideal for the tool box

£1.99 £1.25 order code TL1046008 471267

### 250mm Scaffolders Level



1+ 5+ **£3.99 £3.68** order code TL1149308 497970

## Torpedo Magnetic Level STRONG HAN

Strong magnets allow this level to secure attach to any metal surface, leaving your hands free to work.

- 3 vial design for accurate 0°, 45° and 90° levelling
   V Groove on
- one side for pipe and conduit work

  Robust solid anodised
- aluminium body
- Velcro strap allows the level to be easily attached to non-magnetic surfaces
- . Compact size fits easily into tool pouch (178mm)

£16.02 £14.87 order code TL1108608

479645



TL0934308 1200mm (48") £3.6	9	£2.19	600mm (24")	TL0934108
	3	£3.13	900mm (36")	TL0934208
TI 0934408 1800mm (72") £5.0	9	£3.69	1200mm (48")	TL0934308
100011111 (72 )	0	£5.00	1800mm (72")	TL0934408

### **Snirit Levels**

• 2 x stronger than a standard box level

3 easy view tubular vials

Accurate to 1mm/1m



### **Post Level**

TL1142708

TL1142808

TL1142908

- 3 Vials measure horizontal and vertically
- Inner body has 4 magnets, suitable for metal fence post

600mm

1200mm

1800mm

 2 Hooks on outer body for use with elasticated strap (supplied)

Dimensions (LxW): 125 x 80mm

£1.87 £1.61 order code TL1148908



£19.19 £17.84

### STABILA Spirit Levels

- Suitable for brick working and all site work
- Extra strong box-section frame with precision milled workface
- 1 x horizontal and 2 x vertical vials



	Length (cm)	Length (")	1+	5+
TL0947208	60	24	£20.53	£19.79
TL0947508	120	48	£28.76	£27.01

### **Stud Sensor** IntelliSensor<sup>TM</sup> Pro

- Reads multiple depths of both wood and metal for outstanding versatility - 1/2", 1", 11/2'
- Multimode LED panel ensures accurate depth indication
- · Continuous live wire detection for safety
- New, quick-response ASIC technology improves
- Large LCD screen with patented graphics offers accurate visual detection
- · Audible sound feature when locating studs
- . High-impact ABS case built for strength and durability
- Soft-touch felt strips protect surfaces
- · Requires 1 x 9V Battery (not supplied)

### STANLEY

De De De

451430

### IntelliMeasure<sup>TM</sup>

**Illtrasonic Distance Estimator** 

- Allows one person to measure up to 12m/40ft without assistance
- Accurate measurements you can rely on: +/- 0.5%
- Intuitively designed toggle button features three
- measuring modes: length, area, and volume LCD always displays last 3 measurements for quick
- reference Choose between English or Metric modes
- Large, easy-to-read LCD screen
- Automatically calculates area and volume Manual addition mode for specialised calculations
- Solid ABS case for durability
- Requires 1 x 9V battery (not supplied)

order code TL1080108



462877

A BOSCH

4298

### **Sensor and Laser**

- Generates manual levelling laser beam & detects studs, joists or LIVE wires. Multi depth - max depth 38mm
- · Additional wall mountable laser pod supplied to set plumb or angles Easy to read back lit graphic display
- screen & warning buzzer · Automatic calibration. Automatic shut off for longer battery life
- Heavy duty ABS construction



STANLEY

### **Metal Detector**

A BOSCH

### Model: DMF10 ZOOM

- · Professional quality multi-detector for various metals Detects steel, steel reinforcement, non-ferrous metal, studs, electric wirings
- Autocalibration for metal detection
- Optional acoustic signal
- Zoom mode for precise location
- . LED on marking hole red for stop and green for proceed

100m

80mm

- Auto switch-off
- Soft grip edging for protection against knocks
- Dimensions: 30x84x203mm
- · Weight: 0.24kg

### Technical Data

Detection Depth:

Iron Copper Copper Wires Wooden Substructures

Lateral Resolution +/- 5mm 9V (supplied) Battery

order code TL1071708



# **Laser Range Finder**

- Pocket sized, professional quality laser measuring tool
- Obtains measurements much faster than with mechanical methods
- Measures lengths, areas and volumes
- Dust and splash protection
- Auto switch-off
- Memory buttons addition, subtraction and recall
- Permanent pointer mode
- Single measurement mode
- Soft grip housing for protection against knocks
- Tripod mount
- Dimensions: 100x58x32mm
- Weight: 0.25kg

### Technical Data

Laser Class 0.05m - 50m Range Accuracy +/-5%

Measurement Time 0.5sec - 4sec 4 x AAA (supplied) Battery

462878

order code TL1071608

**Make CPC your** website! w.cpc.co.uk



## Laser Level with Tripod DURATOOL

- Cross point beam
- Built in spirit level
- Class 2 laser: output < 1MW
- · Accurate to within ±0.5mm/m Requires 2 x 1.5V AAA batteries (not
- · Approximate range: 10m
- · Supplied in an aluminium case with 200mm



order code TL1029108

### **Self-Levelling Laser Plumb Bob**

. This self-levelling laser plumb bob creates an

accurate, highly visible plumb reference instantly · Ideal for stud plumbing and alignment, ceiling joist and rafter alignment, establishing diagonals and footings for decks and patios, aligning and plumbing pipe or conduit, transferring points from floor to ceiling fixture installation and alignment etc.

Unique, magnetically dampened self-levelling system settles plumb bob up to 20 times faster than conventional methods

Magnetic base

IP54 rating, dustproof and waterproof

Supplied with 3 x AA batteries and carrying case

Technical Data Working Distance

100ft Levelling Accuracy Levelling Type +/- 1/8" @ 50ft (Up), +/- 1/4" @ 50ft

Pendulum +/- 5 Laser Diode 635 - 670nm 2M/3R Laser Class

order code TL1079408



STANLEY

497946

497978

### **Self-Levelling Laser Line Level** CLL



- · Heavy duty magnetic damping compensator for rapid and stable levelling
- "Out-of-true" function alerts user when tool is outside +/- 4°
- · Single button operation
- Laser cross-hair can be locked
- · Supplied with 3m extendable pole and mounting bracket

order code TL1079608



STANLEY

# **Self Leveling Crosslit Laser**

### Model: SW-113X

- · Automatic 360° rotation with 270° laser projection
- Solid laser line with no flicker effect.
- · 3 Function switch allows user to choose single horizontal, single vertical or intersecting cross laser lines
- · Additional backing plate, top slots and hook & loop strap for attaching to posts, hanging from rails and pinning to rough uneven surfaces
- · Auto levelling mechanism ensures accuracy

Laser Range + / - 0.84mm/m° Accuracy 360° Laser Rotation Laser Projection 270° 4 x 1.5V AA Battery Type 498009



### **Self - Leveling Line Laser** Horizontal & Vertical Model: DW087K-XJ

- Self-levelling cross line laser is accurate to ±0.3 mm/m
- Self-Levelling up to 4° surface angle with automatic out of level indication
- 2-button operation & low battery indication Built-in magnetic pivot bracket
- Over moulded housing helps maintain calibration under jobsite conditions
- Includes 3 (AA) batteries for 20+ hours runtime Contents: 3 x AA alkaline batteries, 1 x Wall mount bracket, 1 x Heavy duty carrying case

### Technical Data

2 < 1mW Laser class Line Accuracy +/- 0.3 mm/m Number of Beams 15 m + / -4° Indoor Visibility range Self - Leveling range

### Crossed Line Laser

- Self-levelling horizontal and vertical pendulum line laser
- High visibility of the laser lines with a working range of 10m
- Vertical, horizontal, and cross-line mode
- Easy handling due to single-handed operation
- Robust design with softgrip covering protects against knocks

Technical Data Laser Class

Accuracy Laser Diodes Dimensions (L x W x H mm) 0.3mm / m° 635 nm 118 x 57 x 89

498002



A BOSCH





without damaging hole threads

vanadium steel Comes complete with plastic

storage case Contains sizes: 3-6mm 1/8 -1/4", 6-8mm 1/4" - 5/16", 8-11mm 5/16" - 7/16", 11-14mm 7/16" - 9/16" and 14-19mm 9/16" - 3/4"

**3 Piece Sten** 

1 x 4-12mm nine step bit

1 x 4-20mm nine step bit

1 x 4-30mm fourteen step bit

Drop forged, high speed steel

**Drill Bit Set** 

Set contains:



**DURATOOL** 

order code TL1037208

### **40 Piece Tan** and Die Set

· National coarse, national fine and pipe combination thread

The kit contains:

. One tap and one die of the following sizes: 3 x 0.5, 3 x 0.6, 4 x 0.7, 4 x 0.75, 5 x 0.8, 5 x 0.9, 6 x 1.0, 6 x 0.75, 7 x 1.0, 7 x 0.75, 8 x 1.25, 8 x 1.0, 10 x 1.25, 10 x 1.5, 12 x 1.75, 12 x 1.5 and 1/8NPT . 1 x Long handle adjustable tap

wrench 1 x "T" handle tap wrench

- 1 x Die handle
- 1 x Flat screwdriver
- 1 x Screwpitch gauge
- Supplied in blow moulded case

<u>£9.99</u> order code TL1040308

**Re-Threading Tool** 

### DURATOOL



£15.58 £15.24 order code TL1051208



## 16 Piece Mechanics DURATOO! **Punch and Chisel** Set

(CK)

467090

For cleaning and recutting damaged or badly formed threads in socket boxes · Manufactured from high speed steel and

precision ground for a clean cut

Impact resistant handle

Blade Length: 50mm



All Prices Exclude VAT

0.7mm



· Heat treated steel The set contains: 5 Pin Punches

5 Taper Punches 3 Cold Chisels

2 Centre Punches

1 x Chisel Punch

£8.60

order code TL1036508

497959

TL1165308



















### Platform Steps 1997 Youngman



- · Ideal for light trade use or the home user
- · Deep comfortable steps
- Sturdy platform
- · Lightweight and easily carried
- · Safety straps on the 6 and 8 tread versions
- BS EN131 approval



Onen Height (Platform)

		open neight (i i	atioiiii)
SI1519708	3 Tread	0.57m	£19.98
SI1519808	4 Tread	0.78m	£17.44
SI1519908	6 Tread	1.22m	£24.41
SI1520008	8 Tread	1.64m	£39.94

# **Multi-Purpose**

An extremely versatile, four-section ladder manufactured from strong, yet lightweight aluminium. The ladder can be used in up to nine configurations including straight ladder, double-sided stepladder, stairway ladder and platform.

- Lightweight design
  BS EN131 trade approved

Technical Data Closed Height 0.95m Extended Height 3 46m Step Height 1.70m 12.0Ka Weight



### **Builders Sten** Ladders

- · Industrial standard swing-back step
- · Strong aluminium frame
- · Large non-slip treads provide excellent stability and safety
- BS 2037 Class 1 Industrial rating



SI1502208	6 Tread	1.27m	£57.85
SI1502308	8 Tread	1.69m	£69.95
SI1502408	10 Tread	2.10m	£79.90

# **3-Way Combination**



DIY and light trade applications Lightweight and versatile, quickly adapting to different modes

- Can be used as leaning ladder, step ladder and stairway ladder modes
- Easily transported and stored
- Comprises of 2 sections with 6+6 rungs
- Built to BS EN131 approval

Technical Data

Closed Extended Height Height 1 70m 2 48m

1 60m

Step Mode

Height



Youngman

### **Heavy Trade Fibreglass Steps**

- · A robust, non-conductive glass fibre range of step ladders for use where there may be risk of electrical hazards
- Solid and reliable for regular use
- · Wider tread spacing for faster, easier access
- Integral tool rack
- Slip-resistant treads and feet
- · Braces for extra rigidity Non-conductive to 30,000V
- · BS EN131 approval



Youngman

Open Height (Platform)

$\overline{}$			
SI1520308	8	2.20m	£73.87
SI1520208	6	1.65m	£61.51
SI1520108	4	1.00m	£57.41

All Prices Exclude VAT

### **Trade Extension** Ladders

- · High performance box-section alloy
- Interlock clip locks sections together for safe use and transport
- BS EN131 approval



2 Section Ladders	Closed Height	Extended Height	
SI1520408	2.5m	3.95m	£58.98
SI1520508	3.08m	5.11m	£66.49
SI1520608	3.66m	6.27m	£85.49
3 Section Ladders			
SI1520808	2.5m	5.57m	£92.99

# 1400W Pressure Washer Duratool

- Induction motor
- Automatic stop system
- On-board accessory storage
- · Built-in soap/detergent tank

Supplied with lance and 5m high-pressure hose

#### **Technical Data**

Pressure (Max) 160 Bar Pressure (Operating) 90 Bar Max. Flow Rate 384 l/hr

479665

order code TL1002208



#### 550W Wet & Dry Vacuum RYOBI Model: FWD-5570 Powerful blower function Tools and hoses stored inside body 6m cord wraps around the body for easy storage Supplied with 2m hose, 3 x extension wands, crevice tool and squeegee 2 year manufacturer's warranty Technical Data Tank Capacity 71 462673 order code TL1098108

## **110 Bar 1400W Pressure Washer**

Model: C110 2-5 XTRA

- Automatic start /stop system
- · Aluminium pump head 5m High pressure hose
- · 2 Year Manufacturer's Warranty

#### Technical Data

Max. Pressure 110har Max. Flow Rate 440l/s Hose Length 5m Motor Power 1400\\ Voltage 240\/



ALTO

476046



- Two big wheels in the back and a castor in front makes the machine very stable
- New fleece filter bag material allows you to pick up moist material without ruining the filter bag
- Built in accessory holder provides storage for your accessories

Contents: 1 x Floor, Brush and universal nozzles

#### Technical Data Air Flow

3600 ltr / min Capacity 151 Hose Length 1 9m Lead Length 5m Working Sound Level 67dB Power Rating 1300 1300W

order code \$11533408

Filter Bags (Pk 5) £4.10

479676

## **120 Bar 1700W Pressure Washer**

Model: C120 1-10 XTRA

- Automatic start /stop system
- · Aluminium pump head . 10m High pressure hose
- 2 Year Manufacturer's Warranty
- · Supplied with 1 x lance, 1 x detergent bottle,
- 1 x 10m hose, trolley and wheels

Technical Data Max. Pressure

120bar Max. Flow Rate 440I/s

order code \$11532608



#### **27 Litre Dust Extractor** Model: D27900-GB

· Wet and dry

- Built-in power socket allows power tool connection to the vacuum system
- · Built in float switch for use when extracting liquids Contents: 1 x 4 m x 35 mm extraction hose, 1 x 35 mm stepped adapter, 1 x Crevice tool, 1 x Dust bag



1200W Power Input Capacity 271 Wet/Dry Capacity

497983



#### 14NA Arc Welder

Model: MODERNA 150 AC A portable air-cooled 230v 1ph AC stick welding package for light duty DIY & repair. Includes accessories. Electrode holder, earth clamp, mask, brush/hammer and user instructions

#### Technical Data

Absorbed Power Mains Fuse Max No Load Voltage in AC Current Range in AC D. Useable Electrodes in AC



TELWIN

479679

TELW/IN

order code \$11537108

# 100 MIG Welder

Model: TELMIG 100

Highly portable 230v 1ph mig welder with Step-less current control. Complete package, which includes MIG torch work return clamp & selected accessories, Ideal for DIY and light duty repair applications. Includes Earth clamp, Mig Torch, Work return clamp, Mini Gas and mini wire

#### Technical Data

Max Absorbed Power Mains Fuse Current Range in DC Max Current in DC EN60974-1 Adjustment Positions Steel Welding Wire Diameter

Aluminium Welding Wire Diameter

2,5 kW 10A 55 - 100 A 80 @ 10% 4 nr 0.6 - 0.8 mm 0.8 mm

497568

TELINIH

#### 190A Arc Welder

Model: NORDICA 4,220 Economy-duty MMA 1ph welders for AC stick welding. 190A max output. Includes accessories. Electrode holder. earth clamp, mask, brush/hammer, user instructions

# **Technical Data**

Absorbed Power Max No Load Voltage in AC Current Range in AC D. Useable Electrodes in AC



498014

2 - 4 mm

These gloves are fully lined and provide a high level of comfort and protection



order code \$11539908

## **Welding Rods**



applications including sheet-metalwork and general light applications including sheet-inclaimed and graph fabrication. Will operate on AC or DC reverse polarity current.

	Diameter
SI1539308	2.5mm
SI1539408	3.2mm
SI1539508	4.0mm
311333300	4.011111

£4.12

order code SI1537308

# **80A Inverter 7**

Model: TECNICA 114 Portable 1ph fan cooled inverter welder for MMA & TIG in DC with scratch striking. 80A max output. Kit includes accessories: Electrode holder, earth clamp, mask, and brush/hammer and user instructions

#### Technical Data

Absorbed Power Absorbed Power AT 60% Max Absorbed Current Absorbed Current at 60% Mains Fuse Current Range in DC DC Current at 60% D. Useable Electrodes in DC 2.8 kW 15 kW 16A 10A 5 - 85 A 60 A 1.6 - 2.5 mm

495746

110



#### 3-in-1 Staple Gun

- · Heavy duty 3-in-1 staple gun Impact pressure adjustment
- Handle lock
- · Contents: 3-in-1 heavy duty staple gun, 200x8mm staples, 200x12mm u-shaped staples, 200x10mm nails
- Uses: 140-type staples, 180-type nails and CT45 U-staples

#### **Technical Data**

Nail Length Capacity 10-14mm Staple Length Capacity 4-14mm U-shaped Staple Length Capacity 10-12mm 0.54ka Weight

order code TL1043208





462671

## **Hand Tacker**

#### Model: Z1-53

- · Lightweight die-cast hand tacker Ideal for DIY, upholstery, trellises,
- panelling, displays etc.
- Incorporates Consistent Curve Technology
- Lock-down handle
- · Uses 53-type staples in 6mm and 8mm sizes
- · Weight: 0.25kg



Staples (Pks of 2	000)	1+	5+
TL0310308	6mm	£1.88	£1.75
TL0310408	8mm	£2.03	£1.86

## Cable Tacker TACKET



Model: Z3-CT45

- Metal die cast, insulated professional cable tacker
- The preferred tool for securing low voltage cables up to 4.5mm diameter
- Also suitable for wire fencing etc.
- Adjustable driving force
- Lock-down handle
- Uses CT45 staples in 8mm and 10mm sizes Length: 185mm
- Weight: 0.4kg



480211

Staples (Pks of 5000)		1+	5+
TL1020008	8mm	£6.29	£5.89
TL1020108	10mm	£6.74	£6.30
TL1020208	10mm (White)	£7.63	£7.14

#### **3-in-1 Hand Tacker TACKISS**

#### Model: Z3-140

- · Ideal for wiring, carpet fitting and upholsterv
- Metal die-cast hand tacker incorporating Consistent Curve Technology
- Unique margin edge adjuster
- Stainless steel belt hanger
- Handle lock-down
- Uses 140-type staples and 180-type nails and pins (15mm only)

#### Technical Data

Nail Length Capacity Staple Length Capacity Load Capacity Weight

6-14mm 140 Staples 0.9ka

497913

# order code TL1026108

Staples			
TL0313708	6mm	5000	£4.92
TL0313808	8mm	5000	£5.25
TL0313908	10mm	5000	£5.86
TL0314008	12mm	5000	£6.24
TL1026208	14mm	5000	£6.73
Headless Pins			
TI 102C200	1 F ma ma	2000	CE OF

# T72 Wire & Cable 📨

Recommended for installing twin & earth, twin satellite, multi alarm/telephone cables.

- Speeds securing of domestic cable runs
- 12mm clips fit 2.5mm2 twin and earth cable
- 15mm clips for 6mm2 twin and earth cable
- Removable wire guide
- Simple reloading



order code TL1194308

	Size (mm)	Pack qty.	1+	5+
TL1194408	5 x 12mm	300	£7.54	<b>£7.05</b>
TL1194508	9 x 15mm	300	<i>51.</i> 07	<i>51.</i> 00

# **Always fresh!**

Over 500 new products added every month!

All Prices Exclude VAT

497730

#### **6V Cordless** DURATOOL Screwdriver Ideal for DIY · Forward/reverse for easy screwdriving and screw MARKETAL removal Fragonomic design

Supplied with 11 screwdriver bits

. Requires 4x AA batteries

#### Technical Data

Voltage No Load Speed Weight

4 8V 150rnm 0.2kg

order code TL1121108

#### 3.6V 3 Position Screwdriver

Model: DC600KA-GB

· 3 position locking pivot allows easy access to the tightest of working spaces

2 speed control and 8 torque settings

Pistol grip, soft grip handle and a rapid actuation switch for superior ergonomics and maximum user control

Quick release magnetic collet

All metal gearbox, metal gearcase and robust xenoy tool housing, tough enough for the professional worknlace

LED light operated by an independent switch for visibility in tight working spaces

Supplied with 1 hour charger, 2 batteries, screwdriver bit, heavy-duty carrying case

480125

order code TL0899108

# **4.8V Rechargeable** Screwdriver

- · Ideal for DIY and light rade use
- · Forward/reverse for easy screwdriving and screw removal · Ergonomic design
- · Supplied with mains charger, bit adaptor, 23 screwdriver bits and blow moulded carry case

£8.45 order code TL1121208 **DURATOOL** 

474164



@ BOSCH

#### Model: IXO 11

· Forward and reverse screwdriving with LED indicator

3.6V Cordless

Screwdriver

- · Front power light for better visibility
- · 2 finger trigger Battery charger
- doubles as a useful toolholder · Supplied with 5 hour charger (with magnetic bit holder), selection of 12
- screwdriver hits 2 year manufacturer's warranty

462650

# **7.2V Dual Position Screwdriver and Drill**

Model:DW920K

- Hinged handle with position lock for two grip positions (in-line and pistol grip)
- 15 position adjustable torque control
- · Variable speed and reverse switches for added versatility
- Electronic brake for increased control Heavy-duty quick release chuck
- Accepts all standard 6.35mm Hex. screwdriver bits
- Includes: 1 hour charger, 1 x battery and heavy-duty

A BOSCH

478001

# 10.8V Cordless

Model: GSR 10.8VLI

- Sturdy gearing with spindle lock
- 10 clutch settings plus one drilling mode
- LED light for better visibility Soft grip assures easy
- handling and optimal ergonomic balance
- 70% of battery can be charged in 15 mins Supplied with charger,
- 2 x batteries and soft carry case

· 3 year manufacturer's warranty

Screwdriver

TI 0981408 £67.95 TI 0968308 Screwdriver + 2 Batt + Case £92.95





#### Cordless Angle Driver 📵 Bosch **GWI 10.8V Li**

- · Particularly versatile in tight spaces and hard to reach areas
- 5 head position settings
- Very compact: 9.5cm adjustable head
- Very light only 1.1kg
- Supplied with 2 x 1.3Ah Li-on batteries, quick charger, 2x screwdriver bits and carry case



Battery Capacity: 1.3Ah; No Load Speed: 585rpm; Capacity: Screwdriving5mm; Capacity: Drilling wood10mm; Capacity: Drilling steel8mm; Weight: 1.1kg

466728

#### 12V Drill/Driver

Model: CCD-1201

- Ideal for industrial and trade use 24 torque settings
- Variable speed, forward, reverse and brake
- Spirit levels for accuracy On-board bit storage for convenience
- Soft touch, non-slip coating
- Supplied with 2 x batteries, 3 hour charger, 2 x double-ended screwdriver bits and heavy duty carry case
- 2 year manufacturer's warranty

Battery Capacity: 1.3Ah: Chuck Size: 10mm: No. Load Speed: 600rpm; Max.Torque: 10 N-m; Drilling CapacityØ: Wood 20mm, Steel 10mm; Weight: 1.5kg

480128

£33.69 order code TL1063508

#### **10.8V Impact Driver**

Model: GDRI 10.8V-LI

- 100Nm of torque without kickback
- Optimised ventilation for effective heat management
- Spindle lock system
- · Durashield housing survives 2m drop onto concrete
- Optimised battery lifetime: ECP, no memory effort & low self-discharge
- · Integrated 3-spot LED light automatically illuminates whilst drilling

Contents: Bag, holster, 2 x Li-ion batteries & charger

BOSCH

Chuck: 1/4"; No Load Speed: 1800rpm; Max Torque: 10N-m; Max Impact Rate: 3000BPM: Weight: 1kg

480127

Model: DC740KA-GB

· 14 position adjustable torque control for consistent screwdriving

- 2 speed settings, variable speed and reverse switch for maximum control Single sleeve chuck and spindle lock for one-
- handed bit changes
- Supplied with 1 hour charger, 2 x batteries and heavy-duty carrying case

Battery Capacity: 1.3Ah; Chuck Size: 10mm; No Load Speed: 1200rpm; Max.Torque: 20 N-m; Drilling CapacityØ: Wood 25mm, Steel 10mm; Weight: 1.6kg



# @ BOSCH

Model: GSR 9.6 - 2

- · Compact and handy for working in tight spaces
- High-grade planetary gears
- Dustproof switch system between 1st and 2nd gear
- . Fully functional even after a 2-m drop onto concrete
- . 15 torque settings + drill setting
- · Run-out brake

1 x Charger, 2 x 1.5 Ah NiCd batteries, Carrying case

Battery Capacity: 1.5Ah; Max.Torque: 24N-mCapacity drilling: : Wood 20mm, Steel 10mm; Weight: 1.5kg

498032

#### **12V Drill/Driver**

Model: GSR 12-23

- · Professional, high quality tool offering power and performance
- 25 Torque settings
- 2 Speed settings
- Improved air cooling of motor for longer life
- Screwdriver bit holder
- Supplied with 3 x batteries, 1 hour charger and heavy duty carry case

Battery Capacity: 1.5Ah; Chuck Size: 13 mm; No Load Speed: 1200rpm; Max.Torque: 27 N-m; Drilling CapacityØ: Wood 23mm, Steel 12mm



481776

#### 12V Drill/Driver 📵 BOSCH

Model: GSR 12V

- · Powerful high-torque motor with high speed for fast work progress
- · Drive a high number of screws per battery charge due to efficient motor/gearbox coordination
- Extremely robust thanks to the "Dura Shield" housing
- · Compact design for working in tight spaces
- · Quick change chuck with Auto-Lock

· 20 torque settings

Contents: 1 x Charger, 2 x 2.0 Ah NiCd batteries, Carrying case

Battery Canacity: 2.0Ah, Ni Cd: Chuck Size: 13 mm: No Load Speed: 1400rpm; Max. Torque: 36 N-m; Drilling CapacityØ : Wood 28mm, Steel13mm; Weight: 1.90kg

£96.25 order code TL1197308

#### 14.4V 13mm Drill/Driver Deward

Model: DC757KA-GB

- · Compact, lightweight design 17 position adjustable torque
- 2 speed settings
- Ergonomically designed trigger and rubber arip

Fan cooled motor for maximum power and durability

Supplied with 1 hour charger, 2 batteries, heavy-duty carrying case

Battery Capacity: 2 x 2.0Ah Ni-Cd; No Load Speed 0-400/0-1400; Max. Torque: 40 N-m; Drilling CapacityØ: Wood 35mm Steel 13mm; Overall Length: 225mm; Weight: 4.7kg

order code TL0883208

476686

#### 14.4V Drill/Driver @ BOSCH

Model: PSR 14.4 2 BAT

- Powerful 14.4V 2 speed for more
- torque and speed · Optimal torque for every application
- Keyless chuck with 'click sound' The 'click
- tells it is tight Integrated LED power light assists in low-light

conditions Contents: 1 x Carrying case, 1-hour charger, 2 batteries

Battery Capacity: 1.5Ah; No Load Speed: 0-1250rpm; Max. Torque: 36 N-m; Drilling CapacityØ :Wood 35mm, Steel10mm; Weight: 1.75kg

order code TL1186108



479532

#### 8V Drill/Driver DURATOOL

Model: D00013

- · Ideal for light trade applications
- 16 Torque settings
- Forward and reverse action
- Built-in bit holder
- Supplied with battery, charger, 6 drill bits, 6 screwdriver bits, bit adaptor and blow moulded carry case

Battery Capacity: 1.2Ah; Chuck Size: 10mm; No Load Speed: 900rpm; Max. Torque: 10 N-m; Drilling CapacityØ: Wood 16mm Steel 6mm

order code TL1018208

448203

TI 1018308 Spare Battery £4.96 TL1018408 Spare Charger £4.42

#### Heavy Duty 14.4V 📵 BOSCH Drill/Driver

Model: GSR 14.4VC

- · New2-speed planetary gears with metal gear wheels
- Compact design for working in tight spaces
- · Quick change chuck with Auto-Lock
- 20 torque settings
- Run-out brake

Contents: 1 x Charger, 2 x 2.0 Ah NiCd batteries, Carrying case

Battery Capacity: 2.0Ah, Ni Cd; Chuck Size 13 mm; No Load Speed: 1400rpm; Max. Torque: 42 N-m; Drilling CapacityØ: Wood 35mm Steel 13mm; Weight: 2.0kg

order code TL1197508



498034

@ BOSCH

Model: GSR 18VE2N, GSR 18V

- . High torques of up to 80 Nm · 2-speed planetary gearbox with solid metal gears
- . Fully functional after a 2-m drop onto concrete
- thanks to the "Dura Shield" housing
- 15 torque settings + drill setting
- Carbon brushes can be changed externally Forward/reverse rotation
- Run-out brake

Contents: 1 x Charger, 2 x 2.6 Ah NiMH batteries, Carrying case, Auxiliary handle

Battery Capacity: 2.0 Ah, Ni Cd; Chuck Size: 13 mm; No Load Speed: 1450 rpm; Max. Torque: 48 N-m; Drilling CapacityØ: Wood 36mm Steel 13mm





#### 12V Combi Drill @ BOSCH

Model: GSB 12VE2

· High precision torque settings

- . 5 metals planets on first gear for strength and versatility
- Unrivalled torque: upto 15% more powerful through newly developed gearbox
- World's first air-cooled geartrain with 5 metal planets on first step Heavy Duty batteries with cooling sticks for long battery
- lifetime Fully functional after 2m drop on concrete

Contents: 1 x Charger, 2 x 2.6 Ah Ni MH batteries. Carrying case

Battery Capacity: 2.6AhNi MH; Chuck Size: 13 mm; No Load Speed: 1850rpm: Hammer: Yes: Max. Torque: : Drilling Capacity@: Masonry 13mm. Wood 35mm, Steel 13mm; Weight; 2.7kg

482270

order code TL1197808

Model: DC945KB-GB

- · Powerful tool for heavy duty applications
- 22 Position adjustable torque settings
- · 3 Speed settings for optimum performance
- Self-tightening chuck
- Supplied with 2 x batteries, 1 x 30 minute charger and heavy duty carrying case

Battery Capacity: 2.6AhNi-MH; Chuck Size: 13mm; No Load Speed: 0-450 / 0-1450 / 0-1800rpm; Hammer: Yes; Max. Torque: 48N-m; Drilling CapacityØ: Wood 38mm, Steel 13mm, Masonry 12mm; Weight: 2.4kg



451469

#### 14.4V Combi Drill DEWAL

Model: DC935KB-GB

- 22 position adjustable torque settings
- 3 speed settings
- Self-tightening chuck
- Electronic brake for added control
- Supplied with 2 x batteries, 1 x 30 minute charger and heavy duty carrying case

Battery Capacity: 2.6Ah, Ni-MH; Chuck Size: 13mm; No Load Speed: 0-450 / 0-1450 / 0-1800rpm: Hammer: Yes: Max.Torque: 50 N-m: Drilling CapacityØ: Wood 45mm, Steel 13mm, Masonry 14mm; Weight; 2.5kg



465577

#### A BOSCH

Model: GSB 14.4VE2

- · High precision torque settings for every screw diameter: 1-20 small screws, 21-25 large screws
- · 5 metals planets on first gear for strength and versatility Unrivalled torque: upto 15% more powerful through newly
- developed gearbox World's first air-cooled geartrain with 5 metal planets on first step
- Heavy Duty batteries with cooling sticks for long battery lifetime
- Robustness: fully functional after 2m drop on concrete Contents: 1 x Charger, 2 x 2.6 Ah Ni MH batteries, Carrying case



482273

## 14.4V impact Drill 📵 Bosch

Model: PSB 14.4VI

- · Powerful hammer action for drilling masonry
- Rotary action for metal, wood and tile 5 torque settings
- · Quick, one-handed tool changes with
- 'Auto Lock' chuck Supplied with 1 hour charger, 2 batteries,
- double-ended screwdriver bit, carry case
- 2 year manufacturer's warranty



Battery Capacity: 1.5Ah, Ni-Cd; Chuck Size: 10mm; No Load Speed: 2100 rpm; Max. Torque: 5.4 N-m; Drilling CapacityØ: Wood 20mm, Steel 10mm, Masonry 10mm; Weight: 2.2kg

476694

#### ROCKWORTH

#### Model: ARCD18-H

- · Ideal for trade use
- 16 torque settings
- 2 speed gearbox
- Variable speed control
- Forward and reverse action
- Magnetic bit/screw holder
- Soft grip for comfort
- battery, 1 hour charger,

Supplied with

- bit adaptor, 6 x drill bits. 6 x screwdriver bits.
- 1 x double-ended screwdriver
- bit and a blow mould carry case

Battery Capacity: 1.2Ah; Chuck Size: 10mm; No Load Speed: 1200rpm; Hammer: Yes; Max.Torque: 30N-m; Drilling CapacityØ: Wood 22mm, Steel 8mm, Masonry 12mm; Weight: 2.04kg

order code TL1076808



## **18V Hammer Drill/Driver**

**ONE+ Series** 

Model: CHI-1802M 24 torque settings and 2 gear ranges

- · Automatic spindle lock for one handed bit
- . On-board bit storage for added convenience
- Compatible with ONE+ Series batteries and chargers

Contents: 2 x 18V Batteries, 1 x Hex adaptor, 1 x Depth stop, 1 x Auxiliary handle

Chuck Size: 13 mm; No Load Speed: 0-400 / 0-1600rpm; Hammer: Yes; Max.Torque: 37 N-m; Drilling CapacityØ : Wood 32mm, Steel 13mm, Masonry 13mm; Weight: 1.6kg



All other Ryobi tools on this page work with these hatteries

order code TL1183308

# ale Drill

#### **Bare Unit**

Model: CAP-1801M

- . 180° rotating base for ease of access to awkward areas
- . Compatible with ONE+ Series batteries and chargers
- Supplied with 2 x double-ended screwdriver bits and plug-in lanyard
- · 2 year manufacturer's warranty Battery not supplied

497936

Chuck Size: 10mm: No Load Speed: 0-400 / 0-1000rpm; Drilling CapacityØ: Wood 38mm, Steel 6mm; Weight: 1.4kg

# **Bare Unit**

Model: CDC-181M

- 24 torque settings
- · Compatible with ONE+ Series batteries and chargers
- · Supplied with 2 x double-ended screwdriver bits and plug-in lanyard
- · 2 year manufacturer's warranty

Battery not supplied

order code TL1014908



Chuck Size: 10mm; No Load Speed: 0-400 / 0-650rpm; Max.Torque: 16 N-m: Drilling CapacityØ : Wood 32mm, Steel 10mm; Weight: 1.1kg

#### **18V Impact Driver Bare Unit**

Model: BID-1801M in dimly lit areas

- Built-in LFD job light for working
- Compatible with ONF+ Series hatteries and chargers
  - Supplied with 2 x driver bits and plug-in lanyard

2 year manufacturer's warranty Battery not supplied

497935

order code TL1062208

Tool Holder: 1/4" Hex No Load Speed: 2400rpm; Impact Rate: 3000BPM; Max.Torque: 135 N-m; Screw Diameter: M14: Weight: 1.4kg

#### **18V Cordless FM Radio Bare Unit** ROYS

Model: CRA-180M

- · Auxiliary jack -compatible with MP3, CD players, etc
- Compatible with the ONE+ Series hatteries

Contents: 3.5 mm Auxiliary cable Battery not supplied



498008

order code TL1184308

Speaker Output: 3W: Speaker Diameter: 90 mm; Frequency: 87.5 108FM MHz: Weight: 0.52kg

## **18V 4½" Cordless Angle Grinder**

Bare Unit

Model: CAG-180M

- 270° rotating base for access to awkward areas
- Compatible with the ONF+ Series batteries Contents: 1 x Grinding

wheel, 1 x Wheel guard, 1 x Wrench, 1 x Auxiliary handle Battery not supplied

order code TL1184108

Grinding Wheel Size: 115mm; No Load

498281

Speed: 6500rpm: Bore Size: 15.9mm; Spindle Size: M14; Weight: 2.2kg

#### **18V Caulking Gun Bare Unit**

Model: CCG-1801M

- 200+ tubes of latex per charged battery
- On-board puncture tool to break tube seals
- Compatible with ONE+ Series batteries and chargers
- No Load Speed: 5.5mm/s (High), 1mm/s (Low); Max.Output Force: 239kg; Tube Capacity: 310ml; Weight: 1.7kg
  - · Supplied with plug-in lanyard 2 year manufacturer's warranty

Battery not supplied







#### **18V Flashlight** Ryoal **Bare Unit**

Model: CFP-180SM

- · Features 180° rotating head for setting the most convenient angle
- Compatible with ONE+ Series batteries and chargers
- · Supplied with 2 x lamps and plug-in lanyard
- 2 vear manufacturer's warranty

Battery not supplied

£8.50 order code TL1015608 497906

#### 18V Fluorescent Light Ryon **Bare Unit**

Model: CFP-180FM

- Compatible with ONE+ Series batteries and chargers
- Supplied with fluorescent tube and plug-in lanyard
- 2 year manufacturer's warranty

Battery not supplied



497905

451953

### 18V Combi Drill @ BOSCH

Model: GSB 18VE2

- Carbide strengthened autolock for longlasting chuck grip
- · Unique progressive clutch
- . 5 Metals planets on first gear for strength and versatility
- Newly developed plantery gearbox
- · New double winded 42mm motor for outstanding overload capacity
- · Air-cooled geartrain with 5 metal planets on first step
- Fully functional after 2m drop on concrete Contents: 1 x Charger, 2 x 2.6 Åh Ni MH batteries, Carrying case

Battery Capacity: 2.6Ah, Ni MH; Chuck Size: 13 mm; No Load Speed: 2050rpm; Hammer: Yes; Max.Torque: 75 N-m; Drilling CapacityØ: Masonry 16mm, Wood 45mm, Steel 13mm; Weight: 3.0kg

481360

#### **24V Combi Drill** DURATOOL

Model: D00016

Ideal for light trade applications

- 16 torque settings for driving different sizes of screws and drilling various
- Suitable for drilling wood, steel and masonry
- Forward and reverse action
- Supplied with 2 x batteries, 1 hour charger, 6 drill bits, 6 screwdriver bits, bit adaptor and blow moulded carry case

Battery Capacity: 1.2Ah; Chuck Size: 13mm; No Load Speed: 900rpm; Hammer: Yes; Max.Torque: 14 N-m; Drilling CapacityØ: Wood 22mm, Steel 10mm, Masonry 13mm




1+ 5+ TL1018608 £6.36 £5.94 Spare Battery £5.35 TL1018708 £5.75

# order code TL1198008

#### 18V Combi Drili

Model: DC925KB-GB

- · Powerful tool for heavy duty applications · 22 position adjustable
- torque settings for precision drilling and driving
- · 3 speed settings for optimum performance
- · Self-tightening chuck tightens throughout operation providing superior bit gripping strength
- · Multi-position side handle
- · Ergonomically designed trigger and rubber grip
- Supplied with 2 x batteries, 1 x 30 minute charger and heavy duty carrying case



order code TL1073208

466751

## 30V Hammer Drill mutool

Spare Charger

- Hammer action
- 2 Speed gearbox
- Keyless chuck
- · Electronic speed control
- Electronic brake
- Forward and reverse action Multi-position side handle
- Battery charge condition indicator
- Spirit level
- 1 Hr fast charge
- Soft grip & soft touch
- Supplied in a blow moulded case

Supplied with 2 batteries

Battery Power Ni-d (Ah): 1.7; Speed/s (min-1): 0 - 330 / 0 - 1200; Drilling CapacityØ: Wood 30mm, Steel 13mm, Concrete 16mm; Weight

order code TL0578908

TL0579008 **30V** £18.92 497806







# **24V SDS-Plus Rotary**

**Hammer Drill** 

Model: CRH-240RE

- · Large drilling capacity for stone and masonry
- 13mm keyless chuck adaptor allows standard bits to be used for wood and steel drilling/driving
- . Dual mode can drill with hammer on or off
- Denth ston
- Supplied with 2 x batteries, 1 hour charger and carry case
- · 2 years manufacturer's warranty

Battery Capacity: 2.0Ah; No Load Speed: 1000rpm; Hammer: Yes; Impact Rate: 5200BPM; Drilling CapacityØ: Wood 20mm, Steel 13mm, Masonry: 20mm; Weight: 4kg

order code TL1063308

451473

ROYS

#### **24V SDS Hammer Drill @ BOSCH**

Model:GBH24VRE

- Reversible drive and lock off facility
- Supplied with chuck dust cap and locking sleeve
- Mode selector switch
- Cooling vent On/Off switch
- Bit stop
- Twist locking auxiliary handle Battery charged condition indicator
- Supplied with battery pack and charger
- Supplied in a rigid, heavy duty hinged case with handle and locking latches

Battery Voltage/Capacity: 24V/2.5Ah; Single Impact Force: 1.3J; Rated Speed: 0-1000rpm; Impact rate at rated speed: 0-4400rpm; Drilling Output into Concrete: Up to 20mm; Weight Inc. Battery: 4.1kg

£254 50

1+ 3+ £183.41 £177.12

462849

order code TI 0183708

**18V SDS-Plus 3-Mode Hammer Drill** 

Model: DC213KA=GR

· Ideal for drilling anchors and fixing holes into concrete, brick and masonry

- Large optimised hammer mechanism delivers corded drilling performance
- Efficient and compact gearbox for
- longer runtime and lighter weight Impact-stop mode for rotary drilling only in wood, ceramic and steel
- Internal mechanism connected to external housings via spring dampeners, reduces vibration and user fatique
- Air cooled batteries improve runtime and extend battery life
- Supplied with 1 hour charger, 2 x batteries, multi-position side handle, grease tube and heavy-duty carrying case
- 1 year manufacturer's warranty

Battery Capacity: 2.4Ah (Ni-Cd); No Load Speed: 1100rpm; Impact Rate 4200BPM; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 20mm: Weight: 3.1kg

order code TL1016808

476709

# **24V SDS Hammer Drill**

Replacement Battery

Model:GBH24V A 24V rotary hammer drill

TI 0209508

with pistol grip, forward/reverse rotation selector wheel for variable speed and

an overload clutch.

- SDS-Plus chuck Electric motor brake
- Auxiliary handle
- Depth stop
- Complete with 1 hour charger and 2 x 2.6Ah batteries

Battery Capacity: 2.6Ah, Mi-NH; No Load Speed: 0-1000rpm; Drilling Capacity: Wood: 20mm, Concrete: 20mm, Steel: 10mm; Weight: 3.8kg

order code TL0491508

465438

24V SDS-Plus 3-Mode Hammer Drill

Model: DC223KA-GB

- · Ideal for drilling anchors and fixing holes into concrete, brick and masonry · Large optimised hammer mechanism delivers corded
- drilling performance
- · Internal mechanism connected to external housings via spring dampeners, reduces vibration and user fatigue
- Air cooled batteries improve runtime and extend
- Supplied with 1 hour charger, 2 x batteries, multi-position side handle, grease tube and heavy-duty carrying case
- 1 year manufacturer's warranty

Battery Capacity: 2.0Ah (Ni-Cd); No Load Speed: 1100rpm; Impact Rate: 4200BPM; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 22mm: Weight: 3.8kg

order code TL1016708





# 36V Compact BOSCH

Model: GSB 36VLICP

- As fast and as powerful as a corded tool
- 36V power in a tool that is as light as an 18V or even
   14.4V equivalent
- Battery can be charged at random as it has no "memory" effect
- Supplied with 2 x batteries, 45 minute charger and carry case
- 3 Years manufacturer's warranty when registered



Battery Capacity: 1.4Ah, Li-lon; Chuck Size: 13mm; No Load Speed: 1500rpm; Hammer: Yes; Max Torque: 32N-m; Drilling CapacityØ: Wood 50mm, Steel 13mm, Masonry 16mm; Weight: 2.7kg

£289.74 order code TL1070008

451476

#### 36V Heavy Duty Hammerdrill / Driver

Model: DC900KL-GB

- Three speed settings22 position adjustable
- 13 mm self-tightening keyless chuck tightens throughout operation providing superior bit gripping
  - strength
    Electronic brake for added control

Contents: 1 x 1 Hour charger, 2 x Li-lon batteries, 1 x Multi position side handle, 1 x Heavy duty carrying case Delivate and the second

Battery Capacity: 2.2Ah, 2 x 2.2Ah Li-ion; Chuck Size: 13 mm; No Load Speed: 1600rpm; Hammer: Yes; Max Torque: 40N-m; Drilling CapacityØ : Wood 50mm, Steel 13mm, Masonry 16mm; Weight: 3.1kg

£377.02

479523

#### 36V Combi Drill 📵 BOSCH

Model: GSB 36V-LI

- The first 36V professional power tools to be powered by a Lithium-lon battery
- Battery can be charged at random as it has no "memory" effect
- Forward and reverse action
- · High speed rotation
- Flexible 'Durashield' housing protects tool from falls from heights of up to 2m
- Supplied with 2 x batteries, 45 minute charger and carry case
- 3 years manufacturer's warranty when registered



Battery Capacity: 2.0Ah, Li-Ion; Chuck Size: 13mm; No Load Speed: 1500rpm; Hammer: Yes; Max Torque: 75N-m; Drilling CapacityØ: Wood 50mm, Steel 16mm, Masonry 16mm; Weight: 3.2kg

£354.97 order code TL1069908

495707

#### 36V SDS Hammer Drill \*\*BOSCH

Model: GBH 36V-LI

- Rotation stop for chiselling
- As fast and as powerful as a corded tool
- Battery can be charged at random as it has no "memory" effect
- Depth stop
- Ergonomic soft grip handle for comfort
- Supplied with 2 x batteries, 45 minute charger and carry case
- 3 years manufacturer's warranty when registered



Battery Capacity: 2.6Ah, Li-Ion; N Load Speed: 960rpm; Hammer: Yes; Impact Rate: 4260BPM; Drilling CapacityØ: Wood 26mm, Steel 26mm, Masonry 26mm; Weight: 4.3kg

£420.71 order code TL1069808

480140

#### **36V SDS-Plus 3-Mode Hammer Drill**

Model: DC234KL-GB

- Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4 mm to 26 mm
- New 36 Volt Li-lon technology
- Efficient and compact gearbox for longer runtime and lighter weight
- Extremely compact design and rear mounted battery for excellent balance and optimum comfort

Contents: 1 x 1 hour charger, 2 x Li-lon batteries, 1 x Multiposition side handle, 1 x 13 mm diameter 3 jaw keyless quick change chuck, 1 x Grease tube, 1 x Heavy duty carrying case

Battery Capacity: 2.2Ah, 2 x 2.2Ah Li-ion; N Load Speed: 1150rpm; Hammer: Yes; Impact Rate: 4300BPM; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 24mm; Weight: 3.8kg

> **£469.98** order code TL1154208



48014

### **Batteries & Chargers**

#### ONE+ Series

Battery:

· Powerful 18V (1.7Ah) battery, fits all ONE+ power tools

• 1 hour recharge time Charger:





IGOYS

TL1014508	Single Battery	£25.52
TL1014708	Charger	£17.01
TL1062108	2 Batteries	£42.54
TL1014608	2 x Batts & Charger	£51.06
·		

#### Heavy Duty DEWALT **Ratteries**

· A range of heavy-duty Ni-Cd batteries for use with Dewalt power tools



497818

1.3Ah Batteries	Model No.	Voltage	
TL0880308	DE9074-XJ	12V	£26.75
TL0881708	DE9094-XJ	14.4V	£24.98
2.0Ah Batteries			
TL0880408	DE9071-XJ	12V	£33.45
TL0880508	DE9091-XJ	14.4V	£37.45
TL0880608	DE9095-XJ	18V	£42.95
TL0880008	DE0243-XJ	24V	£84.98
$\overline{}$			

## Bosch Blue @ Bosch **Batteries**

· A range of Ni-MH batteries for use with Bosch Blue power tools

· Capacity: 2.6Ah



497934

	TL1072408	12V	£63.55	
	TL1072508	14.4V	£76.96	
	TL1072608	18V	£93.09	
l	TL1072708	24V	£112.67	J
•				_

All Prices Exclude VAT

#### 18V 5 Piece Comhi Kit



#### Model: DC5PAKB-GB

18V heavy-duty combination kit, containing 2 x 2.6Ah Ni-MH batteries, 1 x 30 minute charger, heavy-duty carrying case, and the following:

- Combi Drill DC925 Circular Saw - DC390
- Jigsaw DC330
- Flexible Flashlight DW919

• Reciprocating Saw - DC380

#### 18V 5 Piece Combi Kit A BOSCH



18V professional combination kit, containing 2 x 2.6Ah Ni-MH batteries, 1 x 30 minute charger, heavy-duty tool bag, and the following:

- Combi Drill GSB 18VE2
- Circular Saw GKS 18V
- Planer GHO 18V • Jigsaw - GST 18V
- Flashlight GLI 18V

NB. the individual tools are supplied 'naked' - without batteries

order code TL1069608

480145



#### 500W Hammer Drill

Model: EID-500RE

- Depth stop
- · Auxiliary handle
- Supplied with 5 x HSS drill
- bits, and carry case
- · 2 year manufacturer's warranty



Voltage: 230V; Chuck: Keyless; Chuck Size: 13mm; No Load Speed: 0-2700rpm; Hammer: Yes; Drilling CapacityØ: Wood 25mm, Steel 10mm, Masonry 13mm; Weight: 2.28kg

**£29.78** rder code T11063808

# 600W Single Speed Percussion Drills

Model: D21710K-GB / D21710K-I

- Variable speed control with forward and reverse mode to suit different materials
- Dust sealed switch for added durability
- Supplied in a heavy-duty carrying case

Voltage: 230 / 110V; Chuck: Keyed; Chuck Size: 13; No Load Speed: 0-2600; Drilling CapacityØ: Wood 25mm, Steel 13mm, Masonry 16mm; Weight: 1.9kg



<u>£56.79</u>



480197

# 500W Hammer Drill @ BOSCH

Model: PSB 500RE

- Powerful hammer action for
- drilling in masonry
- Rotary action for metal, wood and tile
- · Slimline handle
- Auxiliary front handle with depth stop adjustment
- · 2 year manufacturer's warranty

Voltage: 240V; Chuck: Keyed; Chuck Size 13mm; No Load Speed: 3000 rpm; Hammer: Yes; Drilling CapacityØ: Wood 20mm, Steel 10mm, Masonry 13mm; Weight: 1.5kg

£29.50 order code TL0966808

462649

### 750W Hammer Drill

Model: EID-750-REN

- Two directional bubble level for accuracy
- Depth stop

TL0898908

- Auxiliary handle with bit storage cassette inside
  - Supplied with 5 x masonry drill bits, 3 x HSS drill bits, 2 x driver bits and carry case
- 2 year manufacturer's warranty

Voltage: 230V; Chuck: Keyless; Chuck Size: 13mm; No Load Speed: 0-2800rpm; Hammer: Yes; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 13mm; Weight: 2.3kg

ROYS

£38.29

order code TL1063908

497938

# **650W Hammer DURATOOL Drill**

- 21 adjustable torque stages
- Variable speed
- Lock on switch
- Multi-position side handle with depth stop
- Electronic switch with forward and reverse
- Switchable from hammer to rotary for drilling in wood, metal and tiles

Voltage: 230V; Chuck: Keyless; Chuck Size: 13mm; No Load Speed: 0 - 3000 rpm; Drilling CapacityØ: Wood 20mm, Steel 10mm, Masonry 13mm; Weight: 2.2kg

1+ **£12.97 £8.47** order code TL1121308

474163

# 750W BOSCH Impact Drill

Model: GSB 18-2RE1 & 18-2RE2

- Electronic control for exact pilot drilling
- Speed pre selection with setting wheel

Contents: 1x Auxiliary handle, 1x Depth stop, 1x carrying case



Voltage: 230 / 110V; Chuck: Keyless; Chuck Size: 13 mm; No Load Speed: 3000 rpm; Drilling CapacityØ: Wood 40mm, Steel 13mm, Masonry 18mm; Weight: 2.2kg

480208

TL1179608	240V
TL1179508	110V

#### 770W Hammer Drills DEWALE

Models: D21805K-GB/D21805K-LX

- Two speed gearbox for increased torque
- New gear design gives improved unit life
- improved unit life
- Multi-position side handle
- Depth stop
- Patented armature support
- Supplied in a heavy-duty carrying case



Voltage: 230 / 110V; Chuck: Keyed; Chuck Size: 13mm; No Load Speed: 0-1100 / 0-2700rpm; Drilling CapacityØ: Wood 35mm, Steel 13mm, Masonry 20mm; Weight: 2.28kg

TL1072808 240V

TL1072908 110V

480210

# £79.16

ROCKWORTH

### **1050W Hammer Drill**

Model: ARPD1050H

- Variable speed control for optimum drilling efficiency
- Continuous operation button
- Metal gearbox
- Depth stop gauge
- Adjustable auxiliary side handle

Voltage: 230V; Chuck: Keyed; Chuck Size: 13mm; No Load Speed: 0-2600rpm; Drilling CapacityØ: Wood 32mm, Steel 13mm, Masonry 16mm; Weight: 3.1kg

£19.97

**1500W SDS Hammer Drill** 

465586

#### .....

Model: ARPH1500-K

- Rotation stop for chiselling
- Suitable for heavy drilling and demolition work
- Supplied with 3 x drill bits, 2 x chisels, grease, dust cap and blow moulded carry case

Voltage: 230V; Chuck: Keyed; Chuck Size: 13mm; No Load Speed: 0-2600rpm; Drilling CapacityØ: Wood 32mm, Steel 13mm, Masonry 16mm; Weight: 3.1kg



465587

550W SDS BOSCH
Hammer Drills

Model: GBH 2-18RE

- Ideal for drilling in small spaces, with less operator fatigue
- Safety clutch
- Depth stop
- · Supplied in a carry case
- 3 years manufacturer's warranty when registered

Voltage: 240V or 110V; No Load Speed: 0-1550rpm; Hammer: Yes; Impact Rate: 4500BPM; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 18mm; Weight: 2.0kg

TL1070608 240V TL1070508 110V

£76.94

# 800W 26mm SDS Combination Hammer Drill

Models: DW25113K-GB/DW25113K-LX

- Ideal for drilling anchor and fixing holes into concrete
- and masonry
   Electronic variable speed for
- total control in any application

  Rotation-stop for light chiselling applications in brick, soft masonry and occasionally concrete
- Impact-stop for drilling in wood, steel, ceramic and screwdriving applications
- Improved sealing for maximum protection from dust ingress, ensuring long tool life
- · Supplied in a heavy-duty carrying case

Voltage: 230 / 110V; Chuck: SDS-Plus; No Load Speed: 0-1150; Drilling CapacityØ: Wood 30mm, Steel 13mm; Weight: 2kg

TL1104908 230V TL1105008 110V

£99.79

## **800W SDS Hammer Drill @ BOSCH**

Model: GBH 2-26DRE

- · Impact stop function
- Rotating brush reverse technology gives equal power in both directions
- Chiselling action
- Supplied with carrying case
- 3 year manufacturer's warranty

Voltage: 240V; No Load Speed: 900 rpm; Impact rate: 4400BPM; Hammer: Yes; Max.Torque: 28 N-m; Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 26mm; Weight: 2.7kg

£107.49

80888PLIT shoo rshro



497834



#### **Screwdriver Bits**

A range of 1/4" hexagonal drive screwdriver and torx bits manufactured from the highest quality alloy steel. The screwdriver bits are 25mm in length and suitable for use with both hand and power tools



Slotted mm			1+	5+
TL1117508	4.5, 5.5mm	2	£1.38	£1.29
TL1117608	4.5, 5.5, 6.5mm	3	£1.83	£1.71
Phillips				
TL1117708	3 x PH1	3	£1.33	£1.25
TL1117808	3 X PH2	3	£1.33	£1.25
TL1117908	3 x PH3	3	£1.33	£1.25
Phillips Hot				
TL1118608	2 x PH1	2	£1.43	£1.32
TL1118708	2 x PH2	2	£1.43	£1.32
TL1118808	2 x PH3	2	£1.43	£1.32
Pozidriv				
TL1118008	3 x PZ1	3	£1.33	£1.25
TL1118108	3 x PZ2	3	£1.33	£1.25
TL1118208	3 x PZ3	3	£1.33	£1.25
Pozidriv Hot				
TL1118908	2 x PZ1	2	£1.43	£1.32
TL1119008	2 x PZ2	2	£1.43	£1.32
TL1119108	2 x PZ3	2	£1.43	£1.32
Torx				
TL1118308	Torx: T7, T8, T9	3	£1.83	£1.71
TL1118408	Torx: T10, T15, T20	3	£1.83	£1.71
TL1118508	Torx: T25, T30, T40	) 3	£1.83	£1.71

33 Piece Screwdriver DURATOO **Bit Set** 

 5xSlotted 3, 4, 5, 6 7mm · 8xPhillips NoO,

2xNo1, 3xNo2, 2xNo3

7xPozi 2xNo1, 3xNo2, 2xNo3 . 6xTorx T10, 15, 20, 25, 30, 40

• 6xHex 2, 2.5, 3, 4, 5, 6mm • 1x60mm Magnetic Bit Holder

1xCarry Case

1+ order code TL1039508 462854

#### **Professional PZ2 Bits**



- Pack contains 50 x 25mm PZ2
- Supplied in a practical cardboard box
- Can be used as a dispenser in the workplace
- Especially for professional needs



480222

#### 7 Piece Screwdriver **Bit Set**

 High-quality MAXgrip screwdriver bits

Titanium nitride coated for longer life

'Microrough' surface treatment for excellent grip

Contents: PH1, PH2, PH3, PZ1, PZ2, PZ3, universal mag holder



@ BOSCH

497840

order code TL0974808

#### 11 Piece Mixed Bit Set 🥌

Set of 11 1/4" drive screwdriver bits, supplied complete with a magnetic adaptor in a practical plastic case

All bits are 25 mm in length

Contents:

- Slotted: 5.5, 6.5 mm, Phillips: PH1, 2 x PH2, PH3 Pozidriv: PZ1, 2 x PZ2, PZ3 1 x 1/4"

Magnetic adaptor

476681

order code TL1113708

## **17 Piece Bit Set**

**DURATOOL** 

Slotted: 4, 5, 6, 7mm Phillips: PH1, PH2, PH3 Pozi: PZ1, PZ2, PZ3 Torx: T25, T30, T40

Hex-Plus (Metre): 4 and 5mm 1/4" Drive socket adaptor 60mm Magnetic bits holder

order code TL1039808



#### 11 Piece Torx Bit Sets

- . Sets of 11 1/4" drive tory bits, supplied complete with a magnetic adaptor in a practical plastic case
- For the DIY or professional user
- Compact design for easy storage
- · All bits are 25 mm in length
- T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



**Off-Line Driver** 

A bit driver with a 1/4" (6.35mm) hexagon shaft which can be used for standard use or with the off-line feature where walls/door frames etc. restrict access.

- Articulated joint that can be locked for standard use
- Outer sleeve rotates allowing secure positioning
- Supplied with pozi drive PZ2 x 50mm bit

Overall Length: 145mm

order code TL1105108



474173

497793

29 Piece Screwdriver

- . 25mm Phillips bits: 1 x No. 1, 6 x No. 2, 1 x No. 3
- 25mm Pozi bits: 1 x PZ 1, 6 x PZ 2. 1 x PZ 3 25mm slotted bits: 1 x 5.5mm.
- 1 x 8mm
- 25mm Torx bits: 10, 15, 20, 25, 30, 40
   50mm screwdriver bits: 2 x Phillips No. 2, 2 x Pozi Pz 2, 1 x 5.5mm slotted
- · Magnetic drive guide
- Magnetic holder
- Robust plastic storage case

3+ order code TL0462608





· Manufactured from chrome vanadium steel

> 5+ 1+ order code TL1039708

497951

# Magnetic Bit DURATOOL Holder

150mm magnetic hit holder

order code TL1039608

480228

497794

All Prices Exclude VAT

# **Magnetic Bit Holder**

Universal magnetic bit holder for use with 1/4" hexagonal drive screwdriver bits. Length 59mm

order code TL0341308

## **22 Piece Quickchange**™ **Drill & Screwdriver Rit Set**

- · 3 x Masonry bits changing 4 x HSS bits
  - 80mm stubby 6 x Slotted bits screw quide
  - 6 x Phillips bits • 2 year 1 x Pozidriv bit QuickchangeTM

chuck, for one-

manufacturer's warranty



ROOP

462667

#### **90 Piece Worksite Set**

- 2 detachable tough cases with drilling and screwdriving inserts
- Flip and drive set for pilot drilling and
- countersinking with screwdriving on the flip side 2 storage compartments containing 25ml and 50ml screwdriving bits, bit holders and screw guide holders
- Selection of flatwood bits in key sizes · Universal quick release hex shank chuck
- Extreme 2<sup>™</sup> metal drill bits

order code TL0898208



479726



#### 15 Piece Combination DURATOOL **Drill Rit Set**

A combination drill bit set consisting of a selection of five different sizes of HSS twist. wood working and masonry drill bits.

- · HSS drill bits are high speed steel
- · Wood and masonry drill bits are
- high carbon steel · Chrome vanadium
- · Sizes: 4, 5, 6, 8 and 10mm



#### 30 Piece Drill & Screwdriver Bit Set

- Oxide coated flute for fast swarf removal
- Tough core thickness for longer life
- Sturdy and durable carry case
- Contents:
- HSS-Ti drill bits
- Wood drill bits Masonry drill bits
- Phillips screwdriver bits
- Pozidriv screwdriver bits
- Slotted screwdriver bits
- Torx screwdriver bits
- Screwdriver bit holder Countersink

497996

464756

order code TL1176008

# 48 Piece Combination DURATOOL

Case dimensions (HxWxD): 200x230x50mm

- 13pcs HSS Titanium coated drill set
- 4pcs Masonry drill
- 5pcs Wood flat drill
- 4pcs Hole saws
- 1pc Hole saw adaptor
- 8pcs 50mm CRV bits · 4pcs 38mm CRV bits
- 7pcs Nut drivers
- 2pcs Screw finder

order code TL1051608

462860

### **101 Piece Drill Bit and Driver Set DURATOOL**

#### Contents:

- 19pcs HSS Titanium coated drills
- 6pcs Masonry drills
- 6pcs Wood working drills
- 5pcs Titanium wood flat bits
- 3pcs Hex shank drills
- 4pcs Hole saws
- 1pc Hole saw manderel
- 4ncs Drill stoppers
- 1pc Counter sink
- 1pc Magnetic bit holder 22pcs 25mm bits
- 1pc Hex key

· 15pcs 50mm Bits

10pcs Nut drivers

3pcs Screw finder

order code TL1051508

# **300 Piece Drills and** Bits Set DURATOOL

#### Contents:

- 66-HSS Twist drill set
- 50 High speed metal drill bits · 21 Masonry drill bits
- 3-300mm Masonry drill hits
- 33 Wood boring drill bits
- · 5 Flat wood bits
- . 4 x 300mm Flat wood bits
- 4 Hole saws with hole saw adaptor
- 1 Hole saw adaptor
- 4 Drill stoppers
- 33-50mm Screwdriver bit
- 10 Nutdriver
- · 4 Nail punch 3 Screw finders
  - 1 Allen key: 2.5mm
  - Magnetic bit holder
  - 1 Counter sink
  - 1 Guage

462858

## **100 Piece Drills and Bit Set**

#### Contents:

- 21pcs HSS Titanium
- coated drills
- 8pcs Masonry drills
- 8pcs Woodworking drills
- 6pcs Flat wood
- drill bits:
- 4pcs Hole saw
- 1pc Hole saw mandrel
- 3pcs Drill stoppers
- 3pcs Drill finders: 3, 4, 5mm
- 21pcs 25mm length bits
- 12pcs 50mm length bits
- 6pcs Nut drivers



- 1pc Magnetic holder • 1pc Screwdriver
- 1pc 225mm lever model • 1pc Centre drill

All Prices Exclude VAT

125

466734

#### HSS Jobber Drill Bits DURATOOL

- HSS Ground to DIN338 Black oxide M1 material
- · Straight shank
- 118° standard point
- For metal, wood and nlastic



480232

TL1126108         1.0         34         5         £0.52           TL1126208         1.5         40         5         £0.61           TL1126308         2.0         49         5         £0.80           TL1126408         2.5         57         5         £0.91           TL1126508         3.0         61         5         £1.17           TL1126608         3.2         65         5         £1.17           TL1126708         3.5         70         1         £1.25           TL1126908         4.0         75         1         £0.43           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.88           TL1127408         6.5         101         1         £0.83           TL1127708         7.0         109         1         £0.88           TL1127708         8.0         117         1         £1.33           TL1127808         8.5         117         1         <			
TL1126108         1.0         34         5         60.52           TL1126208         1.5         40         5         60.61           TL1126308         2.0         49         5         60.80           TL1126408         2.5         57         5         60.91           TL1126508         3.0         61         5         61.17           TL1126608         3.2         65         5         61.17           TL1126808         4.0         75         1         60.47           TL1127008         4.8         86         1         60.47           TL1127108         5.0         86         1         60.47           TL1127208         5.5         93         1         60.61           TL1127408         6.0         93         1         60.61           TL1127408         6.5         101         1         60.83           TL1127508         7.0         109         1         60.83           TL1127708         8.0         117         1         61.33           TL1127908         8.0         117         1         61.48           TL1128008         9.5         125         1		Size 1+	5+
TL1126208         1.5         40         5         60.61           TL1126308         2.0         49         5         60.80           TL1126408         2.5         57         5         60.91           TL1126508         3.0         61         5         £1.11           TL1126608         3.2         65         5         £1.17           TL1126708         3.5         70         1         £1.25           TL1126908         4.0         75         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127308         6.0         93         1         £0.61           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127708         8.0         117         1         £1.13           TL1127908         8.0         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1	126008	£0.86	£0.78
TL1126308         2.0         49         5         60.80           TL1126408         2.5         57         5         60.91           TL1126508         3.0         61         5         £1.11           TL1126608         3.2         65         5         £1.17           TL1126608         3.5         70         1         £1.25           TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127308         6.0         93         1         £0.63           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.88           TL1127708         8.0         117         1         £1.32           TL1127708         8.0         117         1         £1.32           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.48           TL1128008         10.5         133         1	1126108	£0.52	£0.47
TL1126408         2.5         57         5         €0.91           TL1126508         3.0         61         5         €1.11           TL1126608         3.2         65         5         €1.17           TL1126708         3.5         70         1         €1.25           TL1126808         4.0         75         1         €0.43           TL1126908         4.5         80         1         €0.47           TL1127008         4.8         86         1         €0.47           TL1127108         5.0         86         1         €0.47           TL1127308         6.0         93         1         €0.69           TL1127408         6.5         101         1         €0.83           TL1127508         7.5         109         1         €0.88           TL1127708         8.0         117         1         €0.93           TL1127708         8.0         117         1         €1.26           TL1127908         8.5         117         1         €1.26           TL1128008         9.5         125         1         €1.48           TL1128008         10.5         133         1	1126208	£0.61	£0.56
TL1126508         3.0         61         5         €1.11           TL1126608         3.2         65         5         £1.17           TL1126708         3.5         70         1         £1.25           TL1126808         4.0         75         1         £0.43           TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127708         8.0         117         1         £0.33           TL1127908         8.5         117         1         £1.26           TL1128008         9.5         125         1         £1.48           TL1128008         10.5         133         1         £2.08           TL1128308         11.0         142         1	126308	£0.80	£0.73
TL1126608         3.2         65         5         £1.17           TL1126708         3.5         70         1         £1.25           TL1126808         4.0         75         1         £0.43           TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.63           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1128008         9.0         125         1         £1.48           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128408         11.0         142         1	126408	£0.91	£0.83
TL1126708         3.5         70         1         £1.25           TL1126808         4.0         75         1         £0.43           TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.63           TL1127308         6.0         93         1         £0.63           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127708         8.0         117         1         £1.13           TL1127908         8.5         117         1         £1.26           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128408         11.0         142         1         £2.39           TL1128408         11.5         142         1	126508	£1.11	£1.06
TL1126808         4.0         75         1         £0.43           TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.69           TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.88           TL1127708         8.0         117         1         £1.13           TL1127908         8.5         117         1         £1.22           TL1128008         9.5         125         1         £1.48           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128408         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	126608	£1.17	£1.09
TL1126908         4.5         80         1         £0.47           TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127408         6.0         93         1         £0.63           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.88           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1128008         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.62           TL1128208         10.5         133         1         £1.92           TL1128308         11.0         142         1         £2.38           TL1128408         11.5         142         1         £2.62	126708	£1.25	£1.19
TL1127008         4.8         86         1         £0.47           TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.88           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1128008         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.62           TL1128008         10.0         133         1         £1.92           TL1128008         10.5         133         1         £2.02           TL1128408         11.0         142         1         £2.38           TL1128408         11.5         142         1         £2.62	126808	£0.43	£0.39
TL1127108         5.0         86         1         £0.47           TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127608         7.5         109         1         £0.93           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	126908	£0.47	£0.43
TL1127208         5.5         93         1         £0.61           TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127608         7.5         109         1         £0.93           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1128008         9.0         125         1         £1.48           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	127008	£0.47	£0.43
TL1127308         6.0         93         1         £0.69           TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.83           TL1127608         7.5         109         1         £0.93           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	127108	£0.47	£0.43
TL1127408         6.5         101         1         £0.83           TL1127508         7.0         109         1         £0.88           TL1127608         7.5         109         1         £0.93           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	127208	£0.61	£0.58
TL1127508         7.0         109         1         €0.88           TL1127608         7.5         109         1         €0.93           TL1127708         8.0         117         1         €1.13           TL1127808         8.5         117         1         €1.26           TL1127908         9.0         125         1         €1.48           TL1128008         9.5         125         1         €1.63           TL1128108         10.0         133         1         €1.92           TL1128208         10.5         133         1         €2.08           TL1128308         11.0         142         1         €2.39           TL1128408         11.5         142         1         €2.62	127308	£0.69	£0.64
TL1127608         7.5         109         1         €0.93           TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.38           TL1128408         11.5         142         1         £2.62	127408	£0.83	£0.77
TL1127708         8.0         117         1         £1.13           TL1127808         8.5         117         1         £1.26           TL1127908         9.0         125         1         £1.48           TL1128008         9.5         125         1         £1.63           TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.33           TL1128408         11.5         142         1         £2.62	127508	£0.88	£0.83
TL1127808     8.5     117     1     £1.26       TL1127908     9.0     125     1     £1.48       TL1128008     9.5     125     1     £1.63       TL1128108     10.0     133     1     £1.92       TL1128208     10.5     133     1     £2.08       TL1128308     11.0     142     1     £2.39       TL1128408     11.5     142     1     £2.62	127608	£0.93	£0.89
TL1127908     9.0     125     1     £1.48       TL1128008     9.5     125     1     £1.63       TL1128108     10.0     133     1     £1.92       TL1128208     10.5     133     1     £2.08       TL1128308     11.0     142     1     £2.39       TL1128408     11.5     142     1     £2.62	1127708	£1.13	£1.07
TL1128008     9.5     125     1     £1.63       TL1128108     10.0     133     1     £1.92       TL1128208     10.5     133     1     £2.08       TL1128308     11.0     142     1     £2.39       TL1128408     11.5     142     1     £2.62	127808	£1.26	£1.18
TL1128108         10.0         133         1         £1.92           TL1128208         10.5         133         1         £2.08           TL1128308         11.0         142         1         £2.39           TL1128408         11.5         142         1         £2.62	127908	£1.48	£1.39
TL1128208     10.5     133     1     £2.08       TL1128308     11.0     142     1     £2.39       TL1128408     11.5     142     1     £2.62	128008	£1.63	£1.54
TL1128308 11.0 142 1 £2.39 TL1128408 11.5 142 1 £2.62	128108	£1.92	£1.80
TL1128408 11.5 142 1 £2.62	128208	£2.08	£1.95
	128308	£2.39	£2.25
TI 1120F00 12.0 1F1 1 C2.01	128408	£2.62	£2.45
1L1120000 12.0 151 1 t2.81	1128508	£2.81	£2.72

#### **HSS Johher Drill Bit Sets**

Metric and Imperial

. HSS - Ground to DIN338 (Metric) and ANSI (Imperial)

- · Straight shank
- 118° standard point
- · Supplied in plastic case Contents:

6 Piece Metric: 2, 3, 4, 5, 6, 8mm

13 Piece Metric: 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7. 7.5. 8mm

13 Piece Imperial: 1/16", 5/64", 332", 7/64", 1/8", 9/64", 5/32", 11/<sub>64</sub>", 7/32", 15/<sub>64</sub>", 1/4"

		1+	5+
TL1129408	6 Piece Metric	£2.82	£2.63
TL1129508	13 Piece Metric	£5.62	£5.23
TL1129608	13 Piece Imperial	£5.62	£5.23

# **13 Piece EXTREME™**

13 high quality drill bits supplied in a robust plastic storage case for wood,steel,and plastic

Contents: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm



**DURATOOL** 

480235

497787

1+ order code TL0462408

## **HSS Jobber Drill Bits - Long**

- . HSS Ground to DIN340 · Black oxide M2 material
- · Straight shank
- · For metal, wood

 118° standard point and plastic

	FROM ONLY
	37p
480234	

**DURATOOL** 

	Dia	Length	1.7	OT.
TL1128608	3.0	100	£0.41	£0.37
TL1128708	4.0	119	£0.59	£0.54
TL1128808	5.0	132	£0.78	£0.73
TL1128908	6.0	139	£1.02	£0.94
TL1129008	7.0	156	£1.42	£1.31
TL1129108	8.0	165	£1.85	£1.72
TL1129208	9.0	175	£2.36	£2.19
TL1129308	10.0	184	£2.80	£2.70

Length

Dia

All Prices Exclude VAT

## 18 Piece Drill DURATOOL **Bit Set**

18 piece drill bit set comprising of:

6 x Twist drill - 3, 4, 5, 6, 8 and 10mm

6 x Wood working drill - 3, 4, 5, 6, 8 and 10mm 6 x Masonry drill - 3, 4, 5, 6, 8 and 10mm

> 484740 5+ order code TL1051308





**19 Piece Titanium Alloy Steel Drill Bit Set** 

Titanium nitride coated drill bit set. Advanced split point for drilling wood and plastic

- Titanium nitride coated drill bit set
- · Advanced split point for drilling wood and plastic
- Sizes include: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9. 9.5 and 10mm

£6.23 order code TL1044908



466736 DURATOOL



19 Piece Metric: 1 to 10mm in increments of 0.5mm 19 Piece Imperial: 19 Prece imperial:
3/<sub>64</sub>", 1/16", 5/64",
9/32", 7/64", 9/64",
5/32", 11/<sub>64</sub>", 9/6",
7/32", 15/<sub>64</sub>", 1/4", 9/32",
19/<sub>64</sub>", 5/16", 21/<sub>64</sub>", 11/32", 3/6", 25/<sub>64</sub> 29 Piece Imperial: 1/16" to 1/2" in increments of 1/64"

490390 TL1129708 19 Piece Metric £9.75 TL1129808 19 Piece Imperial £10.25 TL1129908 29 Piece Imperial £15.00

## **19 Piece HSS-R Drill Bit Set**

- Oxide coated flute for fast swarf removal
- · Tough core thickness for longer life
- Includes 19 drill bits from 1 to 10mm diameter in 0.5mm increments
- Length: 10mm

order code TL0974708 495674

### 170 Piece Metric HSS DURATOOL **Johner Drill Rit Set**

- . HSS Ground to DIN338
- Straight shank118° Standard point
- . Inner foam cushion on inside of the lid with the sizes marked on
- Case Dimensions (WxHxD): 335x57x235mm

10 Pieces each of 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6,

- 6.5, 7, 7.5, 8mm

5 Pieces each of 8.5, 9, 9.5, 10mm

480237

order code TL1130008

#### **Multiconstruction Drill Rits**

Drill bits suitable for wood, tiles, steel, UPVC, brick, concrete and multilavered materials



@ BOSCH

496885

TL0975108	75 x 4.00mm	£1.39
TL0975208	85 x 5.00mm	£1.45
TL0975308	85 x 5.5mm	£1.53
TL0975408	100 x 6mm	£1.55
TL0975508	100 x 6.50mm	£1.70
TL0975608	100 x 7.00mm	£2.07
TL0975708	120 x 8mm	£2.07
TL0975808	120 x 9mm	£2.17
TL0975908	150 x 6mm	£2.25
TL0976008	150 x 6.50mm	£2.25
TL0976108	150 x 7.00mm	£2.43
TL0976208	250 x 8mm	£2.70
TL0976308	250 x 10mm	£3.31
TL0976408	250 x 12mm	£3.71

Call Us!

08701 20 25 30









@ BOSCH

# **Masonry Drill Bits**

480240

Hard allov

For drilling concrete, wallboard, stone, hrick and slate

· Some sizes available in a longer length

Standard Length	Dia (mm)	Length	1+	5+
TL1130108	3.0	65	£0.28	£0.25
TL1130208	4.0	70	£0.28	£0.25
TL1130308	5.0	80	£0.33	£0.27
TL1130408	5.5	80	£0.38	£0.31
TL1130508	6.0	100	£0.38	£0.31
TL1130608	6.5	100	£0.38	£0.31
TL1130708	7.0	110	£0.43	£0.36
TL1130808	8.0	125	£0.57	£0.47
TL1130908	10.0	125	£0.66	£0.55
TL1131008	12.0	140	£1.04	£0.87
TL1131108	14.0	140	£1.32	£1.11
TL1131208	16.0	140	£1.51	£1.26
TL1131308	18.0	160	£1.56	£1.30
TL1131408	20.0	160	£1.84	£1.58
Long Series (150mm)				
TL1131508	5.0	150	£0.52	£0.45
TL1131608	5.5	150	£0.57	£0.49
TL1131708	6.0	150	£0.57	£0.49
TL1131808	6.5	150	£0.61	£0.54
TL1131908	7.0	150	£0.61	£0.54
TL1132008	8.0	150	£0.71	£0.61

# **5 Piece Masonry**

Hard alloy tipped

TL1132108

· For drilling concrete, brick, stone and slate

10.0

• Sizes: 4, 5, 6, 8, 10mm

480242

150

order code TL1132208



£0.85

DURATOOL

£0.74

#### **3 Piece Tile/Glass Drill Set**

- Spear-shaped point for reduced breakage when drilling holes in glass and ceramic tiles
- · Tungsten carbide tip for durability
- . 5mm, 6mm, 8mm sizes
- . Length: 65mm and 80mm



order code TL0843008

All Prices Exclude VAT

### **Extreme™ Masonry Drilling Deways** and Screwdriver Bit Set

Small tough storage case for drill and screwdriver bits

Designed to withstand worksite conditions Contents:

- Pozidriv PZ2 (x4). P72 x 50mm
- Phillips PH2 (x4). PH2 x 50mm
- Slotted 5.5 x 50mm Extreme™ masonry drill bits 4, 5, 5.5, 6, 7, 8mm
- Magnetic holder Magnetic drive guide

**E21.98 £20.50** 

order code TL0898308



**3 Piece Masonry Drill DURATOOL Bit Set - Long** 

400mm masonry drill bit set

Sizes: 8, 10 and 12mm

1+ £1.69 order code TL1044508

### SDS Drill Bits DURATOOL

- hard alloy tipped
- · Chrome vanadium steel · For drilling concrete, wallboard, stone, brick
- direct fitting hammer drills



and slate Suitable for all SDS

480243

497825

462853

			1+	5+
TL1132408	4.0	110	£0.72	£0.64
TL1132508	5.0	110	£0.74	£0.65
TL1132608	5.5	110	£0.74	£0.65
TL1132708	6.0	110	£0.74	£0.65
TL1132808	7.0	110	£0.78	£0.66
TL1132908	8.0	110	£0.94	£0.85
TL1133208	8.0	210	£1.26	£1.13
TL1133008	10.0	110	£1.00	£0.90
TL1133308	10.0	210	£1.31	£1.18
TL1133108	12.0	110	£1.31	£1.18
TL1133408	12.0	210	£1.73	£1.56
TL1133508	14.0	210	£2.05	£1.84
TL1133608	16.0	210	£2.42	£2.17
TL1133708	20.0	210	£3.43	£3.26















# **5 Piece Wood Drill Bit Set**

· High carbon steel

· Centre location point · Supplied in a plastic case

Sizes: 4, 5, 6, 8, 10mm

5+ order code TL1134608

#### D URATOOL



Wood Boring Forstner DURATOO **Rit Sets** 

High carbon steel

. 5 and 16 piece sets available Contents: 5 Piece Set: 15, 20, 25, 30,

35mm 16 Piece Set: 6, 10, 13, 16,

19, 22, 25, 28, 32, 35, 38, 41, 44, 48, 51, 54mm



		1+	5+
ΓL1134908	5 Piece Set	£5.47	£5.19
ΓL1135008	16 Piece Set	£18.81	£17.33

#### **Flat Wood Drill Bits** DURATOOL

- · High carbon steel · Fast cutting in all timbers
- Self-centring
- Easy starting




**DURATOOL** 

		1+	5+
TL1134008	16mm	£0.63	£0.53
TL1134108	20mm	£0.69	£0.58
TL1134208	22mm	£0.74	£0.61
TL1134308	25mm	£0.98	£0.89
TL1134408	32mm	£1.09	£0.92

492029

# **6 Piece Downlight**



- Fits most common size of downlights
- Arbor, pilot drill and hex key 6 hole saw sizes: 50, 60, 65, 72, 75 and 86mm





order code TL1046808

#### **10 Piece Flat Wood Rit Kit**

Sizes: 6, 10, 13, 16, 20, 22, 25, 32mm

- · Hardened high carbon steel
- Hex shank
- Precision ground Angled cutting edges
- · Chip breaker
- · For use with hand or power drills
- · For drilling hard/soft wood, end grain, cross grain & laminated panels

order code TL1044408

478467

## 5 Piece Auger Bit Set DURATOOL

· Manufactured from high carbon steel · For drilling long holes into timber

· Fach bit has a hex shank

- Can be used with hand brace and power drills
- 230mm long
- Sizes: 10, 13, 16, 19 and 25mm



5+ order code TL1044208

### **6 Piece Hole Saw Kits**

Electrician's and Plumber's

D URATOOL

Contents:

Electrician's Kit: 16, 20, 25, 32, 40, 51mm

Plumber's Kit: 19, 22, 29, 38, 44, 57mm Both kits are supplied with 2 x Arbors and adaptor

TL1135508	Electrician's Kit
TL1135608	Plumber's Kit

£19 94





#### **8 Piece Holesaw Set**

- Power change adaptor system for rapid attachment and removal of holesaws
- · Designed to cut metals,plastic,wood,aluminium and plasterboard.
- Progressive tooth geometry for improved bite
- Bi-Metal with 8% cobalt alloy teeth for long service life

#### 6 Piece Set

- Power change adaptor, HSS-G
- 2 x pilot drill bits
- 6 hole saws: Ø 20, 25, 32, 38, 51, 64mm 11 Piece Set
- Power change adaptor, HSS-G
- 2 x pilot drill bits

11 hole saws: Ø 19. 22. 25. 29. 35. 38. 44. 51. 57. 64. 76mm



A BOSCH

		1+	5+
TL0974908	6 Piece	£34.91	£34.01
TL1172708	11 Piece	£72.42	£69.45

### **6 Piece Diamond Core Drill Set**

· 6 Piece diamond core drill set consisting of 3 x 300mm dry cut diamond blades

#### Set contains:

- 1x 117x170x5mm blade
- 1x 52x170x4mm blade
- 1x 28x350mm blade
- 1x taper pilot drill

SDS plus adaptor 10x200mm Adaptor size 12x200mm



**DURATOOL** 

£39.00 order code TL1028008

### **11 Piece Diamond Core Drill Set**

An 11 piece diamond core drill set ideal for drilling holes in brick, concrete and block.

#### Contents:

5 Core drills - (Dia. x Length) 127x170mm, 117x170mm, 65x170mm, 52x170mm, 38x170mm

- · Taper pilot drill
- 2 SDS plus adaptors sizes: 10x240mm, 10x115mm
- 2 Extension adaptors sizes: 12x240mm, 12x88mm



DURATOOL

order code TL1028108

472284

#### 4 Wav Chuck Kev

4 way chuck key:

No. 1 - 3/8" Chuck - 17/64" Pilot No. 2 - 3/8" Chuck - 7/32" Pilot

No. 3 - 1/4" Chuck - 3/16" Pilot No. 4 - 1/2" Chuck - 9/32" Pilot



order code TL1044008

# **Angle Driver**

- Allows power driving in confined spaces
- Accepts all 1/4" hexagon accessories



1+ order code TL1165708

497997

466745

# Right Angle Drill DURATOOL

- This 90° drive attachment allows you to drill in tight corners or at awkward angles
- For hand or power drill use, including portable electric drills, sanding and buffing attachments (and other drill accessories)
- For right or left hand use
- 1.5 10mm capacity 1+

£6.61

order code TL1043908

# SDS Chuck DURATOO

13mm keyed chuck

 Key S2 1/2" x 20 female thread

· For all types of drill including reversing, impact and SDS plus with hammer stop

order code TL1051408



472278

#### Professional **Flectric Nailers**

Model: 181EL PRO

- Master NailerTM, ideal for nailing door frames, skirting, soft and hardwood flooring and general carpentry
- Safety double trigger
- Staple/nail refill window
- Rubber nose protector
- Uses 18G 180-type nails Supplied with 2000 assorted nails

Voltage: 230V or 110V; Nail Length Capacity: 10-35mm; Load Capacity: 100 Nails; Dimensions (LxH): 255 x 230mm; Weight: 1.6kg

TL1021208 230V Nailer TL1021308 110V Nailer



495697

£33.94

#### **Electric Nailer/Stapler**

Model: 191EL PRO

- Master Nailer<sup>TM</sup> 'Duo' tool ideal for all manner of nailing and stapling applications
- Safety On/Off switch
- Rubberised handle grip
- Rubber nose protector
- Uses 18G 180-type nails and 91-type staples
- Supplied with 2000 180-type nails and 2000 91-type staples

Voltage: 230V: Nail Length Capacity: 15-35mm Staple Length Capacity: 15-30mm; Load
Capacity: 100 Nails/100 Staples: Dimensions (LxH): 255 x 230mm: Weight: 1.8kg



TACMISE

### **18V Professional Nailer/Stanler**

Model: Ranger 40 Duo

- · Powerful, reliable and convenient, giving you the freedom to work without gas, hoses and cables
- Safety double trigger
- Adjustable driving force
- Uses 18G 180-type nails and 91type staples
- Supplied with 2 batteries, 1 hour charger, 7000n mixed nails and staples, safety goggles and heavy duty carry case



Battery Capacity: 1.7Ah; Nail Length Capacity: 15-40mm; Staple Length Capacity: 15-40mm; Load Capacity: 105 Nails/105 Staples; Dimensions (LxH): 290 x 80mm; Weight: 3.7kg

479904

TL1022208 Spare Battery £33.75

#### **Angled 50mm Nailer - 230V** 500EL Pro Master Nailer™ TAC

Ideal for both hard and softwood flooring and

other general carpentry Angled for increased visibility and ideal for

- tight corners and secret (tongueand groove) nailing
- High capacity magazine
- Safety on/off switch
- Rubber nose protector Uses 500 type angled nails

Voltage: 240V; Nail Length Capacity: 20-50mm; Length: 320mm: Load Capacity: 100 nails; Weight: 2.5kg



462844

#### **18V Cordless Nail Gun**

- · Sequential operating mode allows for precision placement and bump operating mode provides the user with production speed
- · LED headlights provide increased visibility
- · Provides easy access to the nosepiece for the simple removal of a iammed fastener
- Top cap is impact resistant and easy to remove for troubleshooting
- · Supplied with 1 hour charger, 2 batteries, DEWALT safety glasses, reversible belt hook, no-mark tip, heavy-duty carrying case

497820

TL0883308 18V Nail Gun With Battery £347.65 TL1153208 18V Nail Gun Without Battery £279.49

Battery Capacity: 2 x 2.4Ah Ni Cd; Nail Length Capacity: 32 -63mm; Magazine Capacity: Up to 120 nails; Nail Diameter: 1.6 (16Ga); Firing Mode: Bump & Sequential; Dimensions (LxH): 330 x 320mm; Weight: 8.1kg



# See www.cpc.co.uk for Additional Nails and Staples



# **600W 4½" Angle**

A mains operated proffesional quality 115mm angle grinder

- · Dust proof switch
- Soft start
- Easy to hold Side handle

Voltage: 230V; No Load Speed: 11000rpm; Disc diameter: 115mm; Bore: 22.2mm; Weight: 2.3kg

476683

D URATOOL

order code TL1120908

### 9" 2100W Angle Grinders Traway

Models: D28411-GB/D28411-LX

- 5 position, anti-vibration side handle
- Tool-free protective guard allows easy adjustment while maintaining user safety
- Abrasion protected high power motor for increased motor durability
- Automatic cut-off brushes protect the armature when brushes are worn, prolonging motor life
- Fully leaded stator windings for increased motor durability
- Dust sealed bearings for prolonged motor life
- Long cable reduces need for extension cord

Voltage: 230V or 110V; No Load Speed: 6500rpm; Grinding Disc Ø 230mm; Spindle Thread: M14; Weight: 4.7kg

TI 0880208 2301 £84<u>9</u>4 TL0884308 110V

#### 4½" 800W Angle Grinder

#### Model: EAG-8011

- · Tool-less wheel guard for guick and easy adjustment 2 position side handle with on-board
- wrench storage Supplied with grinding disc, wrench and
- carry case
- 2 year manufacturer's warranty

Voltage: 230V; No Load Speed: 11000rpm; Grinding Disc Ø 115mm; Bore Size Ø 22mm; Spindle Thread: M14; Weight: 2.18kg

472273

£25.00

## 9" 2100W Angle Grinder @ BOSCH

#### + AV Handle (Anti-Vibration)

Models: GWS 21-230AVH / GWS 21-230AVH1 Distortion-resistant protective guard quickly and easily adjustable, provides reliable protection

- Direct cooling for high overload capability and a long service life
- Vibration control auxiliary handle with 70% vibration reduction
- Suitable for SDS guick-locking nut
- Gear head can be rotated in 90° steps

Voltage: 230V or 110V; No Load Speed: 6500rpm; Grinding Disc Ø 230mm; Spindle Thread: M14; Weight: 4.6kg

480264

TL0965908 230V £74.44 TL1181108 110\/

#### **4** ½" Angle Grinder

Models: GWS6-115

- · Particularly small grip circumference for safe, non-fatigue working Armoured coil with cut out carbon brushes
- Spindle lock for easy disc changes
- Comes complete with clamp guard, Two pin spanner, Back flange and Round nut
  - Voltage: 230V; No Load Speed: 11000rpm; Grinding Disc Ø 115mm; Spindle Thread: M14; Weight: 1.4kg

order code TL1207108





491785

+ Free 🛇 Diamond Blade and Case

# **18V Cordiess Grinder** I

Model: DC410KB-GB/ DC410N-XJ

- Powerful fan cooled motor 7000 rpm provides high power
- Metal gear case
- Supplied with 1 hour
- charger, 2 batteries, heavy duty carrying case



Wattage: 350W; Battery Capacity: 18V, 2 x 2.0Ah Ni MH; No Load Speed: 7000rpm; Grinding Disc Ø: 115mm; Spindle Thread: M14; Weight: 3.2kg

480267 TL1104808 With Battery £214.09 TL1152908 £113.19 Without Battery

# **4½" 900W Angle Grinder**

Models: D28113-GB/D28113-LX Anti-vibration side handle

- improves user comfort
- New quard design allows tool-free fitment, adjustment and removal
- Fully leaded stator windings for increased motor durability
- · Pop off brushes protect the armature from damage at the end of brush life
- 1 year manufacturer's warranty

Voltage: 230V/110V; No Load Speed: 10000rpm; Grinding Disc Ø 115mm; Spindle Thread: M14; Weight: 1.7kg





£41.64

497908

#### Metal Cutting @ BOSCH **Discs**

Bore size: 22.2mm



- 4	E 1	10	n
-	0	J	v

Bent Discs	Dia (Ø)	Thickness	1+	25+
TL0992608	115mm	2.5mm	£0.88	£0.77
TL0992708	125mm	2.5mm	£0.93	£0.84
TL0992908	230mm	3.0mm	£1.71	£1.54
Flat Discs				
TL0993008	115mm	2.5mm	£0.69	£0.60
TL0993108	125mm	2.5mm	£0.78	£0.70
TL0993308	230mm	3.0mm	£1.28	£1.17

### Cutting & Grinding Kit







- Suitable for most 115mm angle grinders Kit contains:
- 75mm cup brush twisted wire M14 x 2
- 100mm single section brush twisted wire M14 x 2 115mm (4½") dry diamond cutting blade
- 115mm (41/2") continuous diamond cutting blade for ceramic tiles

order code TL0894808

480269

#### Stone Cutting @ BOSCH **Niscs**

· Bore size: 22.2mm



451501

Bent Discs	Dia (Ø)	Thickness	1+	25+
TL0993408	115mm	2.5mm	£0.93	£0.82
TL0993508	125mm	2.5mm	£1.02	£0.96
TL0993708	230mm	3.0mm	£1.83	£1.74
Flat Discs				
TL0993808	115mm	2.5mm	£0.71	£0.65
TL0993908	125mm	2.5mm	£0.93	£0.84
TL0994108	230mm	3.0mm	£1.32	£1.21

#### Diamond Disc @ BOSCH

- Suitable for cutting a variety of materials including common bricks, concrete blocks, slate and roofing tiles
- High-quality diamond concentration and excellent concentricity
- · Both wheels have a 22mm bore



482313

	Whee	l diameter (mm ")	
TL1198108	115	41/2"	£7.94
TL1198208	230	9"	£22.97

# **Diamond Cutting**

- · Outstanding cutting performance · Consistent cutting depth and long cutting life
- · High-quality diamond concentration and excellent concentricity

	\
***	
9	
The same of	

497837

	Dia (Ø)	Core	1+	5+	
TL0915008	115mm	22.2mm	£1.50	£1.45	l
TL0915108	230mm	22.2mm	£5.39	£5.16	l
TL0915208	300mm	20mm	£12.49	£11.80	١,

## Flap Discs

- · Ideal for sanding contoured metal surfaces, blending welds, deburring and finishing castings
- · For use with angle grinders
- Bore size: 22.2mm



115mm Diameter			1+	5+
TL1009108	Medium	80	£2.40	£2.15
TL1009208	Coarse	40	£2.40	£2.15
125mm Diameter				
TL1009308	Medium	80	£2.85	£2.55
TL1009408	Coarse	40	£2.85	£2.55

## Diamond Cutting 🚥🚾 **Riades**

Thickness: 1.8mm

• Bore size: 22.23mm

Ceramic & Stone Tiles . 80 m/s max. operating speed

497902

		1+	5+
TL1014008	115mm	£8.49	£7.94
TL1014108	125mm	£9.89	£9.25

All Prices Exclude VAT

### Grinding Discs 🏻 🚾 🗪 🗠

- Depressed centre grinding discs for metal, steels and stainless steels
- Thickness: 6.5mm
- · Supplied in packs of 10



			1+	5+
TL1013208	100mm	16.0mm	£7.65	£7.23
TL1013308	115mm	22.23mm	£7.86	£7.57
TL1013408	125mm	22.23mm	£9.11	£8.35
TL1013508	180mm	22.23mm	£15.07	£13.82
TL1013608	230mm	22.23mm	£21.65	£19.85



492006

#### 800W Jigsaw Rockworth

Model: ARPJ800

- Ideal for trade use
- · Adjustable angle base plate
- Pendulum action roller
- Variable sneed
- Dust extraction outlet
- · Quick blade change system
- Soft grip handle
- Supplied with 3 x blades (wood, plastic and metal cutting) and a blow moulded carry case

No Load Speed: 3000 s/min; Cutting Capacit : Wood 80mm, Steel 10mm;Max.Cutting Angle: 45°: Weight: 2.28kg

**£19.18** order code TL1076408



465581

# **18V Cordless Jigsaw with Laser**Bare Unit

Model: CJS-180LM

- 4 Stage pendulum action for enhanced cutting performance
- Tool less blade clamp for quick and easy blade change
- · Laser guide for cutting accuracy
- 0° to 45° bevel settings
- Die-cast aluminium front housing
- 'Soft grip' handle for improved comfort and positive grip

 Compatible with the ONE+ Series batteries Contents: 2 x Jigsaw blades, 1 x Hex key

Battery not supplied

Length of Stroke: 19mm; No Load Speed: 2100rpm; Max Cutting Capacity: 40mm; Weight: 2.0kg

**£59.57**order code T118390

#### 500W Jigsaw

Model: PST 650

- Safe: ambidextrous lock-off switch for safety and comfort
- Low vibration through counter balance system
- Metal sole plate can be moved forwards and backwards
- Swivelled in both directions for bevel cuts
- Blower function for better view of the cut
   SDS for quick and easy blade
- change Contents: 1 x carrying case and

jigsaw blade

Operating Voltage: 240V, Cutting Capacity: Wood 65mm, Steel 3mm; Weight: 1.7kg

**£29.78** order code TL1186808 ⊕ BOSCH



#### nei cone itilogogo

#### 550W Jigsaw

Model: GST 80PBE

- Variable speed for improved control
   CDS blade above system
- SDS blade change system
- 4 pendulum action stages
- Supplied with carry case
- 3 year manufacturer's warranty

No Load Speed: 3100 s/minCutting Capacity: Wood 80mm, Aluminium 20mm, Steel 10mm; Max.Cutting Angle: 0 -45°; Weight: 2.5kg



A BOSCH

**£89.00** der code TL0965808 480274

# 18V Cordless Jigsaw Bare Unit Bare Unit

Model: GST 18VN

- High power transfer with a powerful 48 mm motor
- mm motor
   Magnesium gear housing and aluminium
- sole plate

  SDS system for rapid easy saw blade
- changes

   Motor brake, air blast function and soft
- grip handle for comfort

Battery not supplied

498004

No Load Speed: 2100 1/ min; Stroke Length: 26mm; Cutting Capacity: Wood 68mm, Steel 11mm; Max.Cutting Angle: 45°; Weight: 3.2kg

£146.67

order code TI 1182308

# **18V Heavy Duty Cordless Jigsaw**Bare Unit

Model: DC330N-XJ

- Quick and easy patented keyless blade change system accepts t-shank blades
- Tool free adjustable shoe with anti-scratch cover bevels 45° in both directions
- 3-position orbital action controls the aggressiveness or smoothness of cuts
- Patented anti-vibration counter-balance mechanism and rubber grip provide smooth operation
   Contents: 1 x Anti-splinter shoe insert, 1 x

Anti-scratch shoe cover, 1 x Dust extraction adaptor, 4 x Blades Battery not supplied

No Load Stroke Rate: 0-3000 spm; Bevel capacity: 45°; Blow per minute: 0-4200 bpm; Cutting CapacityØ: Wood 135mm, Steel 10mm; Weight: 3.4kg

£152.25

497975

#### **U Shank Jigsaw Blade Set**

- · Handy sets of 8 mixed jigsaw blades
- . Set contents: 2 x HSS metal blades. 6 x HCS wood blades of various types
- Suitable for AEG, Atlas Copco, Bosch. DeWalt, Elu, Festo, Hitachi, Makita, Metabo

498295



@ BOSCH

#### **T Shank Jigsaw Riade Set**

- Handy sets of 8 mixed jigsaw blades
- Set contents: 2 x HSS metal blades, 6 x HCS wood blades of various types
- . Universal suitable for Black & Decker, DeWalt, Skil, Nutool

498296



⊕ BOSCH

#### Shank Jigsaw Blades @ BOSCH

Harry Warmer

- A range of jigsaw blades with a progressive tooth design for faster and smoother cuts
- New plunge tip for easier plunge cuts
- For Bosch, Makita, Dewalt and Freud jigsaws
   Sold in packs of 5

Wood

T111C: 4-50mm - Softwood T144D: 5-50mm - Softwood T101B: 3-30mm - Softwood, plastics T101D: 10-45mm - Softwood

T234X: 2-65mm - Softwood Wood/Metal

T345X: <65mm/3-10mm - Timber with Aluminium nails, plastics, pipes/profiles inc. aluminium

Metal T118G: 0.5-1.5mm - Very thin

sheet metal T118A: 1-3mm - Thin sheet metal T123X: 1.5-10mm - Metal plate, pipes/profiles inc. aluminium <30mm

T127D: 3-15mm - Sheet metal, pipes/profiles <30mm

			49783		
Wood		1+	5+		
TL0973608	T111C	£2.19	£2.09		
TL0973708	T144D	£3.41	£3.22		
TL0973808	T101B	£4.38	£4.09		
TL0973908	T101D	£4.81	£4.60		
TL0974008	T234X	£6.46	£6.05		
Wood/Metal			·		
TL0974108	T345X	£7.75	£7.30		
Metal					
TL0974208	T118G	£4.21	£3.98		
TL0974308	T118A	£4.21	£3.98		
TL0974408	T123X	£5.16	£4.97		
Aluminium					
TL0974508	T127D	£4.58	£4.30		

**Laminated Jigsaw** Riade

- Specially designed for laminated materials
- Clean cut on both sides of the laminated materials
- Pointed tooth design for precise cuts
- Laser welded joint (HSS AND HCS) for a high service life

497995

ROCKWORTH

**⊕ BOSCH** 

£8.74 £8.22 order code TL1174908

**600W Reciprocating** 

Model: ARPC600

- · Ideal for trade use Variable speed
- Quick change blade clamp system
- Safety lock-on button
- Keyed adjustable pivoting shoe

cutting blade

Soft grip for comfort Supplied with 1 x wood cutting blade and 1 x metal

Voltage: 230V; No Load Stroke rate: 2500 s/min; Stroke Length 18mm; Weight: 3.08kg

£27.26

497923

### 800W Reciprocating Ryon Saw

Model: ERS-80V

Ideal for industrial and

- trade use
- Variable speed trigger
- Metal gearbox for strength and durability
- Generous stroke length for faster cutting
- Tool-free blade change
- 'Power Grip' for improved grip and reduced vibration
- Supplied with 3 x blades and carry case
- 2 year manufacturer's warranty

Voltage: 230V; No Load Stroke rate: 500 - 3000 s/min; Stroke Length: 28mm; Weight: 2.8kg

order code TL1067008

497940



#### 1500W 185mm ROCKWORTH **Circular Saw**

Model: ARPC1500

- Ideal for trade use
- · Adjustable depth and angle of cut
- Spindle lock for quick
- blade changes
- · Retractable blade quard Dust extraction outlet
- Supplied with TCT blade, parallel guide and carry case

Voltage: 230V; No Load Speed: 4000rpm; Saw Blade Dia: 185mm; Bore Size: 20mm; 90° Cutting Depth: 65mm; 45° Cutting Depth: 45mm; Weight: 4.88kg

£35.25 order code TL1077308 480339

# **1150W Circular Saw**

Model: 5155 AE

- · Adjustable depth setting for efficient cutting
- Spindle lock for easy blade change
- · Front handle for greater control
- · Wider foot for increased stability
- Dust suction facility with dust port for most household vacuum cleaners
- · Safety switch to prevent accidental starting designed for both right and left hand use

Contents: 1 x 12 teeth Carbide tipped blade, 1 x Hex key, parallel guide

Voltage: 240V: No Load Speed: 5400rpm: Saw Blade Dia: 170mm: Bore Size: 16mm; 90° Cutting Depth: 55mm; 45° Cutting Depth: 43mm: Weight: 4.1kg

498012

#### £39.80 order code TL1183008

498013

- 1250W Circular Saw · Adjustable depth setting for efficient cutting
- Spindle lock for easy blade change
- · Front handle for greater control
- · Wider foot for increased stability
- · Dust suction facility with dust port for
- most household vacuum cleaners
- Safety switch to prevent accidental starting, designed for both right and left hand use Contents: 1 x 12 teeth Carbide tipped blade, 1 x Hex

key, Parallel guide and Plastic carry case

Voltage: 240V; No Load Speed: 4600rpm; Saw Blade Dia: 190mm; Bore Size: 16mm; 90° Cutting Depth: 66mm; 45° Cutting Depth: 51mm; Weight: 4.6kg

order code TL1183108

### 1600W Circular Saw

Models: 5866AG (240V) and 5866AE (110V) Powerful 1350 & 1600W motor with high

torque and speed (5,500 rpm) for fast. high precision cutting at depths up to 66mm

- Dual laser for highly accurate sawing; the two laser lines indicates the width of the saw hlade
- Spindle lock for easy blade change
- Wider foot for increased stability

Dust suction facility with dust port for most household vacuum cleaners

Contents: 1 x 24 teeth Carbide tipped blade, 1 x Wrench spanner, Parallel guide, and Plastic carry case

Wattage (240V): 1600W; Voltage: (110V): 1350W; Voltage: - 240V; No Load Speed: 5500rpm; Saw Blade Dia: 190mm; 90° Cutting Depth: 55mm; 45° Cutting Depth: 51mm; Weight: 4.7kg

		498011
TL1182908	240V	£87.74
TI 1182808	110V	f84.74

#### Model: NPE210

- Ideal for the garage or workshop
- Accurate cutting in wood, plastic and aluminium Bevel, mitre and compound cuts to 45°
- Rotating table with graduated scale
- Dust extraction
- Supplied with 18 teeth TCT blade, 2 x extension bars and dust bag

No Load Speed: 5000rpm; Saw Blade Dia: 210mm; Bore Size: 18mm; 90° Cutting Depth: 60x120mm; 45° Cutting Depth: 35x120mm

order code TL1073508

480346

#### 254mm Mitre Saw

#### Model: NPE254

- Ideal for the garage or workshop
- Accurate cutting in wood, plastic and aluminium
- Bevel, mitre and compound cuts to 45° Rotating table with graduated scale
- Supplied with 24 teeth TCT blade, 2 x extension bars and dust bag

Voltage: 230V; No Load Speed: 5000rpm; Saw Blade Dia: 254mm; Bore Size: 25.4mm; 90° Cutting Depth: 78 x 120mm; 45° Cutting Depth: 55 x 120mm

order code TL1073608





497918





#### 260mm Table Top DEWALL **Mitre Saw**

Model: DW711-GB

Powerful dust protected induction motor, provides years of maintenance free service

Integrated blade brake

- Integrated positive mitre stops at 15°, 25°, 30° 45°, quick release mitre mechanism up to 48°
- · Large adjustable scratch-resistant scale
- · Large adjustable parallel table top fence can be used on both sides of the blade

· Effective 3 port dust extraction facility

Supplied with 260mm SERIES 40® 24 tooth TCT blade. top guard with extraction, blade spanner, allen key, push stick

Voltage: 240V; No Load Speed: 2750rpm; Saw Blade Dia: 260mm; Bore Size: 30mm; Mitre Capacity: 48°; Dimensions (LxHxD): 490 x 620 x 590mm; Weight: 24kg

Mitre Saw: 45°/45° Cutting Capacity: 90 x 20mm, 90°/90° Cutting Capacity 125 x 55mm / 140 x 40mm

Table Saw: Cutting Depth: 50mm

£305.98 order code TL0881608 **12" Mitre Saw** 

Model: GCM 121 & 122

 Max cutting depth up to 104 mm, cutting width up to 196 mm

Mitre angle can be set up to 52° on the left and 52° on the right

Swivelling saw head for inclined cuts up to 47° left Integrated carrying grip for

easy transport Contents: 1 x Saw blade, 1 x Quick action clamp, 1 x Dust

extraction bag, 1 x Insert plate, 1 x Dust extraction adapter

Wattage 240V: 1800W; Wattage 110V: 1450WVoltage: 240V or 110V; No Load Speed: 4300rpm; Saw Blade Dia: 305mm; Bore Size: 30mm; Max.Bevel: 47°L; Mitre Capacity: 52°L / 52°R; Dimensions (LxHxD): 670 x 640 x 720mm; Weight: 20.5kg

> 498000 £245 97

@ BOSCH

TI 1179308 2401/ TI 1179208 110V £249.90

254mm Sliding Mitre **Wool** 

Model: EMS-2026SCL

- · Exact line laser for improved accuracy when cutting
- · Quick action mitre lock handle for faster mitre settings
- . Extra wide side extensions to support wider timber
- . Built in spindle lock for easy single wrench blade change

9 pre-set index angles

Contents: 1x 40 tooth TCT blade, 2x Extensions, 1x Dust bag, 1x Wrench

Voltage: 240V; No Load Speed: 4500rpm; Saw Blade Dia: 254mm; Bore Size: 25.4mm; 90° Cutting Depth: 90 x 305mm; 45° Cutting Depth: 90 x 115mm

480375

497819

£183.49 order code TL1185308

#### **205mm Table Saw**

Model: NPF720

- Parallel fence · 24 teeth Tungsten Carbide Tipped blade • Mitre guide
- Adjustable table

Voltage: 230V; No Load Speed: 2800rpm; Saw Blade Dia: 205mm; Bore Size: 15.9mm; 90° Cutting Depth: 43mm; 45° Cutting Depth: 28mm; Table Size: 400 x 513mm

order code TL1074108



466753

## **254mm Table Saw**

Model: NPF1600

24 teeth Tungsten Carbide Tipped blade

- Adjustable table
- Flectric brake
- Parallel fence Mitre guide

. Voltage: 230V; No Load Speed: 4800rpm; Saw Blade Dia: 254mm; Bore Size: 25.4mm; 90° Cutting Depth: 80mm; 45° Cutting Depth: 55mm; Table Size: 430 x 640mm

order code TL1074208

497920

#### 254mm Table Saw

Model: ETS-1526AL

- Die-cast table with steel extension tables
- · Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- · Lightweight for easy portability
- Adjustable height and angle settings
- Complete with floor stand and strong durable rubber feet for stability Contents: 1 x 40 tooth TCT blade, rip

fence, mitre gauge, push stick, wrench



480422



#### Bandsaw

Model: DW738-GB

- Suitable for wood, non-ferrous metals, foam, composites and plastics
- 2 speed control
- Large balanced aluminium band wheels
- Large aluminium saw table with wear-resistant coating and replaceable insert
- Parallel fence
- · Dust extraction port
- Supplied with saw blade, safety key switch bush, parallel fence

760W

380/800 m/min

Wattage Cutting Speed Max. Cutting Height

155mm Max. Cutting Width 310mm 0 - 45° Bevel Adjustment 380 x 380mm Table Size Dimensions (LxHxD) 660 x 1550 x 520mm

order code TL0881408





DREMEL

498649

#### **Scroll Saw** Scroll Station<sup>TM</sup>

- Combines the attributes of a full-featured variable speed scroll saw
- InfiniteCut<sup>™</sup> blade holder rotates 90° for infinite cutting length
- Smooth cast-iron table, tilts in 15° increments
- · Flexible LED light for improved visibility
- · Flexible, multi-directional dust blower
- keeps line of cut clear
- Accepts pin-end and plain-end saw blades
- Supplied with 125mm sanding disc attachment and 12 various blades

Voltage

230V No Load Speed 500 - 1700rpm Throat Capacity 455mm 19.78kg Weight

order code TL1085608

498651

## **600W Planer**

#### Model: NPE601

- Ideal for DIY and light trade use
- Parallel guide
- · Dust collection bag
- · Supplied with 2 x sets of blades and spare drive belt

No Load Speed 16000rpm Blade Width 82mm Planing Depth 2mm

order code TL1075608



498652

#### 500W Planer @ BOSCH

Model: PHO 1

· High precision-V grove for easy bevelling of edaes

Contents: 1 x dust bag, 1 x Allen kev, 1 x Tungsten-carbide reversible blade

No Load Speed Cutting Depth Rebating Depth

1.5mm 8mm

order code TL1187608

498654

#### 600W Planer Ryon

#### Model: EPN-6082C

- . 0.5mm chamfering groove in die cast front shoe for added precision
- Front handle denth control in clearly marked from 0 - 1.5mm or control planing depth
- Dust extraction bag can be used on the left or right Contents: 2 x TCT blades, 1 x Dust bag,

1 x Side fence, 1 x Wrench

No Load Speed Blade Width Planing Depth Rebating Depth

16000rpm 82mm 1.5mm

498655

£42.54 order code TL1185008

#### 600W 2.5mm Planer **DEWALT**

#### Model: DW680K-GB

· Front handle depth control in clearly marked 0.1mm steps for accurate setting, with a positive stop position

No Load Speed 15000rpm Blade Width 82mm Planing Depth 2 5mm Rebating Depth 12mm



498656

#### 120W Corner Sander

Model: ECS-1214N

Triangular pad for sanding in corners and tight spaces

- · Quick fix hook and loop sanding sheet attachment
- · Livetool indicator glows blue
- when plugged into power supply · Di-cast aluminium base for strength and durability

Contents: 2 x 80, 100 and 150 grit sanding papers, 1 x Paper punch pad, 1 x Dust bag, 1 x Carry case



RYOBI

480423

474167

Voltage: 240V; No Load Speed: 12000rpm; Orbit Diameter: 1.6mm; Sanding Pad Size: 99 x 139 mm; Weight: 1.28kg

order code TL1184408

#### Sanding Pads 🛛 BOSCH

- Suitable for sanding all metals, woods and plastics
- Aluminium oxide abrasive
- Velcro-backed delta and multi-sander pads
- Pad Sizes

2-Part Detail - 151 x 102mm

Delta - 93mm



		1+	5+
40		£6.68	£6.11
80		£6.50	£5.94
120		£6.69	£6.11
180		£6.69	£6.11
40		£14.87	£14.11
60		£14.86	£14.10
80		£14.55	£13.81
180		£14.55	£13.81
240		£14.54	£13.81
	80 120 180 40 60 80 180	80 120 180 40 60 80 180	40 £6.68 80 £6.50 120 £6.69 180 £6.69 40 £14.87 60 £14.86 80 £14.55

#### N Palm Multi Sander 🛭 Bosch

- Micro Velcro sanding sheets for fast and convenient sheet change
- · Integrated dust extraction with the Bosch Micro filter system
- · Large soft grip area for easy handling Contents: 1 x Carry case

and 3 sanding sheets



Voltage: 240V; Oscillation Speed: 22500 opm; Weight: 0.9kg

order code TL1187108

230W 1/4" Sheet Orbital **Palm Grip Sander** 

Model: D26441-GB & LX

Sands at 14,000 orbits per minute,

providing a superior finish

Hook & loop platen allows faster paper change, better dust extraction and increase sanding efficiency

Paper clamps provided for conventional abrasives

Dust sealed switch for increased durability

Sealed 100% ball-bearing construction provides longer life Contents: 1 x Sanding sheets, 1 x Paper punch, 1 x Dust bag with builtin extractor connection

Rotation Speed: 14000rpm; Sanding Sheet Size: 140 x 115 mm; Weight: 1.4kg

	TL1155908	240V	£55.47
ĺ	TL1156008	110V	£58.11
- 3			

## **300W Delta Sander**

Model: D26430-GB

Variable speed control 14,000-22,000 orbits per minute

- High performance motor for extended life
- · Large orbit size for high stock removal
- · Dust collection using integrated extraction or external dust extractor
- · 360 degree rotating base plate for improved access and uniform sanding sheet wear
- Interchangeable quick fit sanding pad, with optional scraper blade or louver attachments

Contents: 1 x Dust Cartridge, 1 x Hook & Loop sanding sheet

Voltage: 240V; Rotation Speed: 22000rpm; Sanding Sheet Size: 93 x 93 x 93 mm; Weight: 1.3kg

order code TL1155808

497980

## **280W Random Orbit Palm Grip Sander**

Model: D26453-GB

- 280 Watt variable speed motor adjusts from 7,000-12,000 orbits per minute
- Textured anti-slip top & body grip provides ultimate comfor and control during use

Contents: 1 x Sanding sheet, 1 x Fabric dust bag



Voltage: 240V ac; Orbits Per Minute: 14000 - 24000 rpm; Sanding Sheet Size: 125 mm; Weight: 1.6kg

479560

480426



ROCKWORTH

190W 1/3 Sheet Random @ BOSCH

Model: GSS 23AF1 & 23AF2 The new Bosch sander with the Easy-Fit System - it's designed to take sheets and rolls It has a integrated Micro filter System which gives you dust-free working and because it's

fitted a transparent box you can see when it needs to be emptied.

Voltage: 240V or 110V; No Load Speed: 1400rpm; Sanding Sheet Size: 92 x 182; Weight: 1.7kg

497999

TL1177708 240V Drill TL1177608 110V Drill

£65.33

#### **900W Belt Sander**

Model: ARPS900

- Ideal for trade use Belt centralizing
- adjuster Easy sanding belt
- replacement Continuous running

button Supplied with dust collection bag and

blow moulded carry case

Voltage: 230V or 110V; No Load Speed: 10000rpm; Sanding Sheet

Size: 115 x 230mm; Weight: 2.3kg

order code TL1077508

# ROCKWORTH

# 280W 1/2 Sheet Orbital

Model: ARPS280

- · Ideal for trade use · Lever action quick release paper clamp system
- · Dust extraction facility · Lock-on switch for
- continuous sanding Supplied with 1 x sanding sheet and dust collection bag



Voltage: 230V or 110V: No Load Speed: 10000rpm: Sanding Sheet Size: 115 x 230mm; Weight; 2.3kg

# 1/2 **Sheet Orbital Sanding Pads**

#### Hook and Loop

- · Suitable for sanding all metals, woods and plastics · Hook and loop type fastening
- · Aluminium oxide abrasive Suitable for Bosch, Festo, Makita and
- Metabo tools
- Dimensions: 115 x 230mm . Supplied in packs of 10



497925

	Grit Size	1+	5+
TL1176408	60, 120, 180	£4.90	£4.36
TL1176508	40	£6.27	£5.98
TL1176608	60	£5.80	£5.16
TL1176708	80	£5.25	£4.67
TL1176808	100	£4.90	£4.36
TL1176908	120	£4.90	£4.36

# 1/3 **Sheet Orbital Sanding Pads**

#### **Hook and Loop**

· Suitable for sanding all metals, woods and plastics

- Hook and loop type fastening
- · Aluminium oxide abrasive Suitable for Bosch, Festo,
- Makita and Metabo tools • Dimensions: 93 x 185mm

· Supplied in packs of 10



497999

BOSCH

497924

	Grit Size	1+	5+	
TL1177008	60, 120, 180	£3.35	£2.98	
TL1177108	40	£4.12	£3.67	
TL1177208	60	£3.45	£3.07	
TL1177308	80	£3.35	£2.98	
TL1177408	100	£3.35	£2.98	
TL1177508	120	£3.35	£2.98	1

# Sanding Discs @ Bosch

- · Suitable for sanding all metals, woods and plastics
- Velcro type fastening
- Aluminium oxide abrasive Supplied in packs of EC



125mm Diameter

150mm Diameter

<ul> <li>Supplied in packs of</li> </ul>	T 50		4000/4
125mm Diameter		1+	5+
TL0980908	40	£14.59	£13.13
TL0981008	60	£14.16	£12.27
TL0981108	80	£14.16	£12.27
TL0981208	120	£14.16	£12.27
TL0981308	180	£14.16	£12.27
150mm Diameter			
TL0969608	40	£16.92	£15.70
TL0969708	60	£16.90	£15.69
TL0969808	80	£19.37	£17.97
TL0969908	100	£16.55	£15.37
TL0970008	120	£16.55	£15.69
TL0970108	180	£18.39	£17.08

#### **Sand Paper**

- 10 piece 230x280mm sandpaper kit
- Ideal for sanding wood, painted surfaces and plastic
- The kit contains 2 x coarse, 2 x fine, 3 x medium and 2 x extra fine

5+ order code TL0915508



## **Wet and Dry Paper**

- 10 piece 230x280mm wet and dry sand paper
- Ideal for sanding metal, wood, painted surfaces and plastic
- The kit contains 2 x course, 2 x medium, 3 x fine and 2 x extra fine

5+ order code TL0915408




# **General Purpose** flex()vit Sanding Rolls - 5m · General purpose aluminium oxide for use on a variety of surfaces Suitable for hand or power tool use Dimensions (WxL): 115mmx5m

			1+	5+
TL1004608	Fine	180	£2.93	£2.85
TL1004708	Medium	120	£3.29	£3.14
TL1004808	Coarse	80	£3.37	£3.12
TL1004908	V. Coarse	50	£3.59	£3.44

### **Sanding Blocks**

- Available in Fine/Medium and Medium/Coarse
- Foam blocks with two sides of each finish
- Ideal for sanding, preparation and finishing of flat and curved surfaces

TL1101908 Fine/Medium TL1102008 Medium/Coarse



**65**n

### **Cork Sanding Block**

- · Makes sanding easier, faster and cleaner
- For use with cut down standard abrasive sheets or rolls
- · Can be used with wet and dry abrasive papers
- Ideal for sanding flat and curved surfaces

499465

order code TL1101708

# **Wet and Dry Paper**

- · Highly flexible, high quality silicon carbide abrasive
- · Can be used wet or dry · Ideal for use with water or other lubricants
- · Assorted pack contains 5x 180, 10x240 and 10x400 arit sheets
- Dimensions (WxI.): 230x280mm



480455

		Size	Silects	
TL1004008	Fine	400	15	£3.43
TL1004108	Medium	240	15	£3.43
TL1004208	Coarse	180	15	£3.43
TL1004308	Assorted	-	25	£5.69
TL1004408	Very Fine	800	50	£13.13
TL1004508	Extra Fine	1000	50	£13.13

All Prices Exclude VAT

#### ium Oxide Cloth flex()vit Aluminium oxide abrasive on a flexible cotton backing · Ideal for sanding profiled surfaces · For use on wood or metal

· Dispenser unit allows easy storage Dimensions (WxL): 25mmx25m

Grit Size	1+	_
	17	5+
120	£12.12	£11.20
80	£12.66	£11.67
60	£13.44	£12.93
40	£14.75	£13.70
	120 80 60	120 £12.12 80 £12.66 60 £13.44



#### 1150W 1/4" Router | RY03|

Model: ERT-1150VN

Flectronic variable speed

- Fine height adjustor
- Precision depth control for accurate cutting
- Soft start function
   Supplied with 8 x assorted cutters, template guide, parallel fence, spanner and
- 2 year manufacturer's warranty

# carry case • 2 year manuf Technical Data

Voltage 230V

No Load Speed 14000 - 31500rpm Collet Size 1/4" and 3/8"

Plunge Depth 55mm

**LUJ.U** 



497939

#### 1100W 1/4" Router

Model: DW621K-GB & LX

- Precision depth of cut micro-adjuster accurate to 0.1mm
- Unique through the column dust extraction for excellent cutter visibility
- Power switch located in the handle for ease of use features lock off and lock on actions
- Electronic speed control with feedback ensures the selected speed is maintained under any load
- Soft start
- Two column precision guide with phosphor bronze bushing - the extra broad column

provides superior rigidity for the greatest accuracy in this size of router

Contents: 1 x Parallel fence, 1 x Dust extraction adapter and cap, 1 x 8mm collet (¼" GB), 1 x 17/10mm spanner, 1 x 24 mm guide bush, 1 x Heavy duty carrying case

Technical Data

No Load Speed 8000 - 24000 rpm Collet Size 6 - 8mm Plunge Depth 55mm

TL1155208 240V

TL1155308 110V

£159.80

497979

#### 4 Piece Kitchen Router Set

Set contents:

- · Cutters to fit any kitchen worktop
- Straight bit 63 x 12.7mm
- 2 x straight bit 50 x 12.7, 63 x 12.7mm with ½" shank
- 1 x flush trim bit 25.4 x 12.7mm with 1/4" shank





467135

### **2000W ½" Variable Speed Plunge Router**

Model: DW625EK-GB

- Electronic speed control ensures that the same fine finish is achieved in all grades of timber, aluminium and plastics
- · 2 column precision guide
- Soft start
- Dust extraction
- Large comfortable handles with the on/off switch and plunge lock at your fingertips
- Routing depth setting with fine adjustment and magnified scale for simple setting
- Supplied with dust extraction adapter,
   20mm guide bush 22mm spanner 12mm

30mm guide bush, 22mm spanner, 12mm collet, heavy-duty carrying case

Technical Data

 No Load Speed
 8000-20000 rpm

 Collet Size
 6 - 12.7mm

 Plunge Depth
 80mm

 Max. Cutter Dia.Ø
 50mm

£195.66

order code TL0881308

#### Kitchen Cutter **freud** & Bracket Kit

- A kitchen worktop cutter set consisting of 2 x ½" shank double flute router bits and 6 x connecting bolts
- Micrograin carbide tips
- Precise shear and hook angle
   End of bit relief allows for fast
  plunging
- Bit sizes (ØxH): 12.7 x 50.8mm and 12.7 x 63.5mm
- Supplied in a storage pouch

**£25.09** 

480439

DURATOOL

480437

## Compact Kitchen Worktop Jig

 Cuts 90° female/male joints for 400, 500, 600, 616 and 650mm width worktops

 Incorporates 4 radii for producing corners, sizes - 20, 40, 60 and 100mm

 Mitre cut facility to cut worktops to angles of 90°, 22.5° and 45°
 Apartures for routing recesses f

 Apertures for routing recesses for 150mm worktop connectors

 TL0987808
 Compact Jig
 £59.00

 TL0987908
 Jig Bag
 £19.95

All Prices Exclude VAT

497880

#### **600W Biscuit Jointer** Model: DW682K-GR &LX · Rack and pinion control provides precise vertical adjustment and fence alignment · Pre-set cutting depths for 0. 10 and 20 biscuit sizes

with additional fine adjustment · Grooving setting with up to 20mm

depth of cut

· Anti slide grippers, eight guiding notches and fence window to aid accurate cuts

 Spindle lock mechanism for quick and easy blade changes with a single spanner

Contents: 1 x Tungsten carbide tipped grooving cutter, 1 Shavings bag, 1xSpanner, 1x35 mm Dust extraction spout, 1xHeavy duty carrying case

No Load Speed: 10000rpm; Max Cutter Diameter: 100 mm; Max Cutting Depth: 20 mm; Fence adjustment: 0 - 90°; Joint Groover Setting: mm; Weight: 3.0kg

482316

TL1156508 240V TL1156608 110\/

£152<u>9</u>7

Cordless/Corded Wet and Dry Vacuum

Model: DC500-GB

· Dual power source for flexibility and convenience

Picks up dust, screws, nails and liquids without having to remove filter

Collects more than 300 litres of water. or 70kg of concrete dust on one 18V. 2.0Ah Ni-Cd battery charge

Captures 99.7% of dust as fine as 0.3 microns

Positive locking on rubber hose prevents accidental detachment

High efficiency, re-usable filter

On-board accessories and power cord storage

Powerful blower for debris removal

Drainage port for quick release of liquids Battery and charger not supplied

Supplied with crevice tool, wide nozzle, dust extraction adaptor

Wattage: 300W; Voltage: 230V or 12 - 18V DEWALT batteries; Battery Type: Ni-Cd/Ni-MH 1.3 - 3.0Ah; Max. Airflow: 15.9 I/sec; Tank Volume: 7.51; Hose Nozzle Outer Dia: 32mm; Hose Length: 2m; Weight: 4.6kg

466739

order code TL0882808

#### 1500W Heat Gun

Model: D00019

· Ideal for stripping paint, lifting vinyl tiles,

defrosting pipes, bending plastic etc. Removes paint from all types of surfaces

· 2 temperature settings for varying tasks

· Supplied with nozzles

order code TL1018808

#### DURATOOL



# Hot Air Gun DW340K

Variable temperature control and regulation. Removable front ring enables working in restricted places. Supplied with glass protection, spoon reflector, cone, fish tail surface nozzles and paint scraper.



order code TL0881008

462851

All Prices Exclude VAT

#### 2000W Hot Air Gun **DURATOOL**

Hot air gun used for stripping paint, defrosting pipes shaping plastics and many other uses. Suitable for the professional or hobby user.

· Variable temperature control and regulation

ontimum cooling Supplied with 4 various heat directing/deflecting nozzles making it

· Powerful motor with

suitable for use in many tricky areas

· Supplied in a blow moulded case

#### **Technical Data**

Weight

Wattage 2000W 230V Voltage

Setting 1: 50 - 450oC; Setting 2: 90 - 600oC°C Operating Temp. Air Flow Rate 250 - 500I/min

order code TL1121008

480443

**Make CPC your** website! www.cpc.co.uk



#### **Rench Drill**



250W

168mm

#### Model:CDP5DD

Precision engineered bearings, columns and tables

- Table tilts 0-90°
- · Easy to alter speed and belt tensions

Chuck Capacity Spindle Taper B16 Speeds RPM 545-2530

Table Size Motor Max. Distance - Chuck to Table Max. Distance - Chuck to Base

260mm 180x143mm Base Size Overall Height 515mm Weight 19ka



448244

**Bench Grinders** Models: EBG-2515 / EBG-3720

Adjustable eye-shields (one with magnifying

lens) 2 x integral 10W worklights - automatically

illuminate grinding wheels when in operation Wheel dressing tool

Supplied with wheel dressing tool,

1 x fine and 1 x coarse grinding wheels

· 2 year manufacturer's warranty

EBG-2515 Model FRG-3720 Wattage 250W 370W No Load Speed 2850rpm 2850rpm Wheel Size 150 x 20mm 200 x 25mm

TI 1067908 £38.29 150mm Bench Grinder TL1068008 200mm Bench Grinder £59.57

£36.93 order code TL0464708

#### Bench Pillar Drill 🏮



MT2a Spindle Taper Chuck 12mm (1/4") Drilling Capacity (steel)

13mm (1/2") 1/3 HP - Single phase Motor Sneeds (five) Speed 600-2500 R.P.M.

# 400W Belt and Disc

#### Model: BT400

 Cast iron construction with a cast allow side table

Dust extraction outlet

Relt Speed Disc Speed Sanding Belt Size Disc Diameter

594m/min 2850rpm 100 x 915mm 150mm

498677

498676

order code TLN9616NR

## 150W Bench Grinder

#### Model: NPE150

- Ideal for DIY, light industrial and hobbyist applications
- · Medium and coarse grinding wheels

No Load Speed Wheel Dia. (Med/Coarse) Wheel Width (Med/Coarse)



150mm/150mm 16mm/16mm

order code TL1074008

462850

498675

# 2200W Chop Dewall

Model: D28700-GB/D28700-LX

· Spindle lock

Contents: 1 x Metal cutting disc, 1 x Hex key

Wheel diameter 355mm No Load Speed 3800rpm Overall length 486mm



TL1152408 240V TL1152508 110V

£149.79

#### **Access & Handling**

#### **Folding Workbench**

- Robust steel frame with a solid wooden work surface
- 4 rubber pegs for variable work nositioning
- Easy to assemble and carry
- · Ideal for drilling, sawing and sanding
- Max. opening: 107mm
- Max. opening (with pegs): 265mm
   Dimensions (HxLxW):
- 740x640x605mm



£9.96 order code TL0444208 488384

### **Folding Saw Horse Twin Set**

- · All plastic construction
- · Non-slip rubber inserts in top
- Non-slip rubber feet Folds flat for easy carrying
- and storage Maximum load capacity: 340kg
- (per pair) Dimensions (LxWxH): 571x52x822mm



STANLEY

£19.36 order code TL1082008 498719

#### **Adjustable Saw Horse**

- · Heavy duty metal legs for a high load capacity of 1135kg
- · Height adjustable to a max height of 1025mm with up to 215mm extension to individual legs
- · Ideal for use on uneven surfaces
- Weighs 5.25kg lightweight and easy to carry



Fart Max

order code TL1143508

498723

### **Adiustable Roller** Stand DURATOOL

- . Height adjusts from 685mm (27") to 1170mm (46") for maximum versatility
- 360° clamping strength
- · Heavy-duty steel construction Steel roller provides easy movement
- Assembles easily with screwdriver and adiustable wrench



£9.62 order code TL1046708

#### **Adiustable Roller** Stand Ryoal

- Height adjusts from 630mm to 1080mm for maximum versatility
- Roller ball system allows fast feeding of large sheet material
- Heavy-duty steel construction
- · Floor fixings for added stability

# **Get it fast!**

495744

Same Day Despatch on all orders placed before 7pm













Lightweight folding sack truck

Suitable for use in warehouses, offices and the home

Extending back for easy moving of large loads

Base folds flat for easy transportation and storage · Solid smooth wheels

**Technical Data** 

Load Capacity

Dimensions (WxHxD) 483 x 1020 x 475mm Folded Height 740mm Toe Plate Width 305mm 50kg

order code TL1057908



D URATOOL

#### **300kg Tool Cart DURATOOL** For moving heavy and bulky items in warehouses, shops and

offices etc. Tough, sturdy wooden construction

4 swivel castors for easy manouverability

Technical Data

Dimensions (WxHxL) Load Capacity Wheel Diameter

300kg 75mm 4+

450 x 135 x 450mm

order code TL1058008

All Prices Exclude VAT







465561









The Chocbox is a safe and simple enclosure to protect and insulate electrical connections. The Chocbox can be used as a cover, a junction box or in-line connector.

- Meets IEE regulations
- · Supplied with 2 cable clamps and mounting screws
- Maximum rating 30A
- Dimensions: (HxWxD) 30 x 90 x 50mm
- · Terminal block not supplied







- Tote tray
- Dimensions: (WxHxD) 640 x 250 x 240mm

Note: Tools not included

£12 //7

order code SG3288308



See Page 65

All Prices Exclude VAT

Tel Orders and Enquiries: 08701 20 25 30 Fax: 08701 20 25 31 E-Mail: sales@cpc.co.uk or Online: www.cpc.co.uk

scounts shown throughout this brothure are against original 2008 catalogies price or provision pulled price prices are correct at time of going to print. Prices in this brothure, Positions may be available deswhere from PCP at a different price. All prices subject to horizon the topic to 17.59 MeV. Some goods are supplied with a nunfacturer's or PCP guarantee. Please check at time of purchase. Full terms and conditions are available upon request, alternatively view our main catalogue or online at www.cpc.couk. Computer commodities deprice list. Due to the nature of the computer market, some products in this brothure are sold on a "while stocks last has's. Pentium, Pentium II, a PC instrumi III are registered trademarks. Celtorn is a demark of Intel Celtorn. If you wish to be removed from our brothure mailing list please write to the Marketing Manager at the address provided within this brochure, stating your account number, or phone our es office. PCPs is a division of Prentier Famel IVA Intimies. Resistered No. 880038. Resistered Office: 150 Ample Rd. Leeks. 512 200. UK. Details of PCS stata protection policy are available.

